

BE IT REMEMBERED that the Board of Supervisors of Clay County, Mississippi, met at the Courthouse in West Point, MS, on the 8th day of January, 2015, at 9:00 a.m., and present were: Lynn Horton, President, Luke Lummus, R. B. Davis, Shelton Deanes, and Floyd McKee. Also present were Amy G. Berry, Clerk of the Board, Bob Marshall, Board Attorney, and Eddie Scott, Sheriff of Clay County; when and where the following proceedings were as determined to wit;

NO. _____

**IN THE MATTER OF ADOPTING AND AMENDING THE AGENDA FOR THE
BOARD OF SUPERVISORS MEETING HELD ON JANUARY 8, 2015**

There came on this day for consideration the matter of adopting and amending the agenda for the Board of Supervisors meeting held on January 8, 2015.

It appears to this Board the following items need to be added to the agenda for further discussion and consideration by this Board.

- Luke Lummus regarding BCAP report
- Eddie Scott regarding quote for Justice Court Building

After motion by Floyd McKee and second by Luke Lummus the Board doth vote unanimously to adopt the agenda as presented and to approve the agenda as amended.

SO ORDERED this 8th day of January, 2015.


President

431

491

NO. _____

**IN THE MATTER OF ACCEPTING AND AWARDING THE SUPPLY AND
MATERIAL BID FOR RIP-RAP FOR YEAR 2015**

There came on this day for consideration the matter of accepting and awarding the supply and material bid for Rip-Rap for year 2015.

It appears to this Board notice was timely given to accept the supply and material bids as attached hereto as Exhibit A and that the bids received for Rip-Rap are as attached hereto as Exhibit B.

After motion by Luke Lummus and second by Shelton Deanes this Board doth vote unanimously to accept and award the Primary Bid to Warren Paving Company for District 1, District 2, and District 4 at the prices as outlined and attached hereto as Exhibit A on the basis of the said vendor is logistically located closer to the Districts, and for District 3 and District 5 the Primary Bid is awarded to Hoover Inc at the prices as attached hereto as Exhibit A.

SO ORDERED this 8th day of January, 2015



President

**Clay County MS
Supply and Material Bid
For Year 2015~**

[illegible]

due to their heavy
significant loss of
being closer & to reduce
the cost to hauling

2953955

Sheet 2

NO. _____

**IN THE MATTER OF ACCEPTING AND AWARDING THE SUPPLY AND
MATERIAL BIDS FOR YEAR 2015**

There came on this day for consideration the matter of accepting and awarding the supply and material bid for year 2015

It appears to this Board as attached hereto as Exhibit A are the final tabulations and recommendation from the County Purchase Clerk, Teresa Ware, for the lowest and best supply and material bids for year 2015, and,

It appears to this Board that the bids for DBST and SBST are rejected due to the said bids not quoted as advertised in the specifications, and;

It appears further to this Board the bids for Hauling, Equipment Rental, and Herbicides were rejected due to the Board choosing not to advertise for bids, but bids were still submitted.

After motion by Floyd McKee and second by Luke Lammus this Board doth vote unanimously to accept the bids as attached hereto as Exhibit A for the Supply and Material bids for year 2015 except for those bids as stated above as being rejected by this Board.

SO ORDERED this the 8th day of January, 2015



President

AFIP

Affidavit of Publication

STATE OF MISSISSIPPI
COUNTY OF CLAY

SS

Cindy Cannon being duly sworn, says

That she is Classified Clerk of the Daily Times Leader, a daily newspaper of general circulation, printed and published in West Point, Clay County, Mississippi, that the publication, a copy of which is attached hereto, was published in the said newspaper on the following dates:

December 14, 2014

December 21, 2014


That said newspaper was regularly issued and circulated on those dates
SIGNED

Cindy Cannon
Classified Clerk

495

Subscribed to and sworn to me this 22 day of Dec

Amy B. Beatty
Notary Public
My Commission Expires Jan 4, 2016



[illegible]

2015 BID LIST

* CLAY GRAVEL
Preston Dobbs

AMOUNT OF BID
3.00 per yd
D=1,2,3,4,5

WASH GRAVEL

Bacco
Parker Sand

AMOUNT OF BID
8.75 - D=1,2,3,5
8.50 - D=4

PEA GRAVEL

Bacco
Parker Sand

AMOUNT OF BID
6.00 - D=1,2,3,5
7.50 - D=4

OVERSIZED GRAVEL

Bacco
Parker Sand

AMOUNT OF BID
10.75 - D=1,2,3,5
11.00 - D=4

WASHED FILL SAND

Bacco
Parker Sand

AMOUNT OF BID
5.75 per ton - D=1,2,3,5
3.50 per ton - D=4

PIT RUN BEDDING

Bacco
only bid

AMOUNT OF BID
4.50 - D=1,2,3,5,4

MASON SAND

Bacco

AMOUNT OF BID
11.50 per ton
D=1,2,3,4,5

FILL DIRT

Bacco
Parker Sand

AMOUNT OF BID
3.60 per ton D=1,2,3,5
2.50 per ton D=4

LIMESTONE

Hoover's

AMOUNT OF BID
D=5

LIQUID ASPHALT

No bid

AMOUNT OF BID
Received

COLD MIX

Cold Mix, Inc

AMOUNT OF BID
54.00 per ton
Only bid

HOT MIX

No Bid

AMOUNT OF BID

DBST

AMOUNT OF BID

SBST

AMOUNT OF BID

GRADER BLADES

AMOUNT OF BID

PLASTIC CULVERTS

AMOUNT OF BID

METAL CULVERTS

AMOUNT OF BID

HAULING

AMOUNT OF BID

EQUIPMENT RENTAL

AMOUNT OF BID

HERBIDICIDES

AMOUNT OF BID

CONCRETE PIPE

AMOUNT OF BID

Clay County MS Supply and Material Bid For Year 2015

Culverts		Bid 1	Bid 2	Bid 3	Bid 4
	SIZE				
Metal					
Plastic		G.T.O	Fulton	A.D.S	
	8"	3.32	3.32	3.32	All are
	10"	4.67	4.67	4.67	delivered
	12"	5.39	5.39	5.39	prices
	15"	7.25	7.25	7.25	
	18"	10.04	10.04	10.04	
	24"	16.91	16.91	16.91	
	30"	22.55	22.55	22.55	
	36"	29.60	29.60	29.60	
	42"	37.86	37.86	37.86	
	48"	48.40	48.40	48.40	
	60"	90.01	90.01	90.01	

B & M PAVING COMPANY, INC.

PHONE 662-862-3594
FAX 662-862-4115

3418 HARDEN CHAPEL ROAD
EULTON, MISSISSIPPI 38843

Bid. Hvy #7

Reseal county roads including clipping and sweeping
County furnishing materials

\$0.55 per sq yd.

DBST paving, grading, shape and compact county roads.
County furnishing materials

\$1.45 per sq yd.

Prime Coat
County furnishing materials

\$0.40 per sq yd.

Thank you

Mark E. Brown

Mark E. Brown
Certificate of Responsibility # 05008

500

Paving Of All Kinds



Clay County Cooperative

John S. Elliott, Manager
632 West Broad Street
West Point, Mississippi 39773

Phone 494-4676

January 5, 2015

We bid \$379.00 on 30 gal. Cornerstone Plus (generic Roundup)

\$ 55.00 per gal on Crossbow

John S. Elliott
John S. Elliott, Manager

501

202

AMY G. BERRY

2015 JAN -5 AM 8:08

CLAY COUNTY
WEST POINT, MS

BY _____ D.C.

Clay Co. Co-op
bid

B & M PAVING COMPANY, INC.

PHONE 662-862-3594
FAX 662-862-4115

3418 HARDEN CHAPEL ROAD
FULTON, MISSISSIPPI 38843

January 5, 2015

Clay County
Board of Supervisors
P O Box 815
West Point, MS 39773

We are pleased to quote the following items for your yearly service bids per advertisement:

<i>Bid items</i> Dump Trucks (14 yard beds)	\$60.00 per hour
Dozer D-65P Komatsu (wide track) with operator	\$150.00 per hour
Dozer D-5 CAT (wide track) with operator	\$85.00 per hour
Excavator CASE 210 (wide track) 1 1/2 yard bucket with operator	\$125.00 per hour
Excavator CASE 9030 (wide track) 1 1/2 yard bucket with operator	\$125.00 per hour
Grader Champion 760 14ft mold board with operator	\$100.00 per hour
Loader John Deer 544 2 1/2 yard bucket with operator	\$75.00 per hour
Dirt Pan John Deer 4840 8 yard pan with operator	\$75.00 per hour
Compactor 84" vibratory roller with operator	\$60.00 per hour
Compactor 60" vibratory roller with operator	\$40.00 per hour
Rubber Tired Rollers with operator	\$40.00 per hour
Backhoe CASE 580K with operator	\$65.00 per hour
Lowboy Equipment Hauler	\$125.00 per hour

503

Paving Of All Kinds

B & M PAVING COMPANY, INC.

3416 HARDEN CHAPEL RD.
FULTON, MS 38843



U.S. POSTAGE
PAID
FULTON, MS
38843
DEC 28 14
AMOUNT

\$0.49
00052230-06

39773

501

SEALED BY
Januar 5 2015
Belknap
W. W. M.

Clay County
Beatty & Superiors
PO Box 815
West Post, MS 39713
DEC 31 AM 11 29
CLAY COUNTY
MISS

5180567557

Paving Of All Kinds



January 5, 2015

Bid to, Clay County Board of Supervisors

Gentlemen,

Falcon Contracting Co., Inc. would like to take this opportunity to submit the following bid for:

Equipment Supply Bid year 2015

Item Bid 50 ton Lowboy and Tractor with operator	@ \$100.00 p/hr
Item Bid 20 yard dump trailer and truck with operator	@ \$75.00 p/hr
Item Bid Cedar Rapids Asphalt Paver with operator	@ \$85.00 p/hr
Item Bid RC350 Broce Power Broom without operator	@ \$50.00 p/hr
Item Bid Komatsu PC 200 Track Excavator without operator	@ \$90.00 p/hr
Item Bid Komatsu 380 Frontend Loader without operator	@ \$90.00 p/hr
Item Bid Komatsu 31-P Wide Track Dozer without operator	@ \$70.00 p/hr
Item Bid 140-G Caterpillar Motor Grader without operator	@ \$75.00 p/hr

Thank you for this opportunity to quote this work

Sincerely,

Neal Coker - President
Falcon Contracting Co., Inc.

335



P.O. BOX 5044
COLUMBUS, MS 39704

BY
CLAY COUNTY
WEST POINT, MS
2014 DEC 36 AM 7:38
AMY G. BERRY

CLAY COUNTY BOARD OF SUPERVISORS
2015 SUPPLY BID

662-295-8785

BID: \$60.00(sixty dollars) per hour with operator

जतिमल्ल

HENRY BACKHOE & DOZER

5306 WINDY RIDGE ROAD

WEST POINT, MS. 39773

662-295-8785

DATE: January 5, 2015

TO: Clay County Board of Supervisors

SUBJECT: Bid submission for equipment labor

D3 Cat dozer with operator

BID: \$65.00(sixty-five dollars) per hour with operator

Jeff Henry

HENRY BACKHOE & DOZER
5306 WINDY RIDGE ROAD
WEST POINT, MS. 39773
662-295-8785


DATE: January 5, 2015

TO: Clay County Board of Supervisors

SUBJECT: Bid submission for equipment labor

6/8 yard Dump truck with operator

BID: \$60.00(sixty dollars) per hour with operator



Jeff Henry

207

CLAY Co. Equipment Rental Bldg
FOR 2015

CLAY COUNTY
WEST POINT, MISS.
D.C.

IN DEC 23 AM 10:54

AND J. BERRY

**Coker Construction
950 Hamlin Road
West Point, MS 39773
662-251-2039**

Bid date January 5, 2015

Bid to: Clay County Board of Supervisors

Equipment Supply Bid year 2015

Item Bid. John Deere 310-G Backhoe @ \$40 00 per hour

Item Bid 8 yard Dump Truck @ \$30 00 per hour

Item Bid 31-P Komatsu Dozer @ \$50 00 per hour

All prices quoted without operator.

Neal Coker
Neal Coker

Goker Construction

500

BY _____
CLAY COUNTY
WEST POINT, MS
2014 DEC 30 AM 7:38
AMY G. BERRY

CLAY COUNTY BOARD OF SUPERVISORS

2015 SUPPLY BID



BID ATTACHMENT

To be able to provide the best possible service for Clay County, the bid dated January 5, 2015 by Advanced Drainage Systems, Inc can be serviced by any ADS / Hancor authorized distributor

We would like for Clay County to accept our bid as a guarantee for the price quoted. At the same time, we urge the County to take advantage of our ADS / Hancor distribution network throughout the State of Mississippi. The County can take advantage of this network by ordering their pipe from any of our authorized ADS / Hancor distributors. Many of our distributors have a local presence including inventory and delivery trucks to be able to provide the HDPE pipe exactly when and where the County needs it. This way the County will receive the best of both worlds: price and service.

To make sure that the County is aware of the authorized ADS / Hancor distributors in their area, the local distributors will submit a letter from ADS / Hancor as proof of their authorization. This authorization letter will be accompanied by the local distributor's contact information needed by the County to place orders.

We are hoping that this program dramatically increases our service to Clay County. We look forward to earning your business.


Al Gibbs, III
Regional Sales Manager
ADS / Hancor

510

TERM BID



LEGAL ENTITY:

Clay County

BID TERM:

1-6-15 thru 1-6-16

BID DATE:

January 5, 2015

ASTM F2648 SPECIFICATIONS FOR ADS N-12 PIPE AND COUPLINGS (RECYCLED RESIN)

- 1 ASTM F2648 STANDARD SPECIFICATION FOR 2 TO 60" ANNULAR CORRUGATED PROFILE WALL
- 2 RESIN CILL CLASS SHALL BE 424420C FOR 4 TO 10 PIPE AND 435420C FOR 12 TO 60 PIPE
- 3 ASTM F 2306 STANDARD SPECIFICATION FOR 12 TO 60 IN [300 TO 1500 MM] ANNULAR
- 4 PIPE LENGTHS AVAILABLE:
20 LENGTHS - 8 - 48 24' LENGTHS - 8 - 42", 30' LENGTHS - 12" - 48'
6 METERS (≈20) WITH BELL AND SPIGOT - 12" - 60

SMOOTH INTERIOR DOUBLE WALL HIGH DENSITY POLYETHYLENE PIPE - BRAND NAME N-12®

DIAMETER (INCHES)	ASTM Pipe COST \$	PER UNIT
8"	\$3 32	LINEAR FOOT
10"	\$4 67	LINEAR FOOT
12"	\$5 39	LINEAR FOOT
15"	\$7 25	LINEAR FOOT
18"	\$10 04	LINEAR FOOT
24"	\$16 91	LINEAR FOOT
30"	\$22 55	LINEAR FOOT
36"	\$29 60	LINEAR FOOT
42"	\$37 86	LINEAR FOOT
48"	\$48 40	LINEAR FOOT
60"	\$90 01	LINEAR FOOT

COUPLING COST \$	PER UNIT
\$6 04	EACH
\$8 30	EACH
\$9 38	EACH
\$15 60	EACH
\$26 59	EACH
\$37 50	EACH
\$87 18	EACH
\$121 29	EACH
\$177 54	EACH
\$208 41	EACH
\$324 19	EACH

GENERAL

- 1 THESE PRICES INCLUDE FREIGHT TO ANY LOCATION PER COUNTY OR CITY

ORDER PHONE 800 733 9987
ORDER FAX 800 733 1974
JACKSON PLANT 601 371 0678

Advanced Drainage Systems, Inc
205 Apache Drive
Jackson, MS 39212


Allen Buckley, SALES REPRESENTATIVE

TERM BID

ADVANCED

LEGAL ENTITY:

BID TERM:

BID DATE:

Clay County

1-6-15 thru 1-6-16

January 5, 2015

AASHTO SPECIFICATIONS FOR ADS N-12 PIPE AND COUPLINGS (VIRGIN RESIN)

1. AASHTO M-252, STANDARD SPECIFICATION FOR POLYETHYLENE CORRUGATED DRAINAGE TUBING, 10" DIAMETER
2. AASHTO M-294, STANDARD SPECIFICATION FOR CORRUGATED POLYETHYLENE PIPE, 60" DIAMETER
3. RESIN CELL CLASS SHALL BE 424420C FOR 4" TO 10" PIPE AND 435400C FOR 12" TO 60" PIPE
4. ASTM F-477 SPECIFICATION FOR ELASTOMETRIC SEALS (GASKETS) FOR JOINING PLASTIC PIPE
5. PIPE LENGTHS AVAILABLE:
20' LENGTHS - 8" - 48", 24' LENGTHS - 8" - 42", 30' LENGTHS - 12" - 48"
6 METERS (20') WITH BELL AND SPIGOT - 12" - 60"

SMOOTH INTERIOR DOUBLE WALL HIGH DENSITY POLYETHYLENE PIPE - BRAND NAME "N-12"

DIAMETER (INCHES)	AASHTO PIPE COST \$	PER UNIT
8"	\$3.48	LINEAR FOOT
10"	\$4.90	LINEAR FOOT
12"	\$5.66	LINEAR FOOT
15"	\$7.61	LINEAR FOOT
18"	\$10.54	LINEAR FOOT
24"	\$17.75	LINEAR FOOT
30"	\$23.67	LINEAR FOOT
36"	\$31.08	LINEAR FOOT
42"	\$39.75	LINEAR FOOT
48"	\$50.82	LINEAR FOOT
60"	\$94.52	LINEAR FOOT

COUPLING COST \$	PER UNIT
\$6.84	EACH
\$8.30	EACH
\$9.38	EACH
\$15.60	EACH
\$26.59	EACH
\$37.50	EACH
\$47.18	EACH
\$121.29	EACH
\$177.54	EACH
\$208.41	EACH
\$324.19	EACH

GENERAL:

1. THESE PRICES INCLUDE FREIGHT TO ANY LOCATION PER COUNTY OR CITY REQUEST.

ORDER PHONE: 800.733.9987

ORDER FAX: 800.733.1974

JACKSON PLANT: 601.371.0678

Advanced Drainage Systems, Inc.


205 Apache Drive

Jackson, MS 39212


Allen Buckley, SALES REPRESENTATIVE



ADS
401 Providence Dr
Brandon, MS 39042



Clay County Board of Supervisors
205 Court Street
West Point, Mississippi 39773

BID FOR PLASTIC CULVERT
PIPE

Bid Date
January 3, 2014
9 00 am

UPS GROUND

TRACKING # 1Z W21 A13 03 4804 2017

WEST POINT MS 39773-2984

SHIP TO: CLAY COUNTY BOARD OF SUPERVISORS
205 COURT ST
WEST POINT MS 39773-2984

DATE: 26 DEC 2014
TIME: 1:58 PM
1 OF 1

MS 397 0-01

10-0 76E SW

SHIP TO: CLAY COUNTY BOARD OF SUPERVISORS
205 COURT ST
WEST POINT MS 39773-2984

DATE: 26 DEC 2014
TIME: 1:58 PM
1 OF 1

SHIP TO: CLAY COUNTY BOARD OF SUPERVISORS
205 COURT ST
WEST POINT MS 39773-2984

DATE: 26 DEC 2014
TIME: 1:58 PM
1 OF 1

513

N-12® ST IB PIPE (PER AASHTO)

N 12 corrugated dual wall pipe was introduced in 1987. Today's N 12 pipe offers significant performance advantages plus the best soil tight joint in the industry. Available in diameters from 4" to 60" (100 to 1500 mm) N 12 pipe is replacing reinforced concrete pipe as a preferred product for storm water applications.

ADS N 12 pipe contains a superior built in bell and spigot joint. The joints are sealed by high quality factory installed rubber gaskets that meet all the requirements of ASTM F477. A polyethylene bell minimizes joint distortion. The chipping and cracking that is common to concrete bells is eliminated.

APPLICATIONS

Storm Sewers	Slopes/Edge Drains
Retention/Detention	Mining/Forestry/Industrial
Golf Turf & Recreation	Foundation Drains
Culverts/Cross Drains	Downspouts/Roof Drainage
Grain Aeration	Land Reclamation
Waterways	Terracing
Ditch Enclosures	

FEATURES



- 4" - 60" (100 to 1500 mm) diameters available
- Nominal 20 ft (6 m) and 13 ft (4 m) lengths available
- Bell and spigot joint design
- In line bell design
- Exceptional joint strength
- Excellent abrasion and corrosion resistance
- Light weight,
- Fast installation times
- Structural strength that will support H 25 live loads with 1' (0.3 m) minimum cover. 54" and 60" (1250 and 1500 mm) pipe requires 2' (0.6 m) cover for H 25 loads

BENEFITS

- Variety of diameters and lengths fit any project
- Joint only requires lube for fitting ends are pushed together for easy field installation
- Unlike pipes from other manufacturers there are no additional gasket materials, grout or sealing bands to transport and apply
- Installation cost savings from lower shipping costs, fewer people and less heavy equipment required
- Hydraulic efficiency from smooth interior
- Long term durability of HDPE

ADS & ADS representatives are committed to providing you with the answers to all your questions, including specifications and installation and more.

The Most Advanced Name in Drainage Systems®



SCOPE

PIPE REQUIREMENTS

- 12 through 60 inch (300 to 1500 mm) shall meet AASHTO M294, Type S or ASTM F2306
- Manning's n value for use in design shall be 0.012

JOINT PERFORMANCE

Pipe shall be joined using a bell and spigot joint meeting AASHTO M252 AASHTO M294 or ASTM F2306 The joint shall be soil tight and gaskets when applicable shall meet the requirements of ASTM F477 Gaskets shall be installed by the pipe manufacturer and covered with a removable wrap to ensure the gasket is free from debris A joint lubricant supplied by the manufacturer shall be used on the gasket and bell during assembly

FITTINGS

Fittings shall conform to AASHTO M252 AASHTO M294 or ASTM F2306. Bell and spigot connections shall utilize a spun on or welded bell and valley or saddle gasket meeting the soil tight joint performance requirements of AASHTO M252 AASHTO M294 or ASTM F2306.

MATERIAL PROPERTIES

Virgin material for pipe and fitting production shall be high density polyethylene conforming with the minimum requirements of cell classification 424420C for 4 through 10 inch (100 to 250 mm) diameters or 435400C for 12 through 60 inch (300 to 1500 mm) diameters as defined and described in the latest version of ASTM D3350 except that carbon black content should not exceed 4%. The 12 through 60 inch (300 to 1500 mm) virgin pipe material shall comply with the notched constant ligament stress (NCLS) test as specified in Sections 9.5 and 5.1 of AASHTO M294 and ASTM F2306 respectively.

INSTALLATION

Installation shall be in accordance with ASTM D2321 and ADS published installation guidelines with the exception that minimum cover in trafficked areas for 4 through 48 inch (100 to 1200 mm) diameters shall be one foot (0.3 m) and for 54 and 60 inch (1350 1500 mm) diameters the minimum cover shall be 2 foot (0.6 m) in single run applications. Backfill for minimum cover situations shall consist of Class 1, Class 2 (minimum 90% SPD) or Class 3 (minimum 90% SPD) material. Maximum fill heights depend on embedment material and compaction level, please refer to Technical Note 2-01. Contact your local ADS representative or visit our website at www.ads-pipe.com or a copy of the latest installation guidelines.

PIPE DIMENSIONS

Nominal Size, in. mm.	4 (100)	6 (150)	8 (200)	10 (250)	12 (300)	15 (375)	18 (450)	24 (600)	30 (750)	36 (900)	42 (1050)	48 (1200)	54 (1350)	60 (1500)
Weight, lb./ft. kg./m.	1.2 (0.18)	2.0 (0.29)	2.8 (0.41)	3.6 (0.52)	4.5 (0.65)	5.4 (0.78)	6.3 (0.91)	8.1 (1.18)	9.9 (1.44)	11.7 (1.70)	13.5 (1.96)	15.3 (2.22)	17.1 (2.48)	18.9 (2.74)
Remarks	All diameters available with or without perforations													

Check with sales representative for availability by region

* Pipe O.D. values are provided for reference purposes only values listed for 2 through 60 inch schedule 40 contact a sales representative for exact values

ADS Terms and Conditions of Sale are available on the ADS website: www.ads-plc.com

The ADS logo, the Green Stripe, and N12B are registered trademarks of Advanced Drainage Systems, Inc. ©2010 Advanced Drainage Systems, Inc.
BRO 10581 07/12 MH

BRO 10581 07/12 MH

*The Most Advanced Name in Drainage Systems**

Advanced Drainage Systems, Inc.
4640 Trueman Blvd., Hilliard, OH 43026
1-800-821-6710 www.ads-inc.com



N-12^c ST IB PIPE (PER ASTM F2648)

N 12 corrugated dual wall pipe was introduced in 1987. Today's N 12 ST IB pipe (per ASTM F2648) is an engineered compound of virgin and recycled high density polyethylene resins to provide impressive material properties. The performance you've come to expect from N 12 with the added benefit of helping to promote responsible use of resources. Available in diameters from 4" to 60" (100 to 1500 mm). N 12 pipe is replacing reinforced concrete pipe as a preferred product for storm water applications.

ADS N 12 ST IB pipe (per ASTM F2648) contains a superior built in bell and spigot joint. The joints are sealed by high quality factory installed rubber gaskets that meet all the requirements of ASTM F477. A polyethylene bell minimizes joint distortion. The chipping and cracking that is common to concrete bells is eliminated.


APPLICATIONS

Storm Drains	Slope/Edge Drains
Retention/Detention	Mining/Forestry/Industrial
Golf Turf & Recreation	Foundation Drains
Culverts/Cross Drains	Downspouts/Roof Drainage
Grain Aeration	Land Reclamation
Waterways	Terracing
Ditch Enclosures	

FEATURES


- 4" - 60" (100 to 1500 mm) diameters available
- Nominal 20 ft (6m) and 13 ft (4m) lengths available
- Bell and spigot joint design
- In line bell design
- Exceptional joint strength
- Excellent abrasion and corrosion resistance
- Light weight
- Fast installation times
- Structural strength will support H 25 live loads with 12" (300mm) minimum cover. 60" (1500mm) pipe requires 2' (600mm) cover for H 25 loads.

ADS's ADS representatives are committed to providing you with the answers to all your questions including specifications, and installation and more.



BENEFITS

- Variety of diameters and lengths that will fit in any project
- Joint only requires lube for fitting - ends are pushed together for easy field installation
- Unlike pipe from other manufacturers, there are no additional gasket materials, grout or sealing bands to transport and apply
- Installation cost savings from lower shipping costs, fewer people, and less heavy equipment required
- Hydraulic efficiency from smooth interior
- Long term durability of HDPE



The Most Advanced Name in Drainage Systems®



ADS N 12 ST IB PIPE (PER ASTM F2648) SPECIFICATION

SCOPE

This specification describes 4 through 60 inch (100 to 1500 mm) ADS N 12 ST IB pipe (per ASTM F2648) for use in gravity flow land drainage applications.

PIPE REQUIREMENTS

ADS N 12 ST IB pipe (per ASTM F2648) shall have a smooth interior and annular exterior corrugations.

4 through 60 inch (100 to 1500 mm) shall meet ASTM F2648.

Manning's n value for use in design shall be 0.012.

JOINT PERFORMANCE

Pipe shall be joined using a bell & spigot joint meeting ASTM F2648. The joint shall be soil tight, and gaskets, when applicable, shall meet the requirements of ASTM F477. Gaskets shall be installed by the pipe manufacturer and covered with a removable wrap to ensure the gasket is free from debris. A joint lubricant supplied by the manufacturer shall be used on the gasket and bell during assembly.

FITTINGS

Fittings shall conform to ASTM F2306. Bell and spigot connections shall utilize a spun on or welded bell and valley or saddle gasket meeting the soil tight joint performance requirements of ASTM F2306.

MATERIAL PROPERTIES

Material for pipe production shall be an engineered compound of virgin and recycled high density polyethylene conforming with the minimum requirements of cell classification 424420C (ESCR Test Condition B) for 4 through 10 inch (100 to 250 mm) diameters and 435420C (ESCR Test Condition B) for 12 through 60 inch (300 to 1500 mm) diameters as defined and described in the latest version of ASTM D3350 except that carbon black content should not exceed 4%. The design engineer shall verify compatibility with overall system including structural, hydraulic, material and installation requirements for a given application.

INSTALLATION

Installation shall be in accordance with ASTM D2321 and ADS's published installation guidelines, with the exception that minimum cover in trafficked areas for 4 through 48 inch (100 to 1200 mm) diameters shall be one foot (0.3 m) and for 60 inch (1500 mm) diameters the minimum cover shall be 2 ft (0.6 m) in single run applications. Backfill for minimum cover situations shall consist of Class 1 (compacted) or Class 2 (minimum 90% SP) material. Maximum fill heights depend on embedment material and compaction level; please refer to Technical Note 2-02. Contact your local ADS representative or visit our website at www.ads-pipe.com for a copy of the latest installation guidelines.

PIPE DIMENSIONS

Nominal Diameter in (mm)											
4	6	8	10	12	15	18	24	30	36	48	60
(100)	(150)	(200)	(250)	(300)	(375)	(450)	(600)	(750)	(900)	(1200)	(1500)
4.8	6.9	9.1	11.4	14.5	8	22	28	36	42	18	67
(122)	(175)	(231)	(290)	(368)	(457)	(559)	(711)	(914)	(1067)	(1213)	(1372)

All diameters available with or without perforations.

Check with sales representative for availability by region.

Per OD values are provided for reference purposes only; actuals stated for 12 through 60 inch (300 to 1500 mm) diameters are subject to change without notice.

For more information on ADS N 12 ST IB pipe (per ASTM F2648) and other ADS products, please contact our Customer Service Representative at 1-800-816-0110.

ADS N 12 ST IB pipe (per ASTM F2648) and other ADS products, please contact our Customer Service Representative at 1-800-816-0110.

Cold Mix, Inc.

P.O. Box 333
Nettleton, MS 38858
662-256-4529

January 5, 2015

Honorable Board of Supervisors
Clay County
PO Box 815
West Point, MS 39773

Re Bid on Item # 3-Cold Mix Asphalt

Dear Honorable Board of Supervisors:

We are pleased to bid on the following item for the period of January 5, 2015 through January 4, 2016.


Cold Mix Asphalt (limestone) @ \$84.00 (Eighty four dollars)
per ton - FOB our plant in Wren, MS

Cold Mix Asphalt (limestone) @ \$96.00 (Ninety-six dollars) per ton Delivered
to all districts in Clay County. (25 Ton Minimum Order)

*Please note: This price is based on the current asphalt index published on December 9, 2014.
Adjustments shall be made according to this index and the Mississippi State Highway Department
Special Provisions in order to provide the lowest possible material cost.*

We appreciate the opportunity to serve you!

Respectfully,


Libby Hudson

Owner

Cold Mix, Inc

Privilege License # 4423

Premium Cold Mix Asphalt Products
Plant Location: 32907 Highway 45 North, Nettleton, MS

Cold Mix, Inc.

PO Box 333

Newton, MS 38858

MEMPHIS TN 380

26 DEC 2014 PM 4.1



Honorable Board of Supervisors
(Clay County)

PO Box 815
West Point, MS 39773

DEC 29 PM 2:50
CLAY COUNTY
MISSISSIPPI

Sealed Bid
On item 3
Cold mix Asphalt
To be opened Jan 5, 15

39773081515



072

G & O SUPPLY CO., INC.

1408 D.L. COLLUMS DRIVE

Tupelo, MS 38801

662-840-3003 * 888-267-0442 * FAX 662-840-0304

**1408 D L Collums Dr
TUPELO, MS 38801
662-840-3003**

**333 STONEWALL ROAD
BYHALIA, MS 38611
662-838-5122**

**2052 FORREST AVE
JACKSON, MS 39206
601-366-7444**

**18188 HIGHWAY 49
SAUCIER, MS 39574
228-832-9655**

January 5, 2015


Clay County,

G & O Supply Company, Inc is a stocking distributor for Grader Blades for all sizes range from 1/2" x 6", 1/2" x 8", 5/8" x 8" Grader Blades. We are a locally owned Mississippi Corporation based in Tupelo, Mississippi with 4 locations throughout the State in Jackson, Tupelo, Saucier, and Byhalia.

G & O Supply has been providing drainage pipe and construction products to Mississippi Counties and Cities for over 50 years. We are committed to providing the best possible service at competitive prices to our customers. We maintain a complete inventory of Grader Blades having Tempered Steel, square ends, beveled edges, 05 Max Sulphur, 60-90 Manganese, 80-93 Carbon, 04 Max Phosphorus, 35 Max Silicone, Brinell Hardness 250-350. Grader Blades are packaged 10 blades per bundle. Bolts (2" & 2 1/2" are 80 pcs per box and 3" Bolts are packaged 60 pcs per box.

Standard Delivery is 5-10 business days from date of order

Respectfully Submitted,



Davis M. Broadwater
G & O Supply Co., Inc

Order Contact Information

Chuck Carson

1-888-267-0442 Toll Free Telephone #

662-840-0304 Fax

ccarson@gosupplyinc.com

www.gosupplyinc.com

G & O SUPPLY CO., INC.

1408 D L. COLLUMS DRIVE

TUPELO, MS 38801

662-840-3003 * 888-267-0442 * FAX 662-840-0304

1408 D L. COLLUMS DRIVE
TUPELO, MS 38801
662-840-3003

333 STONEWALL ROAD
BYHALIA, MS 38611
662-838-5122

2052 FORREST AVE
JACKSON, MS 39206
662-366-7444

18188 HIGHWAY 49
SAUCIER, MS 39574
228-832-9655

January 5, 2015

CLAY COUNTY BOARD OF SUPERVISORS

RE Grader Blade Bid

Pursuant to your request for bids, G & O Supply Co., Inc submits the following bid


1/2" x 6" x 6' Double Beveled	\$7 10/LF	\$42 60/Each Blade
1/2" x 6" x 7' Double Beveled	\$7 10/LF	\$49 70/Each Blade
1/2" x 6" x 8' Double Beveled	\$7 10/LF	\$56 80/Each Blade
1/2" x 6" x 9' Double Beveled	\$7 10/LF	\$63 90/Each Blade
1/2" x 6" x 10' Double Beveled	\$7 10/LF	\$71 00/Each Blade
1/2" x 8" x 6' Double Beveled	\$9 95/LF	\$59 70/Each Blade
1/2" x 8" x 7' Double Beveled	\$9 95/LF	\$69 65/Each Blade
1/2" x 8" x 8' Double Beveled	\$9 95/LF	\$79 60/Each Blade
1/2" x 8" x 9' Double Beveled	\$9 95/LF	\$89 55/Each Blade
5/8" x 6" Double Beveled	8 26/LF	
5/8" x 8" Double Beveled	11 90/LF	
Grade 8 Bolts with nuts 5/8" x 2", 2 1/2", 3"		\$1 84/Each
Grade 8 Bolts with nuts 3/4" x 2", 2 1/2", 3"		\$2 10/Each

Specifications Tempered Steel, square ends, beveled edges, 05 Max Sulphur, 60 - 90 Manganese, 80 - 93 Carbon 04 Max Phosphorus, 35 Max Silicone, Brinell hardness 250-350
Packaged 10 Blades per bundle Bolts (2" & 2 1/2" = 80 pcs Per box 3" = 60 pcs per box
Blades same price regardless of bolt hole size either 3/4" or 5/8"

This bid is firm for time period as advertised Standard Delivery 5-10 days

Respectfully Submitted,

G & O Supply Co. Inc.


David M. Brackman

www.gosupplyinc.com

G & O Supply Co., Inc.

1408 D.L. Collins Drive
Tupelo, MS 38801

Clay County Chancery Clerk
205 Court Street
West Point, MS 39773

SEALED BID
GRADER BLADE BID
BID DATE: JANUARY 5, 2015 @ 9:00 A.M.

G & O SUPPLY CO., INC.

1408 D. L. Collums Drive

Tupelo, MS 38801

662-840-3003 * 888-267-0442 * FAX 662-840-0304

1408 D L COLLUM DRIVE
TUPELO, MS 38801
662-840-3003

333 STONEWALL ROAD
BYHALIA, MS 38611
662-838-5122

2052 FORREST AVE
JACKSON, MS 39206
601-366-7444

18188 HIGHWAY 49
SAUCIER, MS 39754
228-832-9655

January 5, 2015

Clay County

Bid Date January 5, 2015

Bid Time 9 00 A M

Gentlemen

Please find the attached copies of our quote for Spiral Lock-Seam Corrugated Metal Pipe for term of bid as advertised

Bands are priced the same as 1' of pipe for H-6 bands, 1 1/2' of pipe for H-12 bands, 2' of pipe for 5-C bands and 2 1/2' of pipe for 10-C bands

Prices are f o b accessible by our trucks with unloading by others *

Prices quoted are per linear foot. Terms Net

Any pipe ordered 102" wide or high will require special permits and additional cost will be quoted at time of order Round pipe is available in standard lengths 20', 24', 30', & 40' for Galvanized, Aluminized, Polymer and Bituminous Coated Pipe Any custom lengths that require special ordering other than standard will be subject to a 10% increase in quoted price All arch pipe is available in standard lengths with a maximum 40' lengths


If you need any further assistance, please feel free to contact us

State Auditor License No 453

Privilege License No 1961

Yours truly,

G & O Supply Co., Inc


Davis M. Broadwater

www.gosupplyinc.com

G & O Supply Co., Inc.
1408 D.L. Collums Dr.
Tupelo, MS 38801

CLAY COUNTY
 LOCK SEAM SPIRAL CORRUGATED METAL PIPE
 2 2/3 X 1/2 ROUND
 \$/LF

Clay County Term Bid
 Bid Date January 5, 2015

	GALVANIZED				BITUMINOUS				ALUMINIZED				POLYMER			
DIA	GAGE				GAGE				GAGE				GAGE			
	16	14	12	10	16	14	12	10	16	14	12	10	16	14	12	10
12	8 44	10 13			10 89	12 58			8 89	10 67			11 67	14 00		
15	10 13	12 67	17 73		13 80	16 33	21 40		10 67	13 33	18 67		14 00	17 50		
18	12 67	15 20	21 11	26 18	17 56	20 09	26 00	31 07	13 33	16 00	22 22		17 50	21 00		
21	14 36	17 73	24 49	30 40	19 86	23 23	29 99	35 90	15 11	18 67	25 78		19 83	24 50		
24	16 04	20 27	27 87	34 62	22 16	26 38	33 98	40 73	16 89	21 33	29 33		22 17	28 00	38 50	47 83
30	20 27	25 33	34 62	43 92	28 21	33 28	42 57	51 87	21 33	26 67	36 44		28 00	35 00	47 83	60 67
36	24 49	30 40	41 38	52 36	33 04	38 96	49 93	60 91	25 78	32 00	43 56	55 11	33 83	42 00	57 17	72 33
42	30 14	37 24	50 54	63 84	39 92	47 02	60 32	73 62	31 73	39 20	53 20	67 20	41 66	51 46	69 82	88 20
48	33 69	42 56	57 63	72 71	45 91	54 78	69 86	84 93	35 47	44 80	60 67	76 53	46 56	58 80	79 62	100 46
54		47 88	64 72	81 58		64 01	80 86	97 71		50 40	68 13	85 87		66 16	89 42	112 70
60			75 24	95 68			92 11	112 54			79 20	100 71			103 96	132 19
66			82 67	104 97			100 27	122 57			87 02	110 49			114 22	145 02
72				114 26				134 79								
78																
84																

www.gosupplyinc.com

G & O Supply Co., Inc
1408 D L. Collums Dr
Tupelo, MS 38801

CLAY COUNTY
 LOCK SEAM SPIRAL CORRUGATED METAL PIPE
 3 x 1 or 5 x 1 ROUND
 \$/LF

Clay County Term B
 Bid Date January 5, 201

DIA	GALVANIZED				BITUMINOUS				ALUMINIZED				POLYMER			
	GAGE				GAGE				GAGE				GAGE			
	16	14	12	10	16	14	12	10	16	14	12	10	16	14	12	10
36	27 87	34 62	47 29	59 96	42 90	49 66	62 32	74 99	29 33	36 44	49 78	63 11	38 50	47 83	65 33	82 83
42	34 58	41 68	57 63	73 59	50 11	57 21	73 17	89 12	36 40	43 87	60 67	66 36	47 78	57 58	79 62	101 68
48	39 01	47 88	65 61	84 23	55 04	63 91	81 64	100 27	41 07	50 40	69 07	88 67	53 90	66 16	90 66	116 38
54	44 33	54 09	73 59	93 99	61 37	71 12	90 62	111 02	46 67	56 93	77 47	98 93	61 26	74 72	101 68	129 86
60	51 09	62 23	85 46	109 61	69 13	80 28	103 50	127 66	53 78	65 51	89 96	115 38	70 59	85 99	118 07	151 43
66	55 73	68 73	93 82	119 82	80 18	93 18	118 27	144 27	58 67	72 36	98 76	126 13	77 00	94 97	129 62	165 56
72	61 31	75 24	102 18	130 04	88 20	102 13	129 07	156 93	64 53	79 20	107 56	136 89	84 70	103 96	141 17	179 67
78	65 96	80 81	110 53	141 19	95 29	110 14	139 87	170 52	69 42	85 07	116 36	148 62	91 12	111 66	152 72	195 07
84	71 52	87 31	118 90	152 33	103 30	119 09	150 68	184 11	75 29	91 91	125 16	160 36	98 82	120 63	164 27	210 47
90	76 17	92 89	127 26	162 56	109 17	125 89	160 26	195 56	80 18	97 78	133 96	171 11	105 23	128 33	175 82	224 59
96	80 81	99 39	136 54	174 63	116 26	134 83	171 99	210 08	85 07	104 62	143 73	183 82	111 66	137 32	188 66	241 27
102		105 89	143 98	183 92		143 78	181 87	221 81		111 47	151 56	193 60		146 30	198 92	254 10
108		111 47	153 27	196 00		151 80	193 60	236 33		117 33	161 33	206 31		154 00	211 76	270 79
114		117 97	161 62	206 21		160 74	204 40	248 99		124 18	170 13	217 07		162 99	223 30	284 90
120		141 44	193 17	247 00		186 67	238 39	292 22		148 89	203 33	260 00		195 42	266 88	341 26

www.gosupplyinc.com

G & O Supply Co., Inc.
1408 D.L. Collums Dr.
Tupelo, MS 38801

CLAY COUNTY
 LOCK SEAM SPIRAL Corrugated Metal Pipe
 2 2/3 x 1/2 ARCH
 \$/LF

Clay County Term Bid
 Bid Date January 5, 2015

	GALVANIZED				BITUMINOUS				ALUMINIZED				POLYMER			
DIA	GAGE				GAGE				GAGE				GAGE			
S x R	16	14	12	10	16	14	12	10	16	14	12	10	16	14	12	10
(15) 17x13	11 14	13 93			14 81	17 60			11 73	14 67			15 40	19 26		
(18) 21x15	13 93	16 72	23 22	28 80	18 82	21 61	28 11	32 47	14 67	17 60	24 44		19 26	23 10	32 09	39 79
(21) 24x18	15 79	19 51	26 93	33 44	21 29	25 01	32 43	38 33	16 62	20 53	28 36		21 82	26 96	37 22	46 20
(24) 28x20	17 64	22 29	30 66	38 09	23 76	28 40	36 77	43 59	18 58	23 47	32 27		24 39	30 80	42 36	52 62
(30) 35x24	22 29	27 87	38 09	48 30	30 23	35 81	46 03	54 41	23 47	29 33	40 09		30 80	38 50	52 62	66 73
(36) 42x29	26 93	33 44	45 51	57 59	35 49	42 00	54 07	65 53	28 36	35 20	47 91	60 62	37 22	46 20	62 89	79 57
(42) 49x33		40 97	55 59	70 22		50 74	65 37	78 78		43 12	58 52	73 92		56 60	76 81	97 02
(48) 57x38			63 40	79 98			75 62	89 76			66 73	84 19			87 59	110 50
(54) 64x43			71 20	89 73			87 33	101 96			71 61	94 46			98 37	123 97
(60) 71x47				105 24				121 38				110 78				145 40
(66) 77x52																
(72) 83x57																

www.gosupplyinc.com

G & O Supply Co., Inc.
1408 D L. Collums Dr.
Tupelo, MS 38801

CLAY COUNTY
 LOCK SEAM SPIRAL CORRUGATED METAL PIPE
 3 x 1 ARCH
 \$/LF

Clay County Term B
 Bid Date January 5, 2011

	GALVANIZED			BITUMINOUS			ALUMINIZED			POLYMER		
DIA	GAGE			GAGE			GAGE			GAGE		
S X R	14	12	10	14	12	10	14	12	10	14	12	10
(36) 40X31	38 09	52 02		53 12	67 06		40 09	54 76		52 62	71 87	
(42) 46X36	45 84	63 40	80 96	61 38	78 93	96 49	48 26	66 73		63 33	87 59	111 84
(48) 53X41	52 67	72 18	92 66	68 70	88 21	108 69	55 44	75 98		72 77	99 71	128 01
(54) 60X46	59 50	80 96	103 39	76 53	97 99	120 42	62 62	85 21		82 20	111 84	142 83
(60) 66X51	68 46	94 00	120 57	86 50	112 04	138 61	72 07	98 96		94 58	129 88	166 58
(66) 73X55	75 61	103 20	131 81	100 06	127 64	156 26	79 59	108 63		104 47	142 58	182 10
(72) 81X59	82 77	112 40	143 04	109 66	139 29	169 93	87 12	118 31	150 58	114 34	155 29	197 63
(78) 87X63	88 90	121 59	155 31	118 23	150 92	184 64	93 58	127 99	163 49	122 81	167 99	214 58
(84) 95X67	96 04	130 79	167 57	127 82	162 57	199 34	101 10	137 67	176 39	132 70	180 69	231 51
(90) 103X71	102 18	139 99	178 81	135 18	172 99	211 81	107 56	147 36	188 22	141 17	193 40	247 04
(96) 112X75	109 33	150 20	192 09	144 78	185 64	227 53	115 09	158 11	202 20	151 04	207 51	265 39
(102) 117X79		158 38	202 31		196 27	240 20		166 71	212 96		218 81	279 51
(108) 128X83		168 59	215 60		208 92	255 93		177 47	226 94		232 92	297 87
(114) 137X87		177 79	226 83		220 57	269 61		187 14	238 78		245 63	313 39
(120) 142X91			271 70			316 92			286 00			375 38

www.gosupplyinc.com

G & O Supply Co., Inc.

1408 D.L. Collins Drive
Tupelo, MS 38801

Clay County Chancery Clerk
206 Court Street
West Point, MS 39773

SEALED BID
CORRUGATED METAL PIPE BID
BID DATE: JANUARY 5, 2015 @ 9:00 A.M.

CS
73
CS

FULTON PIPE & CONSTRUCTION CO., Inc.

PHONE 662-862-3594
FAX 662-862-4115

3418 HARDEN CHAPEL ROAD
FULTON, MISSISSIPPI
38843

January 5, 2015

Board of Supervisors
Clay County
P O. Box 815
Westpoint, MS 39773

I am pleased to bid the following prices for Metal and HDPE Plastic Culverts per your specifications. These culverts meet all State and Federal Requirements. This bid is for the calendar year 2015.


Shannon B. Falls
Co. Privilege #3053

528

Culverts of All Sizes

FULTON PIPE & CONSTRUCTION CO., Inc.

PHONE 662-262-3594
FAX 662-262-8715

2418 HARDEN CHAPEL ROAD
FULTON, MISSISSIPPI 39024

CENTRAL METAL CHEMISTS

22K x 1/2

DIA.	GA.	ASPHALT PLAIN	COATED	ARCHED ARCHED	COATED
8"	16	6.24	N/A	N/A	N/A
10"	16	7.81	N/A	N/A	N/A
12"	16	8.51	10.70	N/A	N/A
15"	16	10.05	13.50	11.00	14.80
15"	14	12.02	16.25	13.75	17.20
18"	16	12.54	17.50	14.15	18.50
18"	14	14.78	19.75	16.50	21.24
24"	16	15.95	22.00	17.67	23.50
24"	14	20.48	23.94	22.08	28.28
30"	16	20.48	27.50	24.08	29.79
30"	14	23.08	28.10	27.80	33.31
30"	12	24.38	32.20	31.27	35.80
36"	16	24.68	33.74	32.67	34.58

Quantity of all items

FULTON PIPE & CONSTRUCTION CO., Inc.

PHONE 662-862-3594
FAX 662 862-4115

3418 HARDEN CHAPEL ROAD
FULTON, MISSISSIPPI
38843

SPIRAL METAL CULVERTS

3x1

<u>DIA</u>	<u>GA</u>	<u>PLAIN</u>	<u>ASPHALT COATED</u>	<u>ARCHED</u>	<u>ARCHED COATED</u>
36"	16	27 59	42 19	40"x31" 30 35	44 95
36"	14	34 00	48 88	40" x31" 37 70	52 30
42"	16	34 50	49 78	46"x36" 37 24	52 74
42"	14	41 50	56 97	46"x36" N/A	N/A
48"	16	38 97	54 61	53"x41" N/A	N/A
48"	14	47 20	63 12	53'x41" 52 14	67 72
48"	12	64 50	80 25	53'x41" 71 47	86 04
54"	14	53 91	70 72	60"x46" 59 43	75 46
54"	12	73 00	89 79	60"x46" 80 87	96 70
60"	16	50 00 ¹¹	66 39	66"x51" N/A	N/A
60"	14	61 00	76 01	66'x51" 67 00	84 00
60"	12	83 50	99 90	66'x51" 92 00	108 00
60"	10	107 00	125 00	66'x51" 117 00	134 35
66"	14	68 20	93 00	73'x55" 75 53	98 60
66"	12	92 71	115 50	73"x55" 102 44	125 42
72"	16	60 15	87 20	81'x59" N/A	N/A

531

Culverts of All Sizes

FULTON PIPE & CONSTRUCTION CO., Inc.

PHONE 662-862-3594
FAX 662-862-4115

3418 HARDEN CHAPEL ROAD
FULTON, MISSISSIPPI
38843

SPIRAL METAL CULVERTS CONT'D

3X1

<u>DIA.</u>	<u>GA.</u>	<u>PLAIN</u>	<u>ASPHALT COATED</u>	<u>ARCHED</u>	<u>ARCHED COATED</u>
72"	14	74 16	100 49	81"x59" 81 68	108 06
72"	12	100 00	126 00	81"x59" 110 09	136 00
72"	10	127 00	154 00	81"x59" 139 32	164 50
78"	12	109 87	136 00	87"x63" 119 00	148 24
78"	10	138 00	166 70	87"x63" 151 20	179 30
84"	12	116 60	145 80	95"x67" 128 00	158 90
84"	10	149 00	178 20	95"x67" 163 00	194 00
96"	14	97 53	139 00	112"x75" 107 25	141 70
96"	12	133 00	167 40	112"x75" 146 00	180 00
96"	10	171 00	204 00	112"x75" 187 50	220 00
102"	12	141 24	177 00	117"x79" 153 94	191 00
102"	10	178 00	216 00	117"x79" 197 00	235 00
108"	12	149 04	187 00	128"x83" 164 00	203 00
108"	10	183 13	221 00	128"x83" 210 45	248 00
114"	12	157 00	198 00	137"x87" 171 20	214 00
114"	10	200 00	260 00	137"x87" 221 00	260 00
120"	10	240 00	304 00	142"x91" 263 00	304 90

532

Culverts of All Sizes

FULTON PIPE & CONSTRUCTION CO., Inc.

PHONE 662-862-3594
FAX 662-862-4115

3418 HARDEN CHAPEL ROAD
FULTON, MISSISSIPPI
38843

ALUMINIZED PLAIN ROUND

2 2/3 X 1/2

<u>DIA.</u>	<u>16 GA.</u>	<u>14 GA.</u>	<u>12 GA.</u>	<u>10 GA.</u>
12"	\$9.41	\$11.29	N/A	N/A
15"	\$11.29	\$14.11	\$19.76	N/A
18"	\$14.11	\$16.94	\$23.53	\$29.18
21"	\$16.00	\$19.76	\$27.29	\$34.29
24"	\$17.88	\$22.59	\$31.06	\$38.59
30"	\$22.59	\$28.24	\$38.58	\$48.94
36"	\$27.29	\$33.88	\$46.12	\$58.35
42"	\$33.60	\$41.50	\$57.00	\$72.00
48"	\$37.55	\$47.44	\$64.24	\$81.04
54"	N/A	\$54.00	\$73.00	\$92.00
60"	N/A	N/A	\$83.86	\$106.64
66"	N/A	N/A	\$93.24	\$118.38

533

Culverts of All Sizes

FULTON PIPE & CONSTRUCTION CO., Inc.

PHONE 662-862-3594
FAX 662-862-4115

3418 HARDEN CHAPEL ROAD
FULTON, MISSISSIPPI
38843

ALUMINIZED PLAIN ROUND

3X1

<u>DIA.</u>	<u>16 GA.</u>	<u>14 GA.</u>	<u>12 GA.</u>	<u>10 GA.</u>
36"	\$31.05	\$38.59	\$52.71	\$66.82
42"	\$38.54	\$46.45	\$64.24	\$82.05
48"	\$43.48	\$53.38	\$73.13	\$93.88
54"	\$50.30	\$61.36	\$83.50	\$106.64
60"	\$56.94	\$69.36	\$95.24	\$122.16
66"	\$62.11	\$77.99	\$106.44	\$135.95
72"	\$68.33	\$83.86	\$113.88	\$144.94
78"	\$74.85	\$91.69	\$125.41	\$160.19
84"	\$81.15	\$98.48	\$132.52	\$172.84
90"	\$85.90	\$104.76	\$144.38	\$181.18
96"	\$90.05	\$110.77	\$152.19	\$194.64
102"	N/A	\$1118.02	\$160.47	\$204.99
108"	N/A	\$124.25	\$170.82	\$218.45
114"	N/A	\$131.48	\$180.14	\$229.84
120"	N/A	\$157.65	\$215.29	\$275.29

Culverts of All Sizes.

FULTON PIPE & CONSTRUCTION CO., Inc.

PHONE 662-862-3594
FAX 662-862-4115

3418 HARDEN CHAPEL ROAD
FULTON, MISSISSIPPI
38843

ALUMINIZED ARCHED

2 2/3 X 1/2

<u>DIA.</u>		<u>16 GA.</u>	<u>14 GA.</u>	<u>12 GA.</u>	<u>10 GA.</u>
12"		N/A	N/A	N/A	N/A
15"	17x13	\$12.42	\$15.52	\$21.74	N/A
18"	21x15	\$15.53	\$18.64	\$25.88	\$32.10
21"	24x18	\$17.81	\$22.13	\$30.38	\$37.71
24"	28x20	\$19.67	\$24.85	\$34.16	\$42.95
30"	35x24	\$24.84	\$31.06	\$42.44	\$53.80
36"	42x29	\$30.02	\$37.27	\$50.73	\$64.20
42"	49x33	N/A	\$46.20	\$62.70	\$78.27
48"	57x38	N/A	N/A	\$70.65	\$89.14
54"	64x43	N/A	N/A	\$79.35	\$101.81
60"	71x47	N/A	N/A	N/A	\$117.29

535

Culverts of All Sizes

FULTON PIPE & CONSTRUCTION CO., Inc.

PHONE 662-862-3594
FAX 662-862-4115

3418 HARDEN CHAPEL ROAD
FULTON, MISSISSIPPI
38843

ALUMINIZED ARCHED

3X1

<u>DIA.</u>	<u>SxH</u>	<u>16 GA.</u>	<u>14 GA.</u>	<u>12 GA.</u>	<u>10 GA.</u>
36"	40x31	N/A	\$42.44	\$57.98	\$73.51
42"	46x36	N/A	\$51.49	\$71.50	\$91.84
48"	53x41	N/A	\$58.71	\$80.45	\$103.27
54"	60x46	N/A	\$66.31	\$91.84	\$117.29
60"	66x51	N/A	\$76.31	\$104.78	\$134.37
66"	73x55	N/A	\$85.78	\$117.10	\$149.54
72"	81x59	N/A	\$92.24	\$125.27	\$159.44
78"	87x63	N/A	\$100.86	\$137.95	\$176.22
84"	95x67	N/A	\$108.95	\$147.50	\$188.99
90"	103x71	N/A	\$113.88	\$156.02	\$202.87
96"	112x75	N/A	\$121.86	\$167.41	\$214.09
102"	117x79	N/A	N/A	\$176.53	\$225.45
108"	128x83	N/A	N/A	\$187.91	\$240.29
114"	137x87	N/A	N/A	\$198.15	\$252.83
120"	142x91	N/A	N/A	N/A	\$302.82

536

Culverts of All Sizes

FULTON PIPE & CONSTRUCTION CO., Inc.

PHONE 662-862-3594
FAX 662-862-4115

3418 HARDEN CHAPEL ROAD
FULTON, MISSISSIPPI
38843

January 5, 2015

Board of Supervisors
Clay County
P.O. Box 815
West Point, MS 39773

I am pleased to bid the following prices in 5x1 Corrugation sizes 54" - 120":

The 5x1 Corrugation is more easily available, meaning the Metal Pipe Factory produces more 5x1 Corrugation than 3x1 Corrugation. The turnaround time for a culvert ordered in 5x1 corrugation is much quicker than 3x1, which is a PLUS!

The 5x1 Corrugation is approved by the following Departments of Transportation:

Mississippi DOT
Tennessee DOT
Arkansas DOT
Louisiana DOT

The following County's in Mississippi are presently using 5x1 Corrugation with great success

DeSoto, Hinds and Washington County

IF IT'S GOOD ENOUGH FOR THE DEPARTMENT OF TRANSPORTATION, IT'S GOOD ENOUGH FOR ME!

Respectfully submitted

Shannon Brown Falls

Shannon Brown Falls

537

Culverts of All Sizes

FULTON PIPE & CONSTRUCTION CO., Inc.

PHONE 662-862-3594
FAX 662-862-4115

3418 HARDEN CHAPEL ROAD
FULTON, MISSISSIPPI
38843

5x1

<u>Dia</u>	<u>Ga</u>	<u>Plain</u>	<u>Coated</u>	<u>Arched SXH</u>	<u>Arched Coated</u>
54"	16	41.94	59.36	N/A 60x46	N/A
	14	51.17	68.59	N/A	N/A
	12	69.61	87.03	76.59	94.01
	10	88.92	106.45	97.81	115.23
60"	16	48.32	66.78	N/A 66x51	N/A
	14	58.87	77.33	N/A	N/A
	12	80.84	99.30	88.92	107.38
	10	103.69	122.15	114.02	132.51
66"	16	53.33	77.73	N/A 73x55	N/A
	14	65.02	90.02	N/A	N/A
	12	89.48	120.95	97.65	122.65
	10	113.35	138.35	125.41	149.70
72"	16	58.00	85.50	N/A 81x59	N/A
	14	71.18	98.68	N/A	N/A
	12	96.66	123.15	106.32	133.83
	10	123.02	147.17	136.09	162.82
78"	16	62.40	91.88	N/A 87x63	N/A
	14	76.44	105.84	N/A	N/A
	12	104.57	133.81	116.33	145.01
	10	133.57	162.64	148.61	176.92
84"	16	68.43	100.15	N/A 95x67	N/A
	14	83.55	115.10	N/A	N/A
	12	113.77	144.98	125.87	156.23
	10	145.77	176.61	161.27	191.02
90"	16	72.05	105.81	N/A 103x71	N/A
	14	87.87	121.63	N/A	N/A
	12	120.39	154.14	133.95	166.18
	10	153.78	187.53	171.10	202.91

5x1 can only be arched in 12 gauge and 10 gauge

538

Culverts of All Sizes

FULTON PIPE & CONSTRUCTION CO., Inc.

PHONE 662-862-3594
FAX 662-862-4115

3418 HARDEN CHAPEL ROAD
FULTON, MISSISSIPPI
38843

5x1 continued

<u>Dia</u>	<u>Ga</u>	<u>Plain</u>	<u>Coated</u>	<u>Arched SXH</u>	<u>Arched Coated</u>
96"	16	77 32	112 69	N/A 112x75	N/A
	14	95 10	130 62	N/A	N/A
	12	130 65	167 32	143 72	198 46
	10	167 10	203 77	183 80	217 96
102"	16	N/A	N/A	N/A 117x79	N/A
	14	101 32	141 39	N/A	N/A
	12	137 77	176 98	151 55	188 58
	10	175 99	215 18	193 59	230 14
108"	16	N/A	N/A	N/A 128x83	N/A
	14	106 66	148 39	N/A	N/A
	12	146 66	186 25	161 32	200 73
	10	185 42	229 27	206 31	245 22
114"	16	N/A	N/A	N/A 137x87	N/A
	14	111 60	157 14	N/A	N/A
	12	154 65	198 91	170 11	211 93
	10	197 36	238 86	217 05	261 31
120"	16	N/A	N/A	N/A 142x91	N/A
	14	133 80	182 13	N/A	N/A
	12	182 74	231 62	N/A	N/A
	10	233 67	283 13	259 99	303 28

5x1 can only be arched in 12 gauge and 10 gauge

529

Culverts of All Sizes

G & O SUPPLY CO., INC.

1408 D.L. COLLUMS DRIVE

Tupelo, MS 38801

662-840-3003 * 888-267-0442 * FAX 662-840-0304

**1408 D L. Collums Dr
TUPELO, MS 38801
662-840-3003**

**333 STONEWALL ROAD
BYHALIA, MS 38611
662-838-5122**

**2052 FORREST AVE
JACKSON, MS 39206
601-366-7444**

**18188 HIGHWAY 49
SAUCIER, MS 39574
228-832-9655**

January 5, 2015

Clay County

G & O Supply Company, Inc. is an Authorized Distributor for ADS/Hancor HDPE Pipe and Fittings. We are a locally owned Mississippi Corporation based in Tupelo, Mississippi with 4 locations throughout the State in Jackson, Tupelo, Saucier, and Byhalia.

G & O Supply has been providing drainage pipe to Mississippi Counties and Cities for over 50 years. We are committed to providing the best possible service at competitive prices to our customers. With a complete inventory of HDPE pipe and fittings in sizes of 4" to 60" at each location, we can provide a fast turn-around on orders throughout our coverage area.

As Authorized Distributors of ADS/Hancor, G & O Supply Company would like to be your choice as the Servicing Distributor for your county. If selected we will provide prompt delivery on all standard orders with less than 24 hour service for emergency orders at bid prices submitted by ADS/Hancor for HDPE pipe and fittings. Additionally, if requested, we will offer professional guidance and Engineering services on special projects and new products.

Respectfully Submitted,



**Davis M. Broadwater
G & O Supply Co., Inc.**

Order Contact Information

Chuck Carson

1-888-267-0442 Toll Free Telephone #

662- 840-0304 Fax

ccarson@gosupplyinc.com

www.gosupplyinc.com

G & O SUPPLY CO., INC.

1408 D. L. Collums Drive

Tupelo, MS 38801

662-840-3003 * 888-267-0442 * FAX 662-840 0304

www.gosupplyinc.com

1408 D L COLLUMS DRIVE
TUPELO, MS 38801
662-840-3003

333 STONEWALL ROAD
BYHALIA, MS 38611
662-838-5122

2052 FORREST AVE
JACKSON, MS 39206
601-366-7444

18188 HIGHWAY 49
SAUCIER, MS 39754
228-832-9655

TERM BID

LEGAL ENTITY:	Clay County
BID TERM:	Bid Good thru term of bid as advertised
BID DATE:	January 5, 2015 @ 9:00 a.m.

AASHTO SPECIFICATIONS FOR ADS N-12 PIPE AND COUPLINGS (VIRGIN RESIN)

- 1 AASHTO M-252 STANDARD SPECIFICATION FOR POLYETHYLENE CORRUGATED DRAINAGE TUBING 4 - 10" DIAMETER
- 2 AASHTO M 294 STANDARD SPECIFICATION FOR CORRUGATED POLYETHYLENE PIPE 12 - 60" DIAMETER
- 3 RESIN CELL CLASS SHALL BE 424420C FOR 4" TO 10" PIPE AND 435400C FOR 12" TO 60" PIPE
- 4 ASTM F-477 SPECIFICATION FOR ELASTOMETRIC SEALS (GASKETS) FOR JOINING PLASTIC PIPE
- 5 PIPE LENGTHS AVAILABLE
20' LENGTHS - 8" - 48"; 24' LENGTHS - 8" - 42", 30' LENGTHS - 12" - 48"
6 METERS (~20') WITH BELL AND SPIGOT - 12" - 60"

ASTM F2648 SPECIFICATIONS FOR ADS N-12 PIPE AND COUPLINGS (RECYCLED RESIN)

- 1 ASTM F2648 STANDARD SPECIFICATION FOR 2" TO 60" ANNULAR CORRUGATED PROFILE WALL POLYETHYLENE PIPE AND FITTINGS FOR LAND DRAINAGE
- 2 RESIN CELL CLASS SHALL BE 424420C FOR 4" TO 10" PIPE AND 435420C FOR 12" TO 60" PIPE
- 3 ASTM F 2306 STANDARD SPECIFICATION FOR 12 TO 60 IN [300 TO 1500 MM] ANNULAR CORRUGATED PROFILE WALL POLYETHYLENE (PE) PIPE AND FITTINGS FOR GRAVITY FLOW STORM SEWER AND SUBSURFACE DRAINAGE APPLICATIONS
- 4 PIPE LENGTHS AVAILABLE
20' LENGTHS - 8" - 48", 6 METERS (~20') WITH BELL AND SPIGOT - 12" - 60"


SMOOTH INTERIOR DOUBLE WALL HIGH DENSITY POLYETHYLENE PIPE - BRAND NAME "N-12"

DIAMETER (INCHES)	AASHTO Pipe COST \$	ASTM F2648 PIPE COST \$	PER UNIT	COUPLING COST \$	PER UNIT
8"	3.48	3.32	LINEAR FOOT	6.04	EACH
10"	4.90	4.67	LINEAR FOOT	8.30	EACH
12"	5.66	5.39	LINEAR FOOT	9.38	EACH
15"	7.61	7.25	LINEAR FOOT	15.60	EACH
18"	10.54	10.04	LINEAR FOOT	26.59	EACH
24"	17.75	16.91	LINEAR FOOT	37.50	EACH
30"	23.67	22.55	LINEAR FOOT	87.18	EACH
36"	31.08	29.60	LINEAR FOOT	121.29	EACH
42"	39.75	37.86	LINEAR FOOT	177.54	EACH
48"	50.82	48.40	LINEAR FOOT	208.41	EACH
60"	94.52	90.01	LINEAR FOOT	324.19	EACH

GENERAL

- 1 THESE PRICES INCLUDE FREIGHT TO ANY LOCATION PER COUNTY REQUEST
- 2 AS AN AUTHORIZED ADS DISTRIBUTOR OUR PRICES ARE THE SAME.

SEE AUTHORIZATION LETTER ATTACHED.


Davis M. Broadwater
G & O SUPPLY CO., INC



**ADS / Hancor Authorized Distributor
for
Clay County**

G&O Supply

is an authorized distributor for ADS / Hancor

Please accept this letter as authorization to allow the distributor listed above to service the annual bid that was submitted by Advanced Drainage Systems, Inc. on January 6, 2015

Advanced Drainage Systems, Inc. will guarantee the price that was quoted, however the County may order pipe and receive service from the authorized distributor listed above.

We have implemented this program to make sure the County receives the best price and the best possible service by utilizing the entire ADS / Hancor distribution network.

Al Gibbs, II

**Al Gibbs, II
Regional Sales Manager
ADS / Hancor**

542

C & O Supply Co., Inc.

1408 D L Callum Drive
Tupelo, MS 38801

5
13

Clay County Chancery Clerk
205 Court Street
West Point, MS 39773

SEALED BID

CORRUGATED PLASTIC PIPE BID

BID DATE: JANUARY 5, 2015 @ 9:00 A.M.

Extremely Urgent

This envelope is for use with the following services

UPS Next Day Air®
UPS Worldwide Express™
UPS 2nd Day Air®

2014 DEC 30 PM 3:17
CLAY COUNTY
WEST POINT, MS

Call 1-800-PICK-UPS® (1-800-742-5877) or 1-800-451-4643

DAVIS BROADWATER
(601) 421-8926
THE UPS STORE #4496
123A HIGHWAY 80 EAST
CLINTON MS 39056

0 3 LBS LTR 1 OF 1
SHP WT LTR
DATE 29 DEC 2014

Domestic Shipments

To qualify for the Letter correspondence urgent weigh 8 oz or less UPS those listed or weighing

International Shipments


The UPS Express Envelope value Certain countries ups.com/importexport

To qualify for the Letter UPS Express Envelopes

Note Express Envelopes containing sensitive personal or cash equivalent

SHIP CHANCERY CLERK
TO CLAY COUNTY COURTHOUSE
205 COURT ST

WEST POINT MS 39773-2984



MS 397 0-01



Reusable Letter Size

Reduce paper waste either to return to See reuse instructions


Decision Green

Decision Green is in our pursuit of sustainability. For example, this material and is biodegradable

UPS NEXT DAY AIR

TRACKING # 1Z 9V3 554 01 1630 1859

1



BILLING P/P

REF W1 GG

10H 13 00H Z2P 450 57 5U 10/2014

This envelope is for use

Gto Supply Co. Inc.

Southern Bulls MSMS

mp
Hops

Grinder blades

UPS Next Day Air®
UPS Worldwide Express®
UPS 2nd Day Air®

Do not use this envelope for

UPS Ground
UPS Standard
UPS 3 Day Select®
UPS Worldwide Expedited®

Shipping documents on this side

CLAY COUNTY COURTHOUSE
205 COURT ST

WEST POINT MS 39773-2984

P.O. OFFICE S. OFFICE
BRA-1015

12345678901234567890
1859

1030

DEC 30 07:19:104 2014

BY

CLAY COUNTY
WEST POINT, MS

2014 DEC 30

AMY G. BERN



100% Recycled
80% Post-Consumer

UPS is a registered trademark of United Parceles of America, Inc. © 2014 UPS. All rights reserved. UPS is a registered trademark of United Parceles of America, Inc. © 2014 UPS. All rights reserved.

FULTON PIPE & CONSTRUCTION CO., Inc.

PHONE 662-862 3594
FAX 662-862-4115

3418 HARDEN CHAPEL ROAD
FULTON MISSISSIPPI
38843

January 5, 2015

Clay County
Board of Supervisors
P O Box 815
Westpoint, MS 39773

I am pleased to bid the following numbers for HDPE-Plastic Culverts

ASTM-RECYCLED

8"	\$3 32
10	\$4 67
12"	\$5 39
15	\$7.25
18"	\$10 04
24"	\$16 91
30"	\$22 55
36"	\$29 60
42	\$37 86
48"	\$48 40
60	\$90 01

AASHTO

8"	\$3 48
10"	\$4 90
12"	\$5 66
15'	\$7 61
18"	\$10 54
24"	\$17 75
30"	\$23 67
36"	\$31 08
42"	\$39 75
48	\$50 82
60"	\$94 52

COUPLERS/BANDS

8"	\$6 04
10"	\$8 30
12"	\$9 38
15"	\$15 60
18	\$26 59
24'	\$37 50
30	\$87 18
36"	\$121 29
42	\$177 54
48"	\$208 41
60"	\$324 19

Respectfully
Shannon B. Gill

Culverts of All Sizes



**ADS / Hancor Authorized Distributor
for
Clay County**

Fulton Pipe

Is an authorized distributor for ADS / Hancor

Please accept this letter as authorization to allow the distributor listed above to service the annual bid that was submitted by Advanced Drainage Systems, Inc on January 5, 2015


Advanced Drainage Systems, Inc will guarantee the price that was quoted, however the County may order pipe and receive service from the authorized distributor listed above

We have implemented this program to make sure the County receives the best price and the best possible service by utilizing the entire ADS / Hancor distribution network

A handwritten signature in black ink, appearing to read "Al Gibbs, III", written over a horizontal line.


**Al Gibbs, III
Regional Sales Manager
ADS / Hancor**

FULTON PIPE CO
3418 HARDEN'S CHAPEL RD
FULTON, MISSISSIPPI
38843



CLAY COUNTY, MISS.
WEST POINT, MISS.
DEC 31 11 28
Amy G. Berry

Clay County
Board of Supervisors
PO Box 815
Westport, MS 39773



Attn: Teresa Ware

Quote Name
Quote #Clay County MS Term Bid 2015
3210892CLAY COUNTY BOARD OF SUPERVISORS
PO BOX 815

WEST POINT MS 39773

Acct# 300390

Jan 5 2015 - Jan 4 2016

WEST POINT, MS 39773

Date Monday December 29 2014
 Quote Created Monday December 29 2014
 Effective From Monday January 5 2015
 Quote Expiration Saturday January 31 2015
 Price Expiration Monday January 4 2016

Sales Rep Brett VanderMeeden
 606 Avenue C
 LAUREL MS 39440
 Phone (601) 506-7677
 Fax
 Email Brett@vmmcmail.com

Special Instructions

Haul rate is \$0.20 per ton mile Prices do not include any applicable taxes

100 Aggregates

Plant	Product Name	Product #	Qty U/M	FOB Plant Per Unit
SOUTH RUSSELLVILLE LIMESTC	1 1/2 IN CRUSHER RUN	14021	0 Tons	\$10.00
SOUTH RUSSELLVILLE LIMESTC	100 LB RIPRAP	47001	0 Tons	\$13.00
SOUTH RUSSELLVILLE LIMESTC	200 LB RIPRAP	47031	0 Tons	\$13.00
SOUTH RUSSELLVILLE LIMESTC	DOT 78	27301	0 Tons	\$13.00
SOUTH RUSSELLVILLE LIMESTC	DOT 89	28341	0 Tons	\$13.00
SOUTH RUSSELLVILLE LIMESTC	MS 300	46001	0 Tons	\$14.00
SOUTH RUSSELLVILLE LIMESTC	NO 57 WASHED	25291	0 Tons	\$11.50
SOUTH RUSSELLVILLE LIMESTC	NO 57 WASHED	26291	0 Tons	\$11.50

Prices quoted above do not include any state or local sales and use tax, if any applies for this project.

Prices quoted are for shipments during normal daytime working hours unless other shipping hours are mutually agreed upon in writing by both parties.

Prices are FOB our facility as stated above. Terms are Net 15th month pro. Please note standard terms and conditions apply. (Subject to credit approval)

This quote is limited to acceptance within 30 days from the date of this quotation after which time quotation is subject to review/revision. Please contact Sales prior to placing the order.

Accepted by: _____


Date: _____

Sales Representative: _____

Date: 12-29-14

We appreciate the opportunity to provide you this quote and trust that Vulcan will have the pleasure of serving your needs for this and future projects.

313



100 G 01
Vulcan
Materials Company

SOUTHERN AND GULF COAST DIVISION
VULCAN CONSTRUCTION MATERIALS LP
LAUREL SALES OFFICE
606 AVE C
LAUREL MS 39440

551
CLAY CTY BO OF SUPERVISORS
PO Box 615
WEST POINT, MS 39073

LIMESTONE

To be OPENED JANUARY 5, 2015

@ 9:00 A.M.



CLAY CITY BO OF SUPERVISORS
205 COURT ST
WEST POINT MS 39773-2984
P OFFICE S OFFICE 1 12
BRA-3816
1Z84V709180000 9762 1830
UPSHIP# 17504129 DEC 31 08:12 18 2014
UPS 3970 NIP 14 2 1 2268040P

TYLER KEE
(801) 841-5989
THE UPS STORE #2758
STE 1
6888 U S HIGHWAY 88
HATTIESBURG MS 39402-8981
SHIP CLAY CITY BO OF SUPERVISORS
TO 205 COURT ST

0 2 LBS LTR 1 OF 1
8HP WT LTR
DATE 30 DEC 2014

Express Envelope

WEST POINT MS 39773-2984

MS 397 0-01


UPS NEXT DAY AIR SAVER 1P

TRACKING # 1Z 84V 709 13 9686 9762

BILLING P/P

REF #1 PNR 12/30/14
REF #2 2758

181 88 00H 22P 050 07 01 18/2014



Logistics is all about efficiency, service and smart ways of moving things around the planet.
This envelope made of recycled paper can be used twice - a more intelligent use of resources.

AMY G. BERRY
2014 DEC 31 AM 11:57
CLAY COUNTY
WEST POINT MS
BY
D.C.



PORT OF COLUMBUS RESALE
1864 PORT ACCESS ROAD
COLUMBUS MS 39701
(265) 383-1645

Quotation No **185570**
Page 1 of 2

12/29/2014 7 07 AM

To CLAY COUNTY BOARD OF SUPERVISORS
TERESA WARE
P O Box 815
West Point MS 39773

Customer # 37242164
Office Phone (662)492-3313
Cell Phone
Fax Number (662)492-4059

Job Name CLAY COUNTY ANNUAL BID
Location P O BOX 815 WEST POINT MS
Other Info

Bid Date 01/05/2015
Void Date 01/05/2016

Product Description	State Item #	Plant	TON	\$/TON FOB PLANT	\$/TON Haul	\$/TON FOB@ JOBSITE
2-3 STONE		PORT OF COLUMBUS RESALE	1 00	21 90	4 90	26 80
1 1/2 STONE	#4	PORT OF COLUMBUS RESALE	1 00	21 90	4 90	26 80
1 1/4 STONE	#5	PORT OF COLUMBUS RESALE	1 00	21 90	4 90	26 80
3/4 CRUSHER RUN	610	PORT OF COLUMBUS RESALE	1 00	21 25	4 90	26 15
1 1/2 CRUSHER RUN	825B	PORT OF COLUMBUS RESALE	1 00	21 25	4 90	26 15
1/2 STONE	#7	PORT OF COLUMBUS RESALE	1 00	21 90	4 90	26 80
CLASS 1 RIP RAP	100LB	PORT OF COLUMBUS RESALE	1 00	28 00	5 50	33 50
CLASS 2 RIP RAP	200LB	PORT OF COLUMBUS RESALE	1 00	30 00	5 50	35 50
57/67	#57	PORT OF COLUMBUS RESALE	1 00	21 90	4 90	26 80

SALES TAX NOT INCLUDED

Sales Tax is charged on all transactions unless a valid Tax Exemption Certificate is on file

By Steve Yarbrough
Steve Yarbrough
Yard Manager
steve.yarbrough@rogersgroupinc.com
(662) 242-3422

Date 12/29/2014

TERMS AND CONDITIONS

*** SALES TAX NOT INCLUDED**

DELIVERED PRICES ARE BASED ON FULL LOADS (20 TONS OR MORE) A MINIMUM HAUL MAY BE APPLIED FOR SMALLER LOADS PRICES ARE GOOD FOR 30 DAYS UNLESS OTHERWISE SPECIFIED HAUL RATES AND PRICES ARE SUBJECT TO CHANGE AT ANY TIME BASED ON THE VOLATILITY OF THE OIL MARKET

*** TO ENSURE PROPER PRICING WE MUST BE NOTIFIED AT YOUR EARLIEST CONVENIENCE PLEASE SIGN AND RETURN A COPY OF THIS QUOTE TO THE QUARRY WHEN YOU DETERMINE YOU WILL BE USING ROGERS GROUP FOR THIS JOB**

*** ALL ORDERS MUST REFERENCE JOB NAME OR QUOTE NUMBER TO ENSURE PROPER PRICING**

PLEASE SIGN & RETURN

553



PORT OF COLUMBUS RESALE
1864 PORT ACCESS ROAD
COLUMBUS MS 39701
(265) 383-1645

Quotation No **185570**
Page 2 of 2

12/29/2014 7 07 AM

When ordering please indicate any special instructions required for printing tickets etc

By _____

Date _____

Thank You

554



ROGERS GROUP, INC.

620 Three Mile Lane, Tuscumbla, AL 35874

Scaled bid for Limestone to be opened on 01/05/14
at 9:00 A.M.

AMY G. BERRY
2014 DEC 29 AM 9:01
CLAY COUNTY
WEST POINT, MS
OC

HOOVER, Inc.

P O Box 613
Iuka, MS 38852


my G. Deity

14 DEC 19 AM 11 55

CLAY COUNTY
WEST POINT, MISS
BY

CLAY COUNTY BOARD OF SUPERVISORS

WEST POINT, MISSISSIPPI



Clay County Board of Supervisors,
P O Box 815
West Point, MS 39773

"ANNUAL BID" Crushed Limestone
To Be Opened 01/05/2015

39773081515



553



POST OFFICE BOX 572
HATTIESBURG MISSISSIPPI 39403
TELEPHONE (601)544 7811 - FAX (601)544-2005

POST OFFICE BOX 2545
GULFPORT MISSISSIPPI 39503
TELEPHONE (228)896-8003 - FAX (228)896-8155

Stone Prices FOB West Point (Tom Soya Grain Co.)

<u>Material</u>	<u>Price</u>
100 lb & 200 lb Rip Rap	\$28.00
4's, 57's, & 67's	\$21.75
7's & 89's	\$22.75
810 Screenings	\$21 00
610 Base CR	\$21 00
3/4" Down Base <i>down base</i>	\$21 00

Pricing is fob 11018 Old Hwy 50, West Point, MS 39773

Haul rate for Clay County is \$4 25/ton, full truckload quantities crushed stone

Haul rate for Clay County is \$5 50 /ton, full truckload quantities for Rip Rap.

Prices are effective from January 5, 2015 to January 4, 2016

For orders or questions, call Darron Wood 601 270 9555

Or email darronwood@warrenpaving.com

Darron Wood 12/29/14

 **The Black Topper**
Warren Paving
Contractors & Engineers

POST OFFICE BOX 2545
GULFPORT MISSISSIPPI 39505



CLAY County Purchasing Dept.
ATTN: Teresa Ware
P.O. Box 815
205 Court Street
West Point, MS 39773

SEALED BID

Limestone Annual Bid
JANUARY 5, 2015

39773+2984

AMY G. BERRY

PARKER SAND AND GRAVEL LLC

399 BARTON FERRY RD

COLUMBUS MS 39705

662 434 8555 FAX 662 434 8096

DATE: 01/05/15

CLAY COUNTY BOARD

OF SUPERVISORS

P.O. BOX 815

WEST POINT, MS 39773

BID FOR GRAVEL AND RELATED MATERIALS.

YOUR BID DATE JANUARY 5, 2015

1 YEAR PERIOD.

WASH OR ROAD GRAVEL-----\$8.50 PER TON

PEA GRAVEL-----\$7.50 PER TON

OVERSIZE GRAVEL-----\$11.00 PER TON

FILL DIRT-----\$2.50 PER TON

TOP SOIL-----\$6.50 PER TON

Fill Sand ----- \$3.50 Per Ton

THIS MATERIAL IS QUOTED FOB MY PIT,

LOCATED IN LOWNDES COUNTY, APPROXIMATELY

8 MILES NORTH OF COLUMBUS.

Flower Parker

550

Parker Sand & Gravel
399 Barton Ferry Rd.
Columbus, MS 39705

Bill for gravel
open Jan 6-2005
9:00 A.M.

Mississippi Clay County Board of Supervisors

11 DEC 29 PM 2:15 P.O. Box 815

AMY G. BERRY

West Point, MS 39773



PRICE QUOTATION**BACCO MATERIALS, INC**

P O BOX 8940

COLUMBUS MS 39705-0014

Phone (601) 434-0171

Fax (601) 434-0173

HONORABLE BOARD OF SUPERVISORS

CLAY COUNTY

P O BOX 815

WEST POINT MS 39773

Date December 29 2014

Project General Requirements

Shipping Point Bacco Materials Plant

QUOTATION IS SUBJECT TO CONDITIONS NOTED ON BACK PAGE

Mat Code	Description	Price
Prices FOB Bacco Materials Plant Site FOR SALE BETWEEN 01/05/2015 AND 01/04/2016		
		PER TON
212	CLEAN WASHED ROAD GRAVEL	\$8 75
214	PEA GRAVEL	\$6 00
245	OVERSIZE GRAVEL	\$10 75
8	FILL DIRT	\$3 60
9	TOPSOIL	\$10 00
151	MASON SAND	\$11 50
155	WASHED FILL SAND	\$5 75
601	CLAY GRAVEL	\$4 00
607	PITRUN BEDDING	\$4 50

We hereby accept the above offer and agree to its terms and conditions on this the _____ day of

_____, 19____ Please mail invoices to _____

Customer _____

By _____

**Note to Customer Please sign and return a copy to our office, retaining a copy
for your files**

By


H Carlisle Campbell President

Bacco Materials Inc

123


BACCO
Materials, Inc.

P O. Box 8940
Columbus, MS 39705-0014

MS 390
37 DEL '14
MAY 11

FIRST CLASS MAIL
ARM G. BERRY 48⁹
US POSTAGE \$3.00

MS 39705
04110244511
CLAY COUNTY
WEST POINT MISS
BY 0.0



39773081515

"Sealed bid for sand and gravel to
be opened at 9:00 am on January
5, 2015"

PRESTON DOBBS TRUCK SERVICE
& GRAVEL SALES
Hamilton, MS. 39746
Phone & Fax 662-343-5150

Submitted to

Board of Supervisors

Clay Co. MS

County Clerk Office CCM

Please consider this BID for the following items.

Clay Gravel	<u>3.00</u>	per yd as p ^{er} ton
Sand & Gravel	<u>6.00</u>	per yd
Top Soil	<u>6.00</u>	per yd
Fill dirt & Waste gravel	<u>2.30</u>	per yd
Waste Sand	<u>3.00</u>	per yd
Wash Gravel	<u>9.00</u>	per yd as p ^{er} ton

All items are F.O.B. Hamilton, MS Pit location. Delivery of material from pit location in Hamilton, MS, requested location.

Can be arranged for an additional 25¢ per Mile per yd

This BID will expire

Apr 31 2016

with min. of \$100. per load or haulig

PRESTON DOBBS


DATE

12-9-2014

Preston 120665 Trucks & Gravel
Box 9 343 5150 Ph-
Hamilton, MS 39746

JACKSON MS 39201

17 DEC 2014 PM 2:1



Amy G. Berry

14 DEC 18 PM 1:24

CLAY COUNTY
WEST POINT, MS 39773

Bid on Gravel

Bid opening 1st Monday
in January 2015

Clay Co Board of Supervisors
Box 815
West Point, MS 39773

39773\$0815



195

PRESTON DOBBS TRUCK SERVICE
& GRAVEL SALES
Hamilton, MS. 39746
Phone & Fax 662-343-5150

Submitted to

Clay C. Beard of Superior
Clay Co. MS
County Clerk Office Clay Co. MS

Please consider this BID for the following items.

Clay Gravel	<u>3.00</u> per yd	<u>hard on 2700</u>
Sand & Gravel	<u>5.50 per ton</u>	<u>6.00 per yd</u>
Top Soil	<u>5.50 per ton</u>	<u>6.00 per yd</u>
Fill dirt & Waste gravel	<u>2.25 per ton</u>	<u>2.50 per yd</u>
Waste Sand	<u>2.25 per ton</u>	<u>3.00 per yd</u>
Wash Gravel	<u>7.00 per ton</u>	<u>8.00 per yd</u>

All items are F.O.B. Hamilton, MS-Pit location. Delivery of material from pit location in Hamilton, MS. requested location.

Can be arranged for an additional 20¢ per ton per Mile ~~per yd~~

This BID will expire

Apr. 4 - 2016


with minimum of 95 ton per yd
minimum of \$100.00

PRESTON DOBBS

Preston Dobbs

DATE

12 - 24 - 2014



39773081515

West Point in 39773
P.O. Box 815

Board of Supervisors
Clay Co. Mo.



JACKSON MS 392
24 DEC 2014 PM 3:1

Amy G. Berry

14 DEC 29 PM 2:40

CLAY COUNTY
WEST POINT, MISS

for Bill
for Bill
for Bill

Clay County
West Point

for Bill
for Bill
for Bill

ERLSTON DOBBS
P.O. BOX 9
HAMILTON, MS 39146
PH & FAX 662-343-2165
5150

12-24-14

007

NO. _____

**IN THE MATTER OF APPROVING AND ACCEPTING THE UTILITY PERMIT TO
AT & T**

There came on this day for consideration the matter of approving and accepting the Utility Permit to AT & T

After motion by Luke Lummus and second by Shelton Deanes, this Board doth vote unanimously to approve and accept the Utility Permit of AT & T of Mississippi as attached hereto as Exhibit A

SO ORDERED this the 8th day of January, 2015



President

ORDER OF BOARD OF SUPERVISORS Clay **COUNTY,**
SETTING FORTH PROPOSED STATE AID PROJECTS FOR
PERIOD January, 2012 **THROUGH** December, 2015

Pursuant to the provisions of Senate Bill No. 1 of the Extraordinary Session of 1949 and as subsequently amended herein after referred to as said Act, We the undersigned members of the Board of Supervisors of Clay County, hereby order that the proposed project(s) listed herein constitute the State Aid Program for Clay County for the period January, 2012 through December, 2015

In support of this order the Board certifies and agrees that

- 1 The State Aid System in said County has been designated by the Board and approved by the State Aid Engineer as required by said Act
- 2 The Board has employed a Registered Professional Engineer as County Engineer, who will employ such other competent technical assistant(s), as required, to properly supervise and inspect the work in compliance with the Rules and Regulations of the State Aid Engineer all as required in said Act
- 3 This program which has been prepared by the County Engineer and approved by this Board, is herewith submitted to the State Aid Engineer for approval
- 4 The Board will comply with all applicable Laws Rules and Regulations in the acquisition of rights-of-way and will maintain the acquired rights of way for said project(s) to keep the same free of encroachments such as buildings, fences or any other obstructions The Board designates _____ as its right of-way acquisition agent for the project(s) herein The agent's address and phone number is _____
- 5 Counties receiving \$500,000 or more in Federal funds from all projects constructed or being constructed in a Federal Fiscal Year (October 1 - September 30) must have a single audit conducted in accordance with OMB circular A-133
- 6 The Board herein affirms its acceptance of the Office of State Aid Road Construction's policy for the accommodation of utilities as stated in S O P No. SA II-2-8 and agrees to coordinate utility facility installation and/or adjustment in a timely manner so as not to impede project development
- 7 The Board will maintain the project(s) after completion in a regular and satisfactory manner subject to the approval of the State Aid Engineer, all as required in said Act
- 8 The State Aid Engineer is authorized to effect such transfer of funds as are necessary to pay engineering costs on the project(s) as authorized by Mississippi Code 1972 Section 65-9-15 and in accordance with the Rules and Regulations promulgated by the State Aid Engineer dated July 1, 2005
- 9 The State Aid Engineer is authorized to effect such transfer of funds as are necessary to pay testing expenses incurred PRIOR to the award of Contract on any project(s) included in this program. In the event the Board cancels or withdraws any project(s) included in this program, the Board hereby agrees to reimburse its State Aid Fund for testing charges incurred

PROJECT PRIORITY NO.

1 Project No. BR 0013 () BO (Revised)
2 Name of Road TVA Road
3 Design Classification (check one) Rural ☒ Urban ☐ (check one) Collector ☐ Local ☒
4 Federal Route Number N/A
5 Termini of Project Two bridges near the center of Section 34 T 16S R 6E on the TVA Road in Clay County

6 Length of Project 2.14 Miles
7 Character of Work (Show Alternates if Applicable) Bridge Replacement and Approaches

8 Design Data
a Traffic Count How Determined Estimated
Current ADT 100 VPD; Design Year ADT 130 VPD; % Trucks 30
Traffic Count Required Yes ☒ No ☒ (Attach Supplemental Sheet)
b Terrain Level Rolling Design Speed 35 MPH
c ROW Existing 60 Ft Proposed 80 Ft
d Proposed Roadway Crown Width 28 Ft
e Surface Type & Width Existing Asphalt 20 Ft
Proposed Asphalt 20 Ft

9 Bridges
a Str No SA13000000000081 Suff Rtg. 26.9 Capacity R12-5 (MOD)
Remain in Place Yes ☐ No ☒ Existing/Proposed Width 22/26 Ft
b Str No SA13000000000081 Suff Rtg. 35.9 Capacity R12-4 (MOD)
Remain in Place Yes ☐ No ☒ Existing/Proposed Width 22/26 Ft
c Str No Suff Rtg. Capacity
Remain in Place Yes ☐ No ☐ Existing/Proposed Width Ft
d Str No Suff Rtg. Capacity
Remain in Place Yes ☐ No ☐ Existing/Proposed Width Ft
e Str No Suff Rtg. Capacity
Remain in Place Yes ☐ No ☐ Existing/Proposed Width Ft

Estimated Construction Cost of Project (Including Contingencies) \$ 376,923
a STP Funds Requested (%) \$
b BR Funds Requested (80 %) \$ 301,538
c SA Funds Requested (%) \$
d LSBP Funds (%) \$
e LSBP Bridge Credits Funds 20% \$ 75,385

Engineering Cost (%) (Const. Cost Less Contingencies) \$ 43,077

a State Aid Funds Requested \$
b County Funds Contributed \$
c LSBP Funds Contributed \$
d LSRP Funds Contributed \$ 43,077

Total Estimated Cost of Project \$ 420,000

Construction will be by Contract ☒ County Forces ☐

Use Supplemental Sheet and/or maps if needed to provide complete data

FOR STATE AID USE ONLY

Preliminary Review	_____	Date	_____
Recommend Approval	_____ Dist. Engr	Date	_____
Approved	_____ State Aid Engr	Date	_____
Letter To Bd	_____ Dist. Engr	Date	_____
Funds Record	_____ Auditor	Date	_____
Programmed	_____	Date	_____

539


BOARD OF SUPERVISORS

Clay County
[Signature] Supervisor, District I
[Signature] Supervisor, District II
[Signature] Supervisor, District III
[Signature] Supervisor, District IV
[Signature] Supervisor, District V
Prepared by: Robert L. Alcott County Engineer

STATE OF MISSISSIPPI

COUNTY OF Clay

This is to certify that the foregoing is a true and correct copy of an order passed by the Board of Supervisors of Clay County, Mississippi, entered into the minutes of the said Board of Supervisors, Minute Book No. 148, Page No. , same having been adopted at a meeting of said Board of Supervisors on the 27 day of January, 2015



[Signature]
Clerk of Board of Supervisors of
Clay County, Mississippi

OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION
JACKSON, MISSISSIPPI

DATA TO BE SUBMITTED WITH ALL PROJECT PROGRAMS

Project Number BR-0013()BO (Revised) County Clay Date _____

Road Connections at each End of Project

Asphalt End Surf Type Asphalt Surf Width 20 Rdwy Width 26
(South or West) _____
End Surf Type _____ Surf Width _____ Rdwy Width _____
(North or East) _____

Railroad Grade Crossing Data

Is there an existing Railroad Grade Crossing? Yes _____ No ✓

Name of Railroad _____

Existing Protection _____

Proposed Protection _____

Existing and/or Proposed Facilities Effecting Route

SCHOOLS YES ✓ NO _____ ON ROUTE _____ OFF ROUTE ✓
INDUSTRY YES _____ NO ✓ ON ROUTE _____ OFF ROUTE ✓

TYPE OF INDUSTRY _____


OTHER DESIGN CONSIDERATIONS LSBP Bridge Credits

UTILITY COMPANIES TO BE AFFECTED BY PROJECT

NAME	STREET OR P.O. BOX ADDRESS	CITY
AT&T		Columbus, MS
City of West Point		West Point MS
4-County Electric		Columbus, MS

Signed

Robert L. Calvert
County Engineer



SCALE 1"=20,000

CALVERT - SPRADLING ENGINEERS INC
Consulting Engineers
P O Box 1078 • Phone (601) 494-7101
West Point Mississippi 39773

TVA ROAD
BR-0013()BO

CLAY COUNTY,
MISSISSIPPI

DESIGNED/SURVEYED BY _____	SHEET NO 1 OF 1
DRAWN BY <u>RLCL</u>	
CHECKED BY <u>RLC</u>	
DATE <u>3-23-12</u>	

PERMIT APPLICATION FOR USE AND OCCUPANCY AGREEMENT
FOR THE CONSTRUCTION OR ADJUSTMENT OF A UTILITY
WITHIN COUNTY ROAD RIGHT-OF-WAY

PROJECT NO 57U00019N COUNTY Clay
UTILITY NAME AT&T of Mississippi
BY Johnny Adams, Mgr OSPE
(Name & Company Title)
ADDRESS 337 N Broadway St, Tupelo, MS herein called APPLICANT,
proposes to construct Buried Communications
(Type of Facility)
along or across Barton Ferry Rd / Yokohama Blvd Road, said facility to be
(Name of Road)

installed between Station No. 192+00 and Station No. 218+17 and within the road
right-of-way and hereby makes application to the County for the construction permit Attached hereto are
drawings or plans for the construction which will not be changed or altered without approval of the Board of
Supervisors or its authorized representative

WHEREAS the Legislature of Mississippi has heretofore granted to the Applicant the right to locate its
facilities upon across under, over and along public roads and streets within the State of Mississippi Applicant
agrees to comply with applicable provisions of S O P No SA II-2-8, Policy for the Accommodation of Utility
Facilities within the Rights-of-Way of County Federal Aid and State Aid Roads (hereinafter referred to as the
Policy) promulgated by the State Aid Engineer and dated July 1, 2005 and which is hereby made a part of this
Application Agreement, and agrees to perform the construction according to the applicable industry code and
according to the plans and specifications for the project

The Applicant shall be responsible for future maintenance and repair of the facilities The Applicant shall
make future adjustments in, or relocate the facilities located within the road right-of-way when required for road
widening construction or maintenance and its right to reimbursement of its costs shall be in accordance with State
Laws affecting County roads in effect at the time such adjustment or relocation is made Further any
maintenance repair or construction shall be done in such a manner as to occasion no unreasonable interference
with the normal flow and safety of traffic

A general description of the size type nature, and extent of the Utility work to be done is as follows

Come out of HH that is southeast of intersection of Barton Ferry Rd and Yokohama Blvd Bore under Barton Ferry Rd then trench along side of Yokohama Blvd to the Yokohama Plant Entrance Bore under Yokohama Blvd to the new HH on the North side of the road

The Applicant understands and agrees that, except as herein granted, no right, title, claim, or easement to said road right-of-way is granted by the issuance of this permit and that if this Utility Facility is not placed within the allowable horizontal and vertical limits as listed in the general provisions of the Policy, it will be adjusted to comply with same without cost to the County, unless the variance from the Policy has been approved by the granting of the Permit pursuant to this Application

Clay

County agrees to the following stipulations

- (1) To cooperate with the Utility Company in every way to avoid conflicts in the location, construction, and maintenance of the County road and Utility Facility
- (2) To pursue any and all legal means to see that Policy Standards, except to the extent of any variance shown on the plans filed herewith and approved, are complied with in the facility installation
- (3) If the County/LSBP Engineer or other authorized representative of the Board of Supervisors approved the drawings, sketches, and plans submitted by the Applicant, he shall so indicate by signing and dating the Permit Approval at the end of this Application, and the Applicant may proceed with the installation, if the drawings, sketches, and plans are not approved, he shall promptly notify the Applicant, and advise him of the reason or reasons. He will also act as the duly appointed representative of the Board of Supervisors and will give his approval to the completed work as being in compliance with the location and standards shown in the Policy and in this Agreement for the installation
- (4) That all joint road construction and utility adjustment or relocation operations will comply with the requirements of Section S-105 06 and Section S-107 18 Mississippi Standard Specifications for State Aid Road and Bridge Construction, 2004 edition (or current edition)
- (5) Should any terms or provision of this Agreement conflict with the Laws of the State of Mississippi, or the United States, or impair or deny to the Applicant or the County any right protected thereby, it shall be deemed amended to conform to said Laws

WITNESS THE SIGNATURE OF THE APPLICANT this the 18th day of

December 2014

By S/ Johnny Adams


Title GIS Manager AT+T

AGREED TO AND APPROVED BY ORDER OF THE ~~Clay~~ Clay

COUNTY BOARD OF SUPERVISORS this the 8th day of January,
2015

By Robert I. Calvert
County/LSBP Engineer

575



BURIED SYMBOL LEGEND		
Proposed	Existing	Description
		BURIED CABLE
		BUR. JOINT TRENCH
		ENCLOSURE
		ENCLOSURE
		MANHOLE
		PIPE/CONDUIT
		CA. MKR.
		CA. MKR.
		CABLE MARKER
		BURIED SYD. WIRE
		JOINT TRENCH SVC
		N/A
		BORE
		N/A
		CUT PAYMENT
		N/A
		SPlicing PIT
		TRENCH LENGTH

ATTSE

PROPOSED TELEPHONE FACILITIES
ON RIGHT OF WAY OF
YOKOHAMA BLVD

CLAY COUNTY

Exchange: 1662494

Designers: Adams, Johnny

Phone: 662-840 5340


Authorization: 57000018N

Sheets: 1 of 5


576

⑦ CABLE

⑧ CABLE




277





ATTSE	
PROPOSED TELEPHONE FACILITIES ON RIGHT OF WAY OF YOKOHAMA BLVD	
CLAY COUNTY	
Exchange	662494
Designer	Adams Johnny
Phone	662 840 5740
Authorization	57U00019N
Sheet	2 of 5



578



ATTSE	
PROPOSED TELEPHONE FACILITIES ON RIGHT OF WAY OF YOKOHAMA BLVD	
CLAY COUNTY	
Exchange	662494
Designers	Adams Johnny
Phone	662 840 5740
Auto location	57U00019N
Dwg	4 of 5



ATTSE	
PROPOSED TELEPHONE FACILITIES ON RIGHT OF WAY OF YOKOHAMA BLVD	
CLAY COUNTY	
Exchange	662494
Designer	Adams Johnny
Phone	662 840 5740
Authorization	571100019N
Dep	5 of 5

NO _____


**IN THE MATTER OF AUTHORIZING AND APPROVING TO PARTICIPATE IN THE
RESTRIPING PROJECT ON STATE AID ROADS LOCATED IN CLAY COUNTY MS**

There came on this day for consideration the matter of authorizing and approving to participate in the Restriping Project on State Aid Roads located in Clay County, MS

It appears to this Board the County Engineer, Robert Calvert, is reporting that currently there is 88 miles of State Aid Roads in Clay County and that there is funding available at the MS State Aid Department to fund the restriping of at least 50 miles of State Aid Roads in Clay County

After motion by Luke Lummus and second by R B Davis this Board doth vote unanimously to authorize and approve to pursue obtaining funding through the MS State Aid Department to fund a road striping project through MS State Aid Department

SO ORDERED this the 8th day of January, 2015

A handwritten signature in black ink, appearing to be 'D. Lummus', written over a horizontal line.

President


NO _____

**IN THE MATTER OF AWARDING THE BID FOR THE 2015 SANITATION CAB AND
CHASIS TRUCK**

There came on this day for consideration the matter of awarding the bid for the 2015 Sanitation Cab & Chasis Truck

After motion by Luke Lummus and second by Shelton Deanes this Board doth vote unanimously to accept and award the bid as attached hereto as Exhibit A to Sampson Equipment Company in the amount of \$144,629 00 for the purchase of a 2015 Cab & Chassis Truck on the basis of the County's prior experience with PACMAC equipment and prior experience with equipment issues on the prior truck, specifically, the Compactor and the switches not working properly to compact the trash and this Board unanimously agrees it would be in the best interest of the County to go with a different brand due to the prior history with PACMAC

SO ORDERED this the 8th day of January, 2015

A handwritten signature in black ink, appearing to read 'Shelton Deanes', written over a horizontal line.

President

Sanitation Truck Bids
2015 Cab/Chassis & Compactor

- 1 Sanson - mobile AL \$144,629 w
- 2 Tri State Truck Center - \$141,817 04
- 3 Waters Truck & Tractor \$130,195 66
- 4 _____
- 5 _____
- 6 _____

to take under
Advisement

M - 2
S = 4

SPECIFICATIONS FOR 25 YARD REAR LOADER (compactor)

GENERAL SPECIFICATIONS

- 25 yd body
- 96" Body Width
- 289" Body Length
- 15,20 lbs Approximately
- 3 55 yd Capacity
- At least 80" Hopper Opening Width
- Approximately 3 5" Below Frame Loading Sill Height
- Approximately 21 23 (Sec) Hopper Cycle Time

HYDRAULIC CYLINDER SPECIFICATIONS

- Approximately 5" (2) Slide Cylinders
- Approximately 4 5" (2) Sweep Cylinders
- Approximately 3 5" (2) Tailgate Cylinders
- 4 Stage Ejection Cylinder

BODY CONSTRUCTION

- 10 Ga Roof
- 10 Ga Sides
- 10 Ga Ejection Panel
- 1/4" Sweep Panel
- 10 Ga Floor (Front)
- 7 Ga. Floor (Rear)
- 10 Ga. Tailgate (Upper)
- 1/4" Tailgate (Lower)
- 1/4" Hopper Floor (Back)
- 7 Ga Slide Panel

HYDRAULIC SYSTEMS

- 50-70 Gal Oil Reservoir
- 36 GPM Oil Flow w/ Standard Pump
- 2,750 PSI Operating Pressure
- 4 to 1 Burst Hydraulic Hoses
- 10 Micron Return Filter
- 1,000-1,200 Engine RPM

STANDARD EQUIPMENT

- Semi Automatic Cycling
- Auto Back Pak
- Accelerator Kit
- Turn Buckle Locks
- Back Up Alarm

- Light Bar
- All LED Lights
- Sight Gauge on Oil Tank
- Oil Pressure Gauge Chrome Rod Cylinders
- Side Access Door
- Driver Alert Buzzer
- Bolt on Steps on Rear
- Prime Coat
- Color Rear Vision Camera System
- Talamar Extreme Hydraulic Fluid

OPTIONAL EQUIPMENT

- Special Lighting
- PTO & Pump



Clay County Board of Supervisors

P O Box 815

West Point, Mississippi 39773

Phone (662) 494-3313

Fax (662) 492-4059

Website claycountymiss.com

E-mail tware@claycountymiss.gov

District 1

Lynn D Horton Vice
President

District 2

Luke Lummus

District 3

R B Davis

District 4

Shelton Deanes Vice
President

District 5

Floyd McKee President

CHASSIS SPECIFICATIONS FOR 25 YARD REAR LOADER BODY

- Wheelbase to allow 156" Cab To Axle with 97" After Frame
- Heavy Duty Frame with Full "C" Channel Reinforcement
- Air Conditioner
- Dual Front Tow Hooks
- 12 000 Lbs Front Axle
- 12,000 Lbs Front Suspension with Shock Absorbers
- 40,000 Lbs Tandem Rear Axle
- 40,000 Lbs Walking Beam Type Rear Suspension
- Dual Air Brake System - 16 5"x5" Front and 16 5"x 7" Rear
- 13 2 CFM Air Compressor and Heated Air Dryer
- Power Steering
- 160 Amp Alternator
- Low Oil Pressure and High Water Temperature Warning Lights and Buzzer
- 2 - 12 Volt Maintenance ree Batteries - 1300CCA
- Dual Chrome Cab Mounted Air Horns
- Fiberglass Tilting Hood and Fenders
- In Line 6 cylinder, Wet Sleeved, Turbocharged Diesel Engine 270 HP - 860 Lb To 1000 Lb Ft Torque
- Equivalent to Allison 3500 RDS Automatic Transmission
- One 80 Gallon Aluminum Fuel Tank Mounted Left Side Under Cab
- Air Ride Driver Seat with Two Person Passenger Bench Seat
- Grab Handles Mounted On Each Side Of Cab
- Tinted Glass
- Dual West Coast Mirrors 7 44" x 14 84" with 7 44" Convex Both Sides
- Ten (10) 22 5" x 825" Steel Wheels
- Steer Type Front Tires with Traction Type Rear Tires
- Dual Element Air Cleaner with Restriction Indicator
- State Warranty and Location of Service
- 25 Yd Rear Loader



QUOTE

QUOTE #	201400770
DATE	12/29/2014

Clay County

TO Luke Lunnis
P O Box 815
West Point , Mississippi, 39773

Cole Ryan
(601) 966 1266
cole@secequip.com

QUOTE STATUS	FREIGHT	PAYMENT TERMS	DELIVERY IN DAYS
General Quote	Included	Net	150 180 Days

1	25RL Cobra Magnum (160" Cab to Trumon) Complete Mount, All LED Body Lights including reverse and license plate, Center Mount Brake Cluster, Safety shutdown curbside Driver signal curbside, Interlock on Front access door, 5 6 LCD Rear View Camera Prime Only, Frame Mounted Hyd Tank, Induction Hardened Slide and Sweep Rods, Slide cylinder covers, Zinc plated tubes, Rubber Mud Flaps in Front of Rear Axle, Quick Connect pressure port on front valve, Standard warranty is 2 year on cylinders and 1 year on body and hydraulics
1	Auto Trans (Hot Shift w/Overspeed) Gear Pump/Pack on the go (available on mounted units only)
1	Complete Mount
1	Work Lights ((2)mounted inside upper tailgate shining in hopper)
1	Strobe Light Center (Surface Mount)
1	LED Round Strobes upper tailgate(2 lights)
1	Acrylic Urethane Enamel White
1	Driver Alert Buzzer Street Side
1	Rear Body Panel 7GA, 80k
1	Nylon Sleeves on Hoses
1	All Standard Equipment for this Body is Listed on the Brochure Provided The Above Line Items Excluding the First Line are Options Requested by Clay County
1	2016 Freightliner M2 Conventional Chassis with Standard Warranty(1 year Chassis, 2 Year Engine & Transmission)
	Additional Extended Warranties for 3 years on cylinders, 3 years on body, 3 years on hydraulics and 3 years/150,000 miles on chassis, transmission, towing, two years on engine ADD \$9 308

TOTAL	\$144 629 00
-------	--------------

Does Not Include any Federal State or Local Taxes

To accept this quotation sign here and return _____

Thank You For Your Business!

LOCATIONS

NOTICE TO BIDDERS

Notice is hereby given that the Clay County Board of Supervisors will receive sealed bids for the highest and best bid until 9 00 a m on the 5th day of January, 2015, at the Clay County Chancery Clerk's office % Amy G Berry, located at 205 Court Street, West Point, MS 39773, for the purchase of the following

- 1 Chassis for 25 yard Rear loader**
- 2 25 yard Rear Loader**

Specifications can be received from Teresa Ware, Clay County Purchase Clerk by calling (662) 494-3313 For further questions or inquiries regarding the purchase, please call Teresa Ware, County Purchase Clerk, at (662) 494-3313 or via email at tware@claycounty.ms.gov between the hours of 8 00 -12 00, Monday through Friday

The Board of Supervisors reserves the right to reject or accept all bids received and to waive any formalities with the acceptance and rejection of the bids

Publish by order of the Board of Supervisors, this the 1st day of December, 2014

Amy G Berry
Chancery Clerk

Publication Dates

12/17/14

12/24/14



Clay County Board of Supervisors

P O Box 815
West Point, Mississippi 39773
Phone (662) 494-3313
Fax (662) 492-4059
Website: claycountymiss.com
Email: board@claycountymiss.gov

District 1
Lynn D. Horton Vice President
District 2
Lynn Lummus
District 3
R.B. Davis
District 4
Sharon Deans Vice President
District 5
Floyd McKee President

CHASSIS SPECIFICATIONS FOR 25 YARD REAR LOADER BODY

- Wheelbase to allow 156" Cab To Axle with 97" After Frame **yes**
- Heavy Duty Frame with Full "C" Channel Reinforcement **yes**
- Air Conditioner **yes**
- Dual Front Tow Hooks **yes**
- 12,000 Lbs Front Axle **yes** (exceed, 18,000 lbs)
- 12,000 Lbs Front Suspension with Shock Absorbers **yes** (exceed, 18,000 lbs)
- 40,000 Lbs Tandem Rear Axle **yes** (exceed, 46,000)
- 40,000 Lbs Walking Beam Type Rear Suspension **yes** (exceed, 46,000)
- Dual Air Brake System - 16 5"x5" Front and 16 5"x 7" Rear **yes**
- 13 2 CFM Air Compressor and Heated Air Dryer **yes**
- Power Steering **yes**
- 160 Amp Alternator **yes**
- Low Oil Pressure and High Water Temperature Warning Lights and Buzzer **yes**
- 2 - 12 Volt Maintenance free Batteries - 1300CCA **yes**
- Dual Chrome Cab Mounted Air Horns **yes**
- Fiberglass Tilting Hood and Fenders **yes**
- In Line 6 cylinder, Wet Sleeved, Turbocharged Diesel Engine 270 HP - 860 Lb To 1000 **yes**
Lb Ft. Torque
- Equivalent to Allison 3500 RDS Automatic Transmission **yes**
- One 80 Gallon Aluminum Fuel Tank Mounted Left Side Under Cab **yes**
- Air Ride Driver Seat with Two Person Passenger Bench Seat **yes**
- Grab Handles Mounted On Each Side Of Cab **yes**
- Tinted Glass **yes**
- Dual West Coast Mirrors 7 44" x 14 84" with 7 44" Convex Both Sides **yes**
- Ten (10) 22 5" x 825" Steel Wheels **yes**
- Steer Type Front Tires with Traction Type Rear Tires **yes**
- Dual Element Air Cleaner with Restriction Indicator **yes**
- State Warranty and Location of Service **yes**
- 25 Yd. Rear Loader **yes**

SPECIFICATIONS FOR 25 YARD REAR LOADER

GENERAL SPECIFICATIONS

- 25 yd. body *Yes*
- 96" Body Width *Yes*
- 289" Body Length *Yes*
- 15,20 lbs. Approximately *Yes*
- 3 55 yd. Capacity *Yes*
- At least 80" Hopper Opening Width *Yes*
- Approximately 3.5" Below Frame Loading Sill Height *Yes*
- Approximately 21-23 (Sec) Hopper Cycle Time *Yes*

HYDRAULIC CYLINDER SPECIFICATIONS

- Approximately 5" (2) Slide Cylinders *Yes*
- Approximately 4 5" (2) Sweep Cylinders *Yes*
- Approximately 3.5" (2) Tailgate Cylinders *Yes*
- 4 Stage Ejection Cylinder *Yes*

BODY CONSTRUCTION

- 10 Ga Roof *Yes*
- 10 Ga. Sides *Yes*
- 10 Ga. Ejection Panel *Yes*
- 1/4" Sweep Panel *Yes*
- 10 Ga. Floor (Front) *Yes*
- 7 Ga Floor (Rear) *Yes*
- 10 Ga. Tailgate (Upper) *Yes*
- 1/4" Tailgate (Lower) *Yes*
- 1/4" Hopper Floor (Back) *Yes*
- 7 Ga. Slide Panel *Yes*

HYDRAULIC SYSTEMS

- 50-70 Gal Oil Reservoir *Yes*
- 36 GPM Oil Flow w/ Standard Pump *Yes*
- 2,750 PSI Operating Pressure *Yes*
- 4 to 1 Burst Hydraulic Hoses *Yes*
- 10 Micron Return Filter *Yes*
- 1,000-1,200 Engine RPM *Yes*

STANDARD EQUIPMENT

- Semi Automatic Cycling *Yes*
- Auto Back Pak *Yes*
- Accelerator Kit *Yes*
- Turn Buckle Locks *Yes*
- Back Up Alarm *Yes*

- Light Bar *yes*
- All LED Lights *yes*
- Sight Gauge on Oil Tank *yes*
- Oil Pressure Gauge Chrome Rod Cylinders *yes*
- Side Access Door *yes*
- Driver Alert Buzzer *yes*
- Bolt on Steps on Rear *yes*
- Prime Coat *yes*
- Color Rear Vision Camera System *yes*
- Tamar Extreme Hydraulic Fluid *yes*

OPTIONAL EQUIPMENT

- Special Lighting *yes*
- PTO & Pump *yes*

WARRANTY



Driving The Difference™

MUNICIPAL STANDARD UNIT TWELVE (12) MONTH WARRANTY

Scranton Mfg. Company provides a twelve (12) month warranty period, which expressly limits the Company's responsibility to the replacement of part(s) that fail DUE TO DEFECTS IN MATERIALS OR WORKMANSHIP ONLY and labor repair cost, per the flat rate schedules. The unit must be brought to an authorized New Way Dealer for warranty repairs. All cylinders carry a twenty-four (24) month warranty from our suppliers against failure due to defects in material and or workmanship. At the end of the body's twelve (12) month warranty period, labor and shipping cost are not covered should a cylinder failure occur. Replacement of a defective cylinder only would apply up to the twenty-four (24) month time period provided the cylinder is returned freight pre-paid and defect is verified per supplier inspection.

CYLINDER WARRANTY TERMS

2yr standard

All cylinders carry a twenty-four (24) month warranty from our suppliers against failure due to defects in material and or workmanship.

Inspect cylinder(s) closely for physical damage prior to returning for warranty consideration.

Cylinders physically damaged due to lack of care, abuse, accident, fire, temporary repair attempts, dirty oil, and etc will not be considered for warranty regardless of extended warranty option purchased.

Refer to the following guidelines when determining whether to repair or replace a hydraulic cylinder.

Prepared for
Josh Stringer
Sansom Equipment
1225 Vanderbilt Rd
Birmingham AL 35234
Phone 205-324-3104


Prepared by
Blake Stamps
EMPIRE TRUCK SALES INC
373 HIGHWAY 49 SOUTH
RICHLAND (JACKSON) MS
39218
Phone 601-939-5000

A proposal for
Sansom Equipment

Prepared by
EMPIRE TRUCK SALES, INC
Blake Stamps

Dec 30, 2014

Freightliner M2 106



Components shown may not reflect all specified options and are not to scale

Application Version 8.7.010
Data Version PRL-09M 021
Clay County RL



12/30/2014 12:07 PM

Page 1 of 15

Prepared for
Josh Stringer
Sansom Equipment
1225 Vanderbilt Rd
Birmingham AL 35234
Phone 205-324-3104

Prepared by
Blake Stamps
EMPIRE TRUCK SALES INC
373 HIGHWAY 49 SOUTH
RICHLAND (JACKSON) MS
39218
Phone 601 939-5000

SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear
PRL-09M	M2 PRL-09M (EFF 08/05/2014)		
DRL-021	SPECPRO21 DATA RELEASE VER 021		
001-172	M2 106 CONVENTIONAL CHASSIS	5 775	3 535
004-216	2016 MODEL YEAR SPECIFIED		
002-004	SET BACK AXLE TRUCK		
019-002	STRAIGHT TRUCK PROVISION		
003-001	LH PRIMARY STEERING LOCATION		
AA1-002	TRUCK CONFIGURATION		
AA6-002	DOMICILED USA (EXCLUDING CALIFORNIA AND CARB OPT IN STATES)		
A85-001	REFUSE SERVICE		
A84-1GM	GOVERNMENT BUSINESS SEGMENT		
AA4-013	MOIST BULK COMMODITY		
AA5-006	TERRAIN/DUTY 10% (SOME) OF THE TIME IN TRANSIT IS SPENT ON NON-PAVED ROADS		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AB5-003	MAINTAINED GRAVEL OR CRUSHED ROCK MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
995-091	MEDIUM TRUCK WARRANTY		
A66-99D	EXPECTED FRONT AXLE(S) LOAD 18000 0 lbs		
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD 46000 0 lbs		
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY 64000 0 lbs		

Application Version 8 7 010
Data Version PRL-09M 021
Clay County RL



12/30/2014 12 07 PM

Page 2 of 15

Prepared for
 Josh Stringer
 Sansom Equipment
 1225 Vanderbilt Rd
 Birmingham AL 35234
 Phone 205-324-3104

Prepared by
 Blake Stamps
 EMPIRE TRUCK SALES INC
 373 HIGHWAY 49 SOUTH
 RICHLAND (JACKSON) MS
 39218
 Phone. 601 939-5000

Data Code	Description	Weight Front	Weight Rear
AA3-061	REFUSE SIDE LOAD OR REAR PACKER BODY UNLOADS IN A LANDFILL		
AF7 99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME XX INCHES 32.0 in		
101 2XE	CUM ISL 300 HP @ 2000 RPM 2200 GOV RPM 860 LB/FT @ 1300 RPM	640	30
79A 075	75 MPH ROAD SPEED LIMIT		
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
79K 007	PTO MODE ENGINE RPM LIMIT 1100 RPM		
79P 002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM		
79Q 003	PTO RPM WITH CRUISE RESUME SWITCH 800 RPM		
79S 001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH		
79U 007	PTO GOVERNOR RAMP RATE 250 RPM PER SECOND		
80G 002	PTO MINIMUM RPM 700		
80J-002	REGEN INHIBIT SPEED THRESHOLD 5 MPH		
99C-015	2015 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG14		
99D 010	NO 2008 CARB EMISSION CERTIFICATION		
13E-001	STANDARD OIL PAN		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
133-004	ONE PIECE VALVE COVER		
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER		
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
292 1D8	(2) ALLIANCE MODEL 1131 GROUP 31 12 VOLT MAINTENANCE FREE 1900 CCA THREADED STUD BATTERIES NON FCCC ONLY		
290-017	BATTERY BOX FRAME MOUNTED		
281-001	STANDARD BATTERY JUMPERS		
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		



Prepared for
 Josh Stringer
 Sansom Equipment
 1225 Vanderbilt Rd
 Birmingham AL 35234
 Phone 205 324-3104

Prepared by
 Blake Stamps
 EMPIRE TRUCK SALES INC
 373 HIGHWAY 49 SOUTH
 RICHLAND (JACKSON) MS
 39218
 Phone 601 939-5000

Data Code	Description	Weight Front	Weight Rear
289-001	NON POLISHED BATTERY BOX COVER		
107-032	CUMMINS TURBOCHARGED 18 7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR		
131-013	AIR COMPRESSOR DISCHARGE LINE		
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
128-076	CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH	20	
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25
28F-002	ENGINE AFTERTREATMENT DEVICE AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH		
239-020	10 FOOT 00 INCH (120 INCH+0/ 5 INCH) EXHAUST SYSTEM HEIGHT		
237 1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
23U 002	13 GALLON DIESEL EXHAUST FLUID TANK	40	20
30N 003	100 PERCENT DIESEL EXHAUST FLUID FILL		
43X 002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
23Y 001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		
43Y 001	STANDARD DIESEL EXHAUST FLUID TANK CAP		
242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD(S)		
273-018	HORTON DRIVEMASTER ON/OFF FAN DRIVE		
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH NON ENGINE MOUNTED		
110-003	CUMMINS SPIN ON FUEL FILTER		
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER		
266-013	1100 SQUARE INCH ALUMINUM RADIATOR	20	
103-004	ANTIFREEZE TO -34F NOAT EXTENDED LIFE COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		

Application Version 8 7 010
 Data Version PRL-09M 021
 Clay County RL



12/30/2014 12 07 PM

Page 4 of 15

595

Prepared for
 Josh Stringer
 Sansom Equipment
 1225 Vanderbilt Rd
 Birmingham AL 35234
 Phone 205 324-3104

Prepared by
 Blake Stamps
 EMPIRE TRUCK SALES INC
 373 HIGHWAY 49 SOUTH
 RICHLAND (JACKSON) MS
 39218
 Phone 601 939-5000

	Data Code	Description	Weight Front	Weight Rear
	270-016	RADIATOR DRAIN VALVE		
	168-002	LOWER RADIATOR GUARD		
	134-001	ALUMINUM FLYWHEEL HOUSING		
	132-004	ELECTRIC GRID AIR INTAKE WARMER		
	155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH		
N	342-584	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	200	60
	343 312	ALLISON VOCATIONAL PACKAGE 142 AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL RDS		
	84B-013	ALLISON VOCATIONAL RATING FOR REFUSE APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES		
	84C 023	PRIMARY MODE GEARS LOWEST GEAR 1 START GEAR 1 HIGHEST GEAR 6 AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
	84D 023	SECONDARY MODE GEARS LOWEST GEAR 1 START GEAR 1 HIGHEST GEAR 6 AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
	353-026	VEHICLE INTERFACE WIRING AND PDM WITH BODY BUILDER CONNECTOR BACK OF CAB NO BLUNT CUTS		
	34C-002	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR MOUNTED BACK OF CAB		
	362-035	CUSTOMER INSTALLED CHELSEA 277 SERIES PTO		
	363-001	PTO MOUNTING LH SIDE OF MAIN TRANSMISSION		
	341-018	MAGNETIC PLUGS ENGINE DRAIN TRANSMISSION DRAIN AXLE(S) FILL AND DRAIN		
	345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL DASH MOUNTED		
	97G 004	TRANSMISSION PROGNOSTICS ENABLED 2013		
	370-015	WATER TO OIL TRANSMISSION COOLER IN RADIATOR END TANK		
	346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
	35T-001	SYNTHETIC TRANSMISSION FLUID (TES 295 COMPLIANT)		

Application Version 8 7 010
 Data Version PRL-09M 021
 Clay County RL



12/30/2014 12 07 PM

Page 5 of 15

Prepared for
 Josh Stringer
 Sansom Equipment
 1225 Vanderbilt Rd
 Birmingham AL 35234
 Phone 205-324-3104

Prepared by
 Blake Stamps
 EMPIRE TRUCK SALES INC
 373 HIGHWAY 49 SOUTH
 RICHLAND (JACKSON) MS
 39218
 Phone 601-939-5000

Data Code	Description	Weight Front	Weight Rear
400-1BA	DETROIT DA-F 18 0-5 18 000# FL1 71 0 KPM/3 74 DROP SINGLE FRONT AXLE	210	
402-030	MERITOR 16 5X6 Q+ CAST SPIDER CAM FRONT BRAKES DOUBLE ANCHOR FABRICATED SHOES		
403-002	NON-ASBESTOS FRONT BRAKE LINING		
419-023	CONMET CAST IRON FRONT BRAKE DRUMS		
427-001	FRONT BRAKE DUST SHIELDS	5	
409-021	SKF SCOTSEAL PLUS XL FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW CENTER AND SIDE PLUGS OIL		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
536-012	TRW TAS-85 POWER STEERING	40	
539-003	POWER STEERING PUMP		
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR		
533-001	OIL/AIR POWER STEERING COOLER	5	
40T-001	ORGANIC SAE 80/90 FRONT AXLE LUBE		
620-013	18 000# TAPERLEAF FRONT SUSPENSION	200	
619-005	MAINTENANCE FREE RUBBER BUSHINGS FRONT SUSPENSION		
410-001	FRONT SHOCK ABSORBERS		
420-103	RT-46-160 46 000# R-SERIES TANDEM REAR AXLE		2 960
421-563	5 63 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-076	MXL 17N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES	30	30
388-076	MXL 17N MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH FULL ROUND YOKES		
878-019	(1) INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES		



Prepared for
Josh Stinger
Sansom Equipment
1225 Vanderbilt Rd
Birmingham AL 35234
Phone 205-324-3104

Prepared by
Blake Stamps
EMPIRE TRUCK SALES INC
373 HIGHWAY 49 SOUTH
RICHLAND (JACKSON) MS
39218
Phone 601 939-5000

	Data Code	Description	Weight Front	Weight Rear
	87A 001	BLINKING LAMP WITH EACH MODE SWITCH INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF		
	423-020	MERITOR 16 5X7 Q+ CAST SPIDER CAM REAR BRAKES DOUBLE ANCHOR FABRICATED SHOES		
	433-002	NON-ASBESTOS REAR BRAKE LINING		
	434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)		
	451-023	CONMET CAST IRON REAR BRAKE DRUMS		
	425-002	REAR BRAKE DUST SHIELDS		
	440-021	SKF SCOTSEAL PLUS XL REAR OIL SEALS		
	426-075	HALDEX GOLDSEAL LONGSTROKE 2 DRIVE AXLES SPRING PARKING CHAMBERS		20
N	428-007	BENDIX VERSAJUST AUTOMATIC REAR SLACK ADJUSTERS		
	41T-001	ORGANIC SAE 80/90 REAR AXLE LUBE		
	622 1E4	TUFTRAC 46 000# 2-STAGE REAR SPRING SUSPENSION		570
	621-055	TUFTRAC STANDARD RIDE HEIGHT		
	431-003	AXLE CLAMPING GROUP		
	624-028	56 INCH AXLE SPACING		
	623-006	FORE/AFT AND TRANSVERSE CONTROL RODS		
	439-002	REAR SHOCK ABSORBERS TWO AXLES (TANDEM)		40
	018-002	AIR BRAKE PACKAGE		
	490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL		
	871-001	REINFORCED NYLON FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
	904-001	FIBER BRAID PARKING BRAKE HOSE		
	412-001	STANDARD BRAKE SYSTEM VALVES		
	46D 002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM		
	413-002	STD U S FRONT BRAKE VALVE		
	432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE NO REAR PROPORTIONING VALVE		
	480-009	BW AD 9 BRAKE LINE AIR DRYER WITH HEATER	20	
	479-003	AIR DRYER MOUNTED INBOARD ON LH RAIL		



Prepared for
 Josh Stringer
 Sansom Equipment
 1225 Vanderbilt Rd
 Birmingham AL 35234
 Phone 205-324-3104

Prepared by
 Blake Stamps
 EMPIRE TRUCK SALES INC
 373 HIGHWAY 49 SOUTH
 RICHLAND (JACKSON) MS
 39218
 Phone 601 939-5000

Data Code	Description	Weight Front	Weight Rear
460-001	STEEL AIR BRAKE RESERVOIRS		
607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET BOTH RAILS OUTBOARD		
477-004	PULL CABLES ON ALL AIR RESERVOIR(S)		
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT		
32A 002	UPGRADED BULKHEAD MULTIPLEXING UNIT		
545-575	5750MM (226 INCH) WHEELBASE		
546-102	7/16X3-9/16X11 1/8 INCH STEEL FRAME (11 11MMX282 6MM/0 437X11 13 INCH) 120KSI	370	290
552-030	1600MM (63 INCH) REAR FRAME OVERHANG		
55W-006	FRAME OVERHANG RANGE 61 INCH TO 73 INCH		
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) 160 45 in		
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) 157 45 in		
AE4-99D	CALC'D FRAME LENGTH OVERALL 318 39		
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE 160 45 in		
FSS-0LH	CALCULATED FRAME SPACE LH SIDE 84 3 in		
FSS-0RH	CALCULATED FRAME SPACE RH SIDE 129 45 in		
553-001	SQUARE END OF FRAME		
550-001	FRONT CLOSING CROSSMEMBER		
559-003	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER	12	
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
572-001	STANDARD REARMOST CROSSMEMBER		
585-002	HEAVY DUTY SUSPENSION CROSSMEMBER		
556-1AN	THREE PIECE 14 INCH STEEL CENTER BUMPER WITH FLEXIBLE PLASTIC ENDS		
558-001	FRONT TOW HOOKS FRAME MOUNTED	15	
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS		

Application Version 8 7 010
 Data Version PRL 09M 021
 Clay County RL



12/30/2014 12 07 PM

Page 8 of 15

Prepared for
Josh Stringer
Sansom Equipment
1225 Vanderbilt Rd
Birmingham AL 35234
Phone 205 324-3104

Prepared by
Blake Stamps
EMPIRE TRUCK SALES INC
373 HIGHWAY 49 SOUTH
RICHLAND (JACKSON) MS
39218
Phone 601 939 5000

Data Code	Description	Weight Front	Weight Rear
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
204-034	80 GALLON/302 LITER RECTANGULAR ALUMINUM FUEL TANK LH	40	10
218-005	RECTANGULAR FUEL TANK(S)		
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
212-007	FUEL TANK(S) FORWARD		
664-001	PLAIN STEP FINISH		
205-001	FUEL TANK CAP(S)		
122-075	ALLIANCE FUEL FILTER/WATER SEPARATOR		
216-020	EQUIFLO INBOARD FUEL SYSTEM		
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
093-0TA	MICHELIN XZY 3 385/65R22.5 18 PLY RADIAL FRONT TIRES	130	
094-0DH	MICHELIN XDE M/S 1 R22.5 14 PLY RADIAL REAR TIRES		56
418-056	CONMET PRESET PLUS IRON FRONT HUBS		
450-056	CONMET PRESET PLUS IRON REAR HUBS		
502-574	ACCURIDE 29807 22.5X12 25 10-HUB PILOT 4 75 INSET 5-HAND STEEL DISC FRONT WHEELS	82	
505-428	ACCURIDE 28828 22 5X8 25 10 HUB PILOT 2- HAND HD STEEL DISC REAR WHEELS		40
496-011	FRONT WHEEL MOUNTING NUTS		
497-011	REAR WHEEL MOUNTING NUTS		
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB		
650-008	AIR CAB MOUNTS		
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
678-001	LH AND RH GRAB HANDLES		
646-009	PAINTED PLASTIC GRILLE		



Prepared for
Josh Stringer
Sansom Equipment
1225 Vanderbilt Rd
Birmingham AL 35234
Phone 205 324-3104

Prepared by
Blake Stamps
EMPIRE TRUCK SALES INC
373 HIGHWAY 49 SOUTH
RICHLAND (JACKSON) MS
39218
Phone 601 939-5000

Data Code	Description	Weight Front	Weight Rear
65X 001	ARGENT SILVER HOOD MOUNTED AIR INTAKE GRILLE		
644-004	FIBERGLASS HOOD		
727 1AH	SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED	4	
726-001	SINGLE ELECTRIC HORN		
728-001	SINGLE HORN SHIELD		
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY		
302-001	(5) AMBER MARKER LIGHTS		
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS		
300-015	STANDARD FRONT TURN SIGNAL LAMPS		
744-1BN	DUAL WEST COAST BRIGHT FINISH MIRRORS		
797-001	DOOR MOUNTED MIRRORS		
796-001	102 INCH EQUIPMENT WIDTH		
743 204	LH AND RH 8 BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
729-001	STANDARD SIDE/REAR REFLECTORS		
768-043	63X14 INCH TINTED REAR WINDOW		
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON OPERATING WING WINDOWS		
654-003	MANUAL DOOR WINDOW REGULATORS		
663-013	TINTED WINDSHIELD		
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR FRAME MOUNTED		
707 1AM	OPAL GRAY CLOTH INTERIOR		
706-013	MOLDED PLASTIC DOOR PANEL		
708-013	MOLDED PLASTIC DOOR PANEL		
772-006	BLACK MATS WITH SINGLE INSULATION		
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING		
694-010	IN DASH STORAGE BIN		
742-007	(2) CUP HOLDERS LH AND RH DASH		
680-006	GRAY/CHARCOAL FLAT DASH		
720-003	5 LB FIRE EXTINGUISHER	10	

Application Version 8 7 010
Data Version PRL 09M 021
Clay County RL



12/30/2014 12 07 PM

Page 10 of 15

Prepared for
Josh Stringer
Sansom Equipment
1225 Vanderbilt Rd
Birmingham AL 35234
Phone 205-324-3104

Prepared by
Blake Stamps
EMPIRE TRUCK SALES INC
373 HIGHWAY 49 SOUTH
RICHLAND (JACKSON) MS
39218
Phone 601 939-5000

Data Code	Description	Weight Front	Weight Rear
700-002	HEATER DEFROSTER AND AIR CONDITIONER		
701-001	STANDARD HVAC DUCTING		
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
170-015	STANDARD HEATER PLUMBING		
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR		
702-002	BINARY CONTROL R 134A		
739-033	STANDARD INSULATION		
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
324-014	DOMELIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS		
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS		
284-023	(1) 12 VOLT POWER SUPPLY IN DASH		
756-1J3	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30	
760 235	2 MAN TOOL BOX MID BACK NON SUSPENSION PASSENGER SEAT	20	
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
758-036	VINYL WITH VINYL INSERT DRIVER SEAT		
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT		
763-006	3 POINT DRIVER AND PASSENGER AND 2 POINT CENTER FRONT SEAT BELT RETRACTORS		
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10	
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL		
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		
732-004	GRAY DRIVER INSTRUMENT PANEL		
734-004	GRAY CENTER INSTRUMENT PANEL		
87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK		
870-001	BLACK GAUGE BEZELS		
486-001	LOW AIR PRESSURE LIGHT AND BUZZER		
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES		



Prepared for
Josh Stringer
Sansom Equipment
1225 Vanderbilt Rd
Birmingham AL 35234
Phone 205-324-3104

Prepared by
Blake Stamps
EMPIRE TRUCK SALES INC
373 HIGHWAY 49 SOUTH
RICHLAND (JACKSON) MS
39218
Phone 601 939-5000

Data Code	Description	Weight Front	Weight Rear
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS		
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL		
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION 4 POSITION OFF/RUN/START/ACCESSORY		
811-011	ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY 1X7 CHARACTER 26 WARNING LAMPS DATA LINKED ICU3		
160-025	DIAGNOSTIC INTERFACE CONNECTOR 9 PIN SAE J1939 LOCATED BELOW DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		
148-073	ENGINE REMOTE INTERFACE FOR REMOTE THROTTLE		
163-003	ENGINE REMOTE INTERFACE CONNECTOR AT END OF FRAME WITH 6 FOOT ADDITIONAL HARNESS LENGTH		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
864-005	TRANSMISSION OIL TEMPERATURE INDICATOR LIGHT		
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
372-051	CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
746-1B3	AM/FM/WB RADIO WITH BLUETOOTH AND MICROPHONE FRONT USB PORT FRONT AND REAR AUXILIARY INPUTS AND J1939	10	
747-001	DASH MOUNTED RADIO		
750-002	(2) RADIO SPEAKERS IN CAB		
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF	2	
748-001	POWER AND GROUND STUDS IN/UNDER DASH		
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE WITHOUT ODOMETER		
817-001	STANDARD VEHICLE SPEED SENSOR		
812-001	ELECTRONIC 3000 RPM TACHOMETER		
162-011	IDLE LIMITER ELECTRONIC ENGINE		
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		



Prepared for
Josh Stringer
Sansom Equipment
1225 Vanderbilt Rd
Birmingham AL 35234
Phone 205-324-3104

Prepared by
Blake Stamps
EMPIRE TRUCK SALES INC
373 HIGHWAY 49 SOUTH
RICHLAND (JACKSON) MS
39218
Phone 601-939-5000

Data Code	Description	Weight Front	Weight Rear
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH		
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE		
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS		
Paint			
065-000	PAINT ONE SOLID COLOR		
Body			
980-5F6	CAB COLOR A L0006EB WHITE ELITE BC		
986-020	BLACK HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21 TKWHT21 W TW)		
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21 TKWHT21 W TW)		
964-6Z7	BUMPER PAINT FP24812 ARGENT SILVER DUPONT FLEX		
Bodywork / Equipment			
996-001	U S FMVSS CERTIFICATION EXCEPT SALES CABS AND GLIDER KITS		
Options			
998-001	CORPORATE PDI CENTER IN-SERVICE ONLY		
Sales Programs			
NO SALES PROGRAMS HAVE BEEN SELECTED			
Weight Summary			
		Weight Front	Weight Rear
Factory Weight*		7946 lbs	7686 lbs
			Total Weight
			15632 lbs




604

COBRA MAGNUM™

S E R I E S



SANSOM EQUIPMENT CO., INC
7760 HIGHLAND AVE NORTH
MOBILE AL 36608
PHONE NO (800)435-3044



COBRA
Magnum


The New Way™ Cobra Magnum™ offers a high compaction body at a lighter weight than the competition. Add in a huge 3.55 yd³ hopper and a striking 21-23 second cycle time and the Cobra Magnum™ delivers a crushing bite to anything you throw at it.



NEW WAY
Driving the Change


1015 S. Main Street, Suite 101, Mobile, AL 36608-1015 • (800) 435-3044 • www.newway.com

GENERAL SPECIFICATIONS (STANDARD)



Model	20 RL	25 RL	27 RL	32 RL
Body Capacity	20 yd³	25 yd³	27 yd³	32 yd³
Body Width (A)	96	96	96	96
Body Length (B)	251.5	289 ‡	301 ‡	315.5
Body Height (C)	102.5	102.5	102.5	102.5
Approx. Body Weight	14,880 lbs.	15,250 lbs.	15,400 lbs.	16,550 lbs.
Hopper Capacity	3.55 yd³	3.55 yd³	3.55 yd³	3.55 yd³
Hopper Opening Width	80	80	80	80
Loading Sill Height	3.5" below frame	3.5" below frame	3.5" below frame	3.5" below frame
Hopper Cycle Time (sec)	21-23	21-23	21-23	21-23

HYDRAULIC CYLINDER SPECIFICATIONS (STANDARD)



Model	20 RL	25 RL	27 RL	32 RL
Slide Cylinders (2)	5	5	5	5
Sweep Cylinders (2)	4.5	4.5	4.5	4.5
Tailgate Cylinders (2)	3.5	3.5	3.5	3.5
Ejection Cylinder	4 Stage 7.5	4 Stage 7.5	4 Stage 7.5	4 Stage 7.5

MINIMUM CHASSIS SPECIFICATIONS (STANDARD)

Model	20 RL	25 RL	27 RL	32 RL
* Minimum GVWR	56,000 lbs.	60,000 lbs.	62,000 lbs.	64,000 lbs.
Recommended Cab To Trunion	138	160	172	204

‡ Length measurement depends on options ordered
* Approximate Body Weight empty and exclusive of options
** Any Chassis sent to Scranton Manufacturing with less than the minimum guideline requirements will not be mounted
(Chassis must be capable of carrying the net weight of the body plus the weight of the refuse collected)

BODY CONSTRUCTION

	US	Metric	
Roof	10 GA	3.42 mm	80K GR
Sides	10 GA	3.42 mm	80K GR
Ejection Panel	10 GA	3.42 mm	80K GR
Sweep Panel	1/4"	6.35 mm	100K GR
Floor (front)	10 GA	3.42 mm	50K GR
Floor (rear)	7 GA	3.42 mm	100K GR
Tailgate (upper)	10 GA	3.42 mm	50K GR
Tailgate (lower)	1/4"	6.35 mm	100K GR
Hopper Floor (back)	1/4"	6.35 mm	100K GR
Slide Panel	7 GA	4.5 mm	100K GR

HYDRAULIC SYSTEMS

	US	Metric
Oil Reservoir	50-70 gal	227-318 L
Oil Flow w/Std. Pump	36 GPM	135 LPM
Operating Pressure	2,750 PSI	18,961 KPA
Hydraulic Hoses	4 to 1 Burst	
Return Filter	10 micron	
Engine RPM	1,000-1,200	

All models and specifications subject to change
Visit us online at newwaytrucks.com for the latest updates

STANDARD EQUIPMENT

Semi Automatic Cycling
Auto Back Pack
Accelerator Kit
Turn Buckle Locks
Back Up Alarm
Light Bar
ALL LED Lights
Sight Gauge on Oil Tank
Oil Pressure Gauge
Chrome Rod Cylinders
Side Access Door
Driver Alert Buzzer
Tailgate Ajar Indicator
Bolt on Steps on Rear
Prime Paint
Color Rear Vision Camera System
Talarum Extreme Hydraulic Fluid

OPTIONAL EQUIPMENT

Special Lighting
PTO & Pump
Finish Paint Imron Elite
Container lifts (commercial & residential)
Body Scale System
Auto Tailgate Locks
Steel Upgrades
Extended Warranties
CNG Powered



A Product of **Scranton Mfg. Co., Inc.** 101 State Street Scranton, PA 17462
T 800.831.1858 F 717.652.3399 www.newwaytrucks.com

Jan 5, 2015

Clay County Board of Supervisors,

Thank you for the opportunity to bid on the 25 yard rear loading refuse truck. As you will see in our proposal the 2016 Mack Granite MHD is a superior truck to any other. We offer 1150 ft lbs of torque as well a 345 HP engine. Put this with the outstanding quality of the Mack Chassis and you will have a truck that will outlast any other. And with Tri State Truck Centers EXCELLENT Customer service you will have the COMPLETE package. The Mack chassis will be mounted with a HOL MAC packer body that offers "ON SITE" warranty work if needed. I hope you continue to put your trust in Tri State Truck Center and Mack for ALL your truck needs.

Thanks Again,

A handwritten signature in black ink, appearing to read 'Scott Riley', is written over the printed name.

Scott Riley

Tri State Truck Center
Tupelo, MS



CHASSIS SPECIFICATIONS SUMMARY

January 04, 2015

2016 MACK GU433

REFUSE REAR LOADER On/Off Hwy
STRAIGHT TRUCK WITHOUT TRAILER

Engine	CUMMINS ISL-B	Transmission	3000-RDS-6
	CASHE	Clutch	OMIT CLUTCH
Front Axle	12,000# FXL12	Rear Axle	40,000# MT-40-14X4D Ratio 4.33
Suspension	12,000#	Suspension	40,000# HMX400
Tires	Front 11R22.5 Rear 11R22.5	Wheels	22.5x8.25 STEEL DISC (10-HOLE) 22.5x8.25 STEEL DISC (10-HOLE)
Ratings	GVW 52,000#	Fuel Tanks	LH 88gal
Fifth Wheel	Sleepers		

PRICING SUMMARY

	<u>List Price</u>
CHASSIS BASE	\$168,029.00
Factory Options	\$7,067.00
Allison Pricing	\$6,900.00
Freight	\$2,100.00
Less Additional Factory Rebate	
Sales Allowances	
TOTAL FACTORY	\$184,096.00
Locally Installed Options	\$49,996.00
Soft Products/Bulldog Protection Plans	\$0.00
TOTAL FACTORY & LOCAL	\$234,092.00
Less Customer Discount from List	\$92,553.76
SELLING PRICE (Excluding Taxes/Fees/Trade)	\$141,538.24
Less Trade Allowances per New Vehicle	\$0.00
QUOTED PRICE OR TRADE DIFFERENCE	\$141,538.24
Surcharge	\$0.00
Net FRET or Canadian GST Taxes	\$118.80
Tire Tax Credit (Municipal Only)	\$0.00
Sales/Usage Taxes	\$0.00
License/Title/Etc	\$160.00
Misc Fees not subject to FRET	
ACQUISITION COST (Include Trade if applies)	\$141,817.04
Less Down Payment	
BALANCE DUE Per Unit	\$141,817.04
PRICE (Total Order)	\$0.00
BALANCE DUE (Total Order)	\$0.00

Total Quantity 0 Estimated Total Weight 16,277# Reference# AHTZ001216A

X
Prepared For Customer Signature Date
Clay County MHD REAR LOADER

Phone -
Fax

000

X
Presented By Dealer Signature Date
Scott Riley
MACK TRUCKS INC
Allentown Pennsylvania 18105
(800) TNT MACK
astephens@tristatetruck.com



Prepared For
Clay County MHD REAR LOADER

Presented By
MACK TRUCKS INC
2100 MACK BOULEVARD
Allentown Pennsylvania 18105
(800) TNT-MACK
astephens@tnstatetruck.com

Page 1

Jan 4 2015
2016 GU433
Ref# AHTZ001216A

Description	List Price
ORDER/CUSTOMER/VEHICLE INFORMATION	
INITIAL REGISTRATION LOCATION UNITED STATES MISSISSIPPI	
LANGUAGE ENGLISH	
IDLE EMISSION CERTIFICATION IDLE EMISSION CERTIFICATION CARB 08	
TYPE OF SERVICE COMMERCIAL	
VEHICLE APPLICATION CLASS HEAVY VOCATIONAL - Unlimited operation on concrete asphalt or maintained gravel/packed dirt with a maximum 3% grade limited operation on unmaintained surfaces with maximum 5% grade limited operation on concrete asphalt or maintained gravel/packed dirt with maximum 10% grade (3 AXLES) 78 000 lbs (35 281 kg) MAX GVW (4 AXLES) 80 000 lbs (36 288 kg) MAX GVW	
CARRIER APPLICATION NOT AVAILABLE	
VEHICLE TYPE STRAIGHT TRUCK WITHOUT TRAILER	
VEHICLE USE AND BODY/TRAILER TYPE REFUSE REAR LOADER On/Off Hwy	
BRAKE - STOPPING DISTANCE BRAKE REGULATION STOPPING DISTANCE 94M (310FT)	
PRICE BOOK LEVEL 2016A PRICE BOOK LEVEL	
PRODUCT TYPE PRODUCT TYPE CML64R TRUCK	
PRODUCT CLASS PRODUCT CLASS 28	
BACK OFFICE PROCESS BACK OFFICE PROCESS	
OPERATING CONDITIONS	
TOPOGRAPHY GRADES <3% GREATER THAN 98% OF DRIVING DISTANCE MAX GRADE 8%	
TRANSPORTAION CYCLE VOCATIONAL	
ROAD CONDITION WELL MAINTAINED SURFACED ROADS >95% DRIVING DISTANCE	
AMBIENT TEMPERATURE UPPER LIMIT AMBIENT TEMPERATURE HOT WARMER THAN 104 F (40 C)	
ALLOWED UP TO 25 HOURS PER YEAR	
BVS/FRT AXLE POS/SALES PACKAGES	
CHASSIS (BASE MODEL) GU403 6 WHEEL TRUCK	\$168 029 00
CHASSIS PACKAGING SOLUTIONS PACKAGE 2A INCLUDES Cummins Switchback DPF RH Battery Box Air Under B Box remaining on Frame Rails REQUIRES Sleeved LH Fuel Tank 66 or 88 gallons	
ENGINE/TRANSMISSION/CLUTCH	
ENGINE CUMMINS ISL D 345 HP @1600-1900 RPM (PEAK) 1150 LB FT MAX TORQUE @ 1400 RPM	
TRANSMISSION 6 SPEED AUTOMATIC ALLISON 3000-RDS-6 (3 49/0 65) RUGGED DUTY SERIES GEN 5 W/PROGNOSTICS W/PTO PROVISION INCLUDES TRANSMISSION COOLER EXTERNAL OIL COOLER INTERNAL FILTER AND OIL LEVEL SENSOR	\$6 900 00
CLUTCH OMIT CLUTCH	
EXHAUST/EMISSIONS	
DPF DPF HORIZ RH SIDE UNDER CAB & BEHIND STEP CUMMINS SWITCHBACK	
EXHAUST AFTER-TREATMENT SYSTEM EXHAUST AFTER TREATMENT SYSTEM SELECTIVE CATALYST REDUCTION PLUS DPF VERSION 3	
DPF SMART SWITCH NO INHIBIT DPF REGENERATION SWITCH	
EXHAUST SINGLE (R/S) VERT EXHAUST CAB MOUNTED LOWER VENTURI DIFFUSER TURNED END FURNISH STEEL PAINTED HEAT SHIELD FOR FRAME MTD DPF (CUMMINS)	
ENGINE EQUIPMENT	
AIR COMPRESSOR MERITOR/WABCO 318 18 7 CFM	
AIR CLEANER 11" SINGLE ELEMENT DONALDSON STEEL	\$150 00

003

Description	List Price
ALTERNATOR DELCO 12V 160A (24SI)	\$103 00
BATTERIES (2) MACK 12V 1000/2000 CCA THREADED STUD TYPE	
BUG SCREEN BLACK ALUMINUM MOUNTED BEHIND GRILLE	
TEXACO EXTENDED LIFE COOLANT W/NITRITES (50/50 MIX) TO 34 DEG	
COOLING PERFORMANCE 1240 SQUARE INCH RADIATOR	\$258 00
ENGINE BRAKE W/O ENGINE BRAKE	
FAN DRIVE HORTON DMA2S-TWO SPEED ON/OFF CLUTCH W/LIGHTWEIGHT PLASTIC FAN	
FUEL-WATER SEPARATOR, DAVCO 382, NON HEATED W/VENDOR PRIM & MACK SEC FUEL FILTER	
HOSES RADIATOR/HEATER, MACK BRAND EPDM RADIATOR & HEATER HOSES	
OIL PAN HEATER W/O OIL PAN HEATER	
ELECTRIC PREHEATER	
STARTER 12 VOLT DELCO 39MT MXT	
TETHER DEVICE W/O TETHER DEVICE	
TRANSMISSION EQUIPMENT/DRIVELINES	
CLUTCH ASSIST (AIR) Information is not required	(\$333 00)
CLUTCH PEDAL W/O CLUTCH PEDAL	
TRANSMISSION BELL HOUSING ALUMINUM	
W/O TRANSMISSION DUSTPROOFING	
FURNISH FOR ALLISON TRANSMISSION W/DIRECT MOUNT COOLER	
SYNTHETIC LUBRICANT - TRANSMISSION TRANSYND SYNTHETIC LUBE FOR ALLISON TRANS	\$714 00
VOCATIONAL PACKAGE ALLISON ALLISON GEN 5 PACKAGE #142 (AG) REFUSE WITH AUTO	
NEUTRAL ONE SELECTOR TO NEUTRAL W/PARKING BRAKE ENGAGED	
WITHOUT DRIVESHAFT GUARD FOR CENTER BEARING	
DRIVELINE MAIN MERITOR 176 MXL XTENDED LUBE	\$41 00
DRIVELINE INTERAXLE MERITOR 17 MXL XTENDED LUBE"	
CAB (A thru G)	
MACK (BERGSTROM) INTEGRAL W/HEATER COMBINATION HEATER/DEFROSTER AND AIR	
CONDITIONER	
AIR RESTRICTION MONITOR (INTAKE) W/O AIR RESTRICTION MONITOR	
B LH-DRIVE CA68 CONV CAB	
THOUT CAB CLEANOUT	
CAB MOUNTING AIR SUSPENSION	
CERTIFIED WEIGHT	
TWO (2) EXTRA DASH MOUNTED ILLUMINATED TOGGLE SWITCHES	\$30 00
PARK BRAKE AND ENGINE RUNNING ACTIVATED	
(4) DOME LAMPS - DOOR AND SWITCH ACTIVATED	
DOOR INTERIOR TRIM PANELS PADDED VINYL WITH ARM REST PADS	
FENDER EXTENSIONS FENDER EXTENSIONS	
GAUGE CLUSTER EXHAUST PYROMETER AND TRANSMISSION OIL TEMPERATURE GAUGES	
GAUGES ENGLISH/METRIC DISPLAY	
WITHOUT REAR AXLE OIL TEMPERATURE GAUGE	
W/O INSIDE/OUTSIDE TEMP GAUGE OPTION	
GEAR SHIFT DASH MOUNTED SHIFTER	
GLASS - CAB WINDOW TINTED WINDSHIELD SIDE AND REAR WINDOWS	
STANDARD GRAB HANDLE OPTION RH & LH BEHIND DOOR	
GRILLE HOOD AIR INTAKE GRILLE PAINTED GRAY	

Description	List Price
CAB (H thru R)	
HEADLINER VINYL COVERED FOAM PADDED HEADLINER	
PAINTED HOOD LATCHES	
HORN AIR, (2) MACK RECTANGULAR SINGLE TRUMPET CHROME PLATED STEEL W/SNOW SHIELDS	\$193 00
HORN - ELECTRIC SINGLE TONE	
IDENTIFICATION/CLEARANCE LIGHTS (5) MARKER AND CLEARANCE INCANDESCENT SURFACE MOUNTED	
IN DASH STORAGE W/O UPPER STORAGE OPTION	
INSTRUMENT CLUSTER DISPLAY CO-PILOT DRIVER DISPLAY ENHANCED 4 5" DIAGONAL LCD DISPLAY W/4-BUTTON STALK CONTROL	
INTERIOR TRIM (PUREBRED - SLATE GRAY) Vinyl headliner & seat covering 2 netted storage compartments and center CB radio mounting provisions in overhead console rear panel with storage pouch polyurethane floor mat 2 cup holders slate gray instrument panel with black gauge bezel Sandstone door panels & trim RH door peep window padded interior sun visor driver side only 2 spoke slate grey urethane cushion gnp steernng wheel with Bulldog horn button hand crank lh/rh windows 2 general overhead lights 1 driver overhead light & 1 map non-glare overhead light 2 12V power sources seat belts lap and shoulder w/cab mtd shoulderbelt 2 coat hangers 2 trash bag hooks RH storage compartment, RH Door Peep Window	
CHASSIS KEYED AT RANDOM 2 KEYS	
MIRRORS CONVEX TYPE BRIGHT FINISH LH & RH 8 DIA CONVEX	
OVERHEAD CONSOLE (2) STORAGE COMPARTMENTS AND NET RETAINERS W/CENTER MOUNTING FOR CB PROVISIONS	
RADIO ACCOMMODATION PKG INCLUDES-ANTENNA POWER SUPPLY AND TWO SPEAKERS (NO RADIO)	
RADIO ANTENNA CAB MOUNTED BEHIND LH DOOR	
CB RADIO MOUNTING REINFORCEMENT IN HEADER CONSOLE	
CAB (S thru Z)	
SEAT DRIVER BOSTROM TALLADEGA 915 (MID-BACK) AIR SUSPENSION	
SEAT RIDER EXTENDED NON SUSPENSION WITH SEAT BELTS (2)	\$332 00
SEAT ARM RESTS INBOARD MOUNTED ARM REST DRIVER S SEAT ONLY	
SEAT COVERING ALL VINYL DRIVER & RIDER SEATS	
LAP AND SHOULDER FOR DRIVER AND OUTBOARD RIDER AND LAP BELT FOR INBOARD RIDER	\$152 00
W/O ROOF VENT VENTILATION	
STEERING COLUMN ADJUSTABLE TILT TELESCOPE	
STEERING WHEEL TWO SPOKE URETHANE GRIP PAINTED SPOKES & BULLDOG HORN CAP	
STORAGE POUCH REAR	
SUN VISOR INTERIOR BOTH SIDES (PADDED VINYL)	
TURN SIGNAL SWITCH MANUAL CANCELLING TURN SIGNALS	(\$47 00)
WINDSHIELD 2 PIECE WINDSHIELD	
WINDSHIELD WASHER RESERVOIR WINDSHIELD WASHER RESERVOIR INSTALLED BOC	
WINDSHIELD WIPERS 2 SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE	
COMMUNICATIONS SYSTEMS	
W/O GUARDDOG CONNECT OR DIAGNOSTIC SERVICES	
FRAME EQUIPMENT/FUEL TANKS	
BUMPER FRONT EXT -SWEPT BACK STEEL CHANNEL 122 5 /3112 mm BBC	

Description	List Price
CROSSMEMBERS BOC AND INTERMEDIATE(S) STEEL HD BACK TO BACK CHANNEL	
CROSSMEMBER (BEHIND REAR AXLE) STEEL SINGLE CHANNEL (1) W/AF of 70 to 129	
FRONT FRAME EXTENSION 6' BOLT ON FRAME EXTENSION	
TOWING DEVICE FRONT HOOKS	
FUEL TANK LH 88 GALLON (333 L) STEEL SLEEVED D-SHAPED	\$521 00
FUEL TANK RH OMIT RH STANDARD	
6 6 GALLON (25 L) 22 DIAMETER TANK LEFT SIDE FRAME MTD	
WITHOUT DEF TANK COVER	
FRONT AXLE/EQUIPMENT/TIRES	
FRONT AXLE, 12000# (5443kg) MACK FXL12 STRAIGHT SPINDLE/UNITIZED BEARINGS	
TIRES BRAND/TYPE - FRONT BRIDGESTONE TUBELESS RADIAL PLY (2) 11R22 5 14 G R268	
ECOPIA (ALL POSITION)	
WHEELS FRONT STEEL DISC (10 HOLE)	
(2) 22 5x8 25 HAYES LEMMERZ 10-HOLE HUB PILOTED (11 1/4 /286mm BC) (TWO HAND HOLE)	(\$246 00)
WHEELS POLISHED (FRONT) W/O FRONT DISC WHEEL BRIGHT FINISH	
BRAKES FRONT BENDIX ES165-05D 16 5 x 5 CAST SPIDER	
BRAKE DRUMS - FRONT CAST OUTBOARD MOUNTED	
DUST SHIELDS FRONT BRAKE OMIT	
HUBS FRONT FERROUS	
FAG SCHAEFFLER FRONT GREASE SEAL	
SHOCK ABSORBERS FRONT	
SLACK ADJUSTERS - FRONT MERITOR AUTOMATIC	
SPRINGS - FRONT MACK TAPERLEAF 12000# (5443kg) GROUND LOAD RATING (2 LEAF SPRING)	
STEERING THP60 TRW-PWR (INTEGRAL)	
REAR AXLE/EQUIPMENT/TIRES/RATIOS	
REAR AXLE/SUSPENSION 40000# (18144kg) MERITOR MT-40-14X4D HYPOID (LOW ENTRY)	\$2 222 00
MT-40-14X4D HENDRICKSON HMX400 40000#	
W/O WIDE TRACK AXLE OPTION	
TIRES BRAND/TYPE REAR BRIDGESTONE - TUBELESS RADIAL PLY (8) 11R22 5 14 G M726EL	\$432 00
TRACTION)	
DRIVER/RATIO REAR AXLE MALLEABLE HOUSING 4 33 RATIO	
WHEELS REAR STEEL DISC (10 HOLE)	
(8) 22 5x8 25 (210 mm) ACCURIDE 10 HOLE HUB PILOTED (TWO HAND HOLE) HEAVY DUTY	(\$361 00)
BRAKES REAR BENDIX ES165-07D 16 5x7 CAST SPIDER	
BRAKE DRUMS - REAR CAST OUTBOARD MOUNTED	
DUST SHIELDS REAR BRAKE OMIT	
HUBS REAR IRON PRESET REAR HUB W/INTEGRATED SPINDLE NUT	
OIL SEALS CHICAGO RAWHIDE (SCOTSEAL)	
POWER DIVIDER LOCKOUT W/WARNING LIGHT AND BUZZER (INCLUDES IN CAB MANUAL AIR	
VALVE)	
SHOCK ABSORBERS - (4) OUTBOARD MOUNTED ON FORWARD AND REAR AXLES EACH SIDE	
SLACK ADJUSTERS REAR MERITOR AUTOMATIC	
SUSPENSION - AXLE SPACING 52 AXLE SPACING (BOGIE WHEELBASE)	
SUSPENSION - HEIGHT CONTROL KIT W/O AIR SUSPENSION HEIGHT CONTROL	
AIR SUSPENSION DUMP WARNING WITHOUT AIR SUSPENSION DUMP WARNING	
SPRING BRAKE CHAMBERS - VENDOR MGM MODEL TR T (TAMPER RESISTANT)	

Description	List Price
W/O CUSTOM PAINT FOR HUB&DRUM/SPOKES (5YB-Z1X)	
W/O CUSTOM PAINTED FRONT/REAR RIM/WHEEL (6BB-Z1X)	
PTO/SPECIALTY/ADDITIONAL EQUIPMENT	
PTO - REAR ENGINE (REPTO) WITHOUT REAR ENGINE POWER TAKE OFF	
FURNISH TC421 FOR USE W/ALLISON 3000 SERIES TRANSMISSION	
W/O SPECIAL DECALS	
V MAC IV PROGRAMMABLE PARAMETERS	
CUSTOMER VEHICLE LIMITING SPEED (MPH) 85 mph	
PEDAL ROAD SPEED LIMITER (MPH) 65 mph	
LGVLS FEATURE ACTIVATION Omit	
LOWER GEAR VEHICLE LIMITING SPEED (MPH) 00 mph	
SOFT RSL Omit	
PDLO ENGAGED VEHICLE LIMITING SPEED 00 rpm	
CRUISE CONTROL SETTINGS W/ALLISON TRANS	
CRUISE CONTROL MAX SET SPEED (MPH) 85 mph	
CRUISE CONTROL MIN SET SPEED (MPH) 20 mph	
CRUISE CONTROL AUTORESUME W/CLUTCH Omit	
CRUISE N BRAKE ENGAGEMENT DELAY (MPH) 3 mph	
SMOOTH CRUISE Omit	
ENGINE OVERSPEED COMPANY LIMIT (RPM) 2200 rpm	
FUELED ENGINE OVERSPEED COMPANY LIMIT (RPM) 2100 rpm	
VEHICLE OVERSPEED COMPANY LIMIT (MPH) 75 mph	
FUELED VEHICLE OVERSPEED COMPANY LIMIT (MPH) 70 mph	
IDLE LOGGING DELAY (MIN) 2	
Monthly Trp Summary	
PERIODIC TRIP HOUR OF DAY 0 (disable)	
PERIODIC TRIP DAY OF WEEK 0 (disable)	
PERIODIC TRIP DAY OF MONTH 1	
DAYTIME RUNNING LIGHTS W/O OVERRIDE SWITCH	
DRL OVERRIDE SWITCH SPEED THRESHOLD (MPH) 00	
DRL OVERRIDE SWITCH OFF TIME (MIN) 00 mph	
CO-PILOT FLEET TRIP PROGRAMMING ACCESS Fleet Level	
FLEET MANAGEMENT VIA CO PILOT Omit	
EHT MAX ENGINE SET SPEED (RPM)	
2100 rpm	
EHT MIN ENGINE SET SPEED (RPM) 700 rpm	
EHT VEHICLE SPEED RANGE LIMIT (MPH) 10 mph	
EHT RAMP RATE (RPM/Sec)	
EHT SINGLE SPEED CONTROL ACTIVATION Omit	
EHT SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm	
EHT JUMP-TO MIN SET SPEED Omit	
EHT HOLD TO NEAREST RPM 00 rpm	
EHT ACCEL DECEL BUMP-UP RPM 00 rpm	
EHT ACCEL DECEL BUMP DOWN RPM 00 rpm	
ENGINE PROTECTION OIL PRESSURE SHUTDOWN Furnish	
ENGINE PROTECTION COOLANT LEVEL SHUTDOWN Omit	

Description	List Price
REAR SPRING BRAKE CHAMBERS 30/30 TYPE	
SYNTHETIC LUBRICANT REAR AXLE FACTORY OPTION LUBE REAR AXLE	
TRANSVERSE TORQUE RODS (BOTH AXLES)	
W/O PROTECTIVE NYLON SPACER BETWEEN DISCS WHEEL TO DRUM	
FRAME/WHEELBASE/PLATFORM	
WHEELBASE 247" (6270 mm) WB 159" CA (4047 mm)	
PLATFORM 261 LP (6627 mm) 102" AF (2580 mm) USED WITH 247 WB	\$781 00
FRAME RAILS 11 811' x 3 54 x 37 (300 x 90 x 9 5mm) STEEL Section Modulus 29 8 cu in/RBM	\$461 00
3 580 000 in lbs per rail For Partial IC reinforcement	
FRAME REINFORCEMENT INSIDE 5MM STEEL CHANNEL USED W/244 273 LP	\$1 664 00
AIR/BRAKE	
AIR DRYER MERITOR/WABCO HEATED AIR DRYER 1200 W/COALESCING OIL FILTER	
W/O RELOCATED AIR TANKS	
ANTI LOCK BRAKE SYSTEM BENDIX WITHOUT TRACTION CONTROL	
AIR CONTROL VALVES - VENDOR BENDIX SWITCHES AND VALVES WHERE POSSIBLE	
BRAKE CONTROL VALVE SYSTEM SINGLE VALVE SYSTEM	
DRAIN VALVES MANUAL (PETCOCK) DRAIN VALVES ON ALL TANKS	
W/O HAND CONTROL VALVE	
INCREASED AIR CAPACITY W/O INCREASED AIR RESERVOIR CAPACITY	
W/O TRAILER ACCESS PACKAGE	
TRAILER CONNECTIONS	
TRAILER AIR CONNECTIONS OMIT TRAILER AIR BRAKE CONNECTIONS	
TRAILER ELECTRICAL RECEPTACLE WITHOUT TRAILER ELECTRICAL RECEPTACLE	
OMIT TRAILER CONNECTORS HOLDER	
ELECTRICAL	
BACK-UP ALARM W/O BACK-UP ALARM	
BATTERY BOX COVERS MOLDED PLASTIC	
BATTERY BOX - MOUNTING RIGHT HAND UNDER CAB	
W/O OPTIONAL DASH MTD LIGHT	
CHASSIS & POWER HARNESS WITH STANDARD CASING	
BODY LINK III W/CAB PASS THRU	
REAR LIGHTING FURNISH REAR LIGHTING	
PAINT	
PAINT CAB EXTERIOR SINGLE COLOR, MACK WHITE (HIGH GLOSS)	
PAINT CAB URETHANE BASE COAT W/O CLEAR COAT	
PAINT - CHASSIS RUNNING GEAR MACK BLACK (URETHANE)	
PAINT - BUMPER SAME AS CHASSIS RUNNING GEAR	
PAINT - FUEL TANK SAME AS CHASSIS RUNNING GEAR	
PAINT FRONT SPOKE WHEELS WITHOUT OPTIONAL SPOKE WHEEL PAINT	
WITHOUT OPTIONAL SPOKE WHEEL PAINT	
PRE FINISHED POWDER COAT WHITE	
PRE FINISHED POWDER COAT WHITE	
PAINT PROCESS CODES	
SAME COLOR AS CHASSIS RUNNING GEAR (5ZB-A1X)	
CHASSIS RUNNING GEAR - STD COLOR (MACK BLACK) (6AB-Z1X)	
SAME COLOR AS CHASSIS RUNNING GEAR (7HB-A1X)	

Description	List Price
ENGINE PROTECTION COOLANT TEMP SHUTDOWN Furnish	
ENGINE PROTECTION ENGINE OIL TEMP SHUTDOWN Furnish	
ENGINE PROTECTION TRANS OIL TEMP SHUTDOWN Furnish	
FUEL ECONOMY INCENTIVE FOR USE WITH INSTRUMENT CLUSTER DISPLAY (C0J 0002)	
FEI PENALTY TARGET FUEL ECONOMY No Driver Incentive	
FEI PENALTY TARGET FUEL ECONOMY (MPG) 0 0	
FEI PENALTY VEHICLE SPEED DECREASE (MPH) 0 mph	
FEI REWARD TARGET FUEL ECONOMY (MPG) 0 0	
FEI REWARD VEHICLE SPEED INCREASE (MPH) 0 mph	
FEI DISTANCE CALCULATION INTERVAL (Miles) 00	
GOVERNOR SETTINGS FOR USE WITH AUTOMATIC TRANSMISSIONS	
GOVERNOR TYPE Min Max Governor	
ENGINE HIGH IDLE SPEED IF STOPPED 0000	
VEHICLE ACCELERATION LIMITING FEATURE Disable	
REDUCED ENGINE RPM RANGE IN UPPER GEARS FEATURE Disable	
ENGINE RPM LIMIT IN UPPER GEARS 0000	
1st TRANS RATIO FOR REDUCED HIGH IDLE 0000	
LAST TRANS RATIO FOR FULL HIGH IDLE 0000	
ENGINE LOW IDLE SET SPEED (RPM) 700 rpm	
DRIVER LOW IDLE ADJUST FEATURE ACTIVATION Omit	
SMART IDLE FEATURE ACTIVATION Omit	
SMART IDLE ELEVATED IDLE RPM TIME (MINS) 10	
IDLE S/D ABS TAMPER CHECK Omit	
IDLE COOLDOWN FEATURE ACTIVATION Omit	
IDLE SHUTDOWN FEATURE ACTIVATION Omit	
IDLE SHUTDOWN TIME (MINS) 60	
IDLE SHUTDOWN WARNING TIME (SECS) 30	
IDLE SHUTDOWN WARM UP TEMPERATURE (DEG F) 100	
IDLE SHUTDOWN WARM-UP TIMER (MINS) 5	
IDLE S/D OVERRIDE W/PTO Omit	
IDLE S/D OVERRIDE W/EHT Omit	
IDLE S/D OVERRIDE W/PTO Omit	
IDLE S/D OVERRIDE W/ENGINE LOAD Furnish	
IDLE S/D OVERRIDE % ENGINE LOAD THRESHOLD 00	
IDLE S/D CONTROL W/O Idle Shutdown	
IDLE S/D OVERRIDE LOWER TEMP THRESHOLD (DEG F) 00	
IDLE S/D OVERRIDE UPPER TEMP THRESHOLD (DEG F) 00	
MAINTENANCE MONITOR FEATURE ACTIVATION Furnish	
MAINTENANCE MONITOR OEM DEFAULT INTERVALS MP Vocational	
MAINTENANCE DUE WARNING PERCENT 90	
PTO 1 MAX ENGINE SET SPEED (RPM) 0000 rpm	
PTO 1 MIN ENGINE SET SPEED (RPM) 700 rpm	
PTO 1 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph	
PTO 1 RAMP RATE (RPM/Sec) 250	
PTO 1 SINGLE SPEED CONTROL ACTIVATION Omit	
PTO 1 SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm	

Description	List Price
PTO 1 SINGLE SPEED CONTROL AUTOSET Omit	
PTO 1 JUMP-TO MIN SET SPEED Omit	
PTO 1 VEHICLE LIMITING SPEED (MPH) 60 mph	
PTO 1 HOLD TO NEAREST RPM 00 rpm	
PTO 1 ACCEL-DECEL BUMP-UP RPM 00 rpm	
PTO 1 ACCEL DECEL BUMP-DOWN RPM 00 rpm	
PTO 2 MAX ENGINE SET SPEED (RPM) 2100 rpm	
PTO 2 MIN ENGINE SET SPEED (RPM) 0 rpm	
PTO 2 VEHICLE SPEED RANGE LIMIT (MPH) 10 mph	
PTO 2 RAMP RATE (RPM/Sec) 100	
PTO 2 SINGLE SPEED CONTROL ACTIVATION Omit	
PTO 2 SINGLE SPEED CONTROL SET SPEED (RPM) 0000 rpm	
PTO 2 SINGLE SPEED CONTROL AUTOSET Omit	
PTO 2 JUMP TO-MIN SET SPEED Omit	
PTO 2 VEHICLE LIMITING SPEED (MPH) 60 mph	
PTO 2 HOLD TO NEAREST RPM 00 rpm	
PTO 2 ACCEL DECEL BUMP UP RPM	
PTO 2 ACCEL DECEL BUMP DOWN RPM 00 rpm	
SPEED SENSOR TAMPER DETECTION SYSTEM ACTIVATION Furnish	
SPEED SENSOR TAMPER DETECTION TORQUE LIMIT (%) 50	
DEALER INFORMATION	
ENGINE WARRANTY 2YR/250 000 MILES ENGINE WARRANTY US10	
PILOT INSPECTION CHOOSE AN OPTION	
ALLISON	
PAC	\$49 996 00
STANDARD SHIPPING INSTRUCTIONS	\$2 100 00
PERFORMANCE/GRAPHICS/TECH DATA	
OVERWIDTH STATEMENT OVERALL WIDTH EXCEEDS 96	
SOFT PRODUCTS/BULLDOG PROTECTION	
//O GUARDDOG CONNECT	
O PARTNERED SERVICES PROVIDED	
TOTAL(s)	\$234 092 00



Manufactured by Hol Mac Corp
P O BOX 349 • 160 COMMERCE DRIVE
BAY SPRINGS, MISSISSIPPI 39422
601 764 4121 • FAX 601-764 3438
www e-pac-mac com



January 2, 2015

Scott Riley
Tri State Truck Center
3025 International Drive Ext
Tupelo, MS 38804
Re Clay County RLX-25

Dear Scott

Pac-Mac is pleased to quote the following
Pac-Mac Model RLX-25 per bid specification

This price includes equipment per bid spec including standard equipment, Front and Rear Strobes, Smart Light System, Front and Rear Strobes, 5 lb Fire Extinguisher and Reflector Kit

**** LIGHTING****

All body lighting complies with FMVSS section #108 of the regulations
An extra set of stop, tail & turn lights shall be provided above the hopper opening
A tailgate warning alarm and dash mounted light shall be incorporate and activate when the tailgate is raised

**** WARRANTY****

Pac-Mac standard warranty includes the following

Major Structural Component Parts - 1 year
Non-Hydraulic Replacement Parts - 1 year
Hydraulic Cylinders-----2 year
"On-Site" Warranty Service

For additional information/clarification, please call me at 601-670-5704

Terms Net Receipt
FOB Clay County, MS
Delivery 30 days ROC

Sincerely,

C17

Joe Moss
Regional Sales Manager

HOL-MAC CORPORATION WARRANTY POLICY

Hol-Mac Corp (Pac-Mac ®) warrants each Hol-Mac product it manufactures and each new part and component sold by Hol-Mac to be free of defects in material and workmanship, provided the parts and components are operated and maintained in accordance with Hol-Mac published operating and maintenance instructions applicable thereto. This warranty is subject to the terms and conditions stated below.

Warrantor This warranty is granted by Hol-Mac Corporation, P O Box 349, Bay Springs, Mississippi 39422. All warranty work must be accomplished by Hol-Mac at its factory in Bay Springs, Mississippi, or by such other facility specifically authorized by Hol-Mac. All warranty work performed by a facility other than Hol-Mac must be approved by Hol-Mac in writing prior to commencement of said work.

Duration of Warranty The time periods applicable to the warranty of the specified component parts of the Hol-Mac products are as follows:

Major Structural Component Parts – 1 year
Non-Hydraulic Replacement Parts – 1 year
Hydraulic Cylinders---2 year

Exclusion and Disclaimers This warranty does not extend to normal maintenance services such as cleaning, greasing, mechanical adjustments and maintenance inspections or to any defect due to the negligence of others, failure to operate or maintain the product in accordance with the published operating and maintenance instructions furnished by Hol-Mac, unreasonable use, accidents, alterations or wear and tear. Hol-Mac also reserves the right to make changes in the design or material of its products without incurring obligation to incorporate such changes in any product previously manufactured.

Procedure for Obtaining Performance Under this Warranty In order to qualify under this warranty, the owner must notify Hol-Mac within (45) days of discovery of the defect and promptly deliver the entire product or defective part to Hol-Mac at its factory in Bay Springs, MS, or if requested by Hol-Mac to such other authorized facility designated by Hol-Mac. Upon receipt of such product, part or component, if it is found not to be defective in material or workmanship, Hol-Mac shall notify the owner of such fact and request instructions for the return of such product, part or component to the owner. All costs of transporting Hol-Mac products to and from the Hol-Mac factory, or such other authorized facility designated by Hol-Mac, shall be paid by the owner.

[NO OTHER WARRANTY, WHETHER OF FITNESS OR OTHERWISE, EXPRESSED OR IMPLIED, IN FACT OR BY LAW, IS GIVEN BY HOL-MAC WITH RESPECT TO ANY NEW PRODUCT, PART OR COMPONENT, OR WITH RESPECT TO ANY WORK AND NO OTHER OR FURTHER OBLIGATION OR LIABILITY SHALL BE INCURRED BY HOL-MAC BY REASON OF THE MANUFACTURE, SALE, OR LEASE OF ANY PRODUCT, PART, OR COMPONENT OR OF ITS USE, WHETHER FOR BREACH OF WARRANTY, NEGLIGENCE OF MANUFACTURE OR OTHERWISE.]

013



NORMAL DUTY WARRANTY CERTIFICATE

Mack Trucks, Inc. warrants certain individual components of the new Mack truck to be free from defects in material and workmanship under normal use and service up to the periods as specified provided all Mack Trucks, Inc. maintenance and inspection requirements found in the Operator's Manuals and service manual/instructions are followed. All warranty periods are calculated from date in service. All coverage is 100% for parts and labor except as noted.

LIMITATIONS AND EXCLUSIONS TO THIS WARRANTY APPEAR ON THE REVERSE SIDE OF THIS CERTIFICATE. THESE LIMITATIONS AND EXCLUSIONS ARE IMPORTANT AND MUST BE READ AND UNDERSTOOD.

This warranty applies to Model Year 2012 and newer models manufactured by Mack Trucks, Inc. with EPA 10 Engine Emissions operated in the United States and Canada. Specific coverage is based on the application and weight class as described in the following chart.

CHASSIS BUILT WITH EPA '10 EMISSION ENGINES		Hours	Months	Miles	Kilometers	
VEHICLE APPLICATION NORMAL DUTY						
SCHEDULE 1 BASIC VEHICLE*		—	12	100 000	161 000	
*Roadside Assistance and Towing on warrantable failures are covered for 3 Months/5 000 Miles/8 050 Kilometers			3	5 000	8 050	
*Brake Drums are covered for 12 months or 25,000 miles/40 000 kilometers only						
SCHEDULE 2 MACK DIESEL ENGINE						
Standard Warranty		6,250	24	250 000	402 500	
*Standard Warranty Includes, Roadside Assistance and Towing on warrantable engine failures						
Major Components:	Block Stiffener (Ladder Frame) Camshaft Forging Camshaft Caps & Bolts Connecting Rod & Cap Forging Coolant Pump Housing Crankshaft Forging Cylinder Block Casting Cylinder Head Casting & Bolts	Engine Gears (Rear Mounted) Exhaust Manifold Casting Flywheel Housing Intake Manifold Casting Main Bearing Bolts & Caps Oil Pump Drive & Driven Gears Thermostat Housing Timing Gear Cover & Mounting Plate	12 500	60	500 000	805 000
Coverage also applies to consumables such as lubricant, antifreeze, filter elements, belts, hoses and similar maintenance items not reusable and replaced directly as a result of a warrantable engine, carrier or transmission failure.						
Components not manufactured by Mack Trucks, Inc. but used on MACK diesel engine assemblies are excluded from the coverage in Schedule 2. These components are covered by the component manufacturer's warranty in effect at the time of delivery. Consult your local MACK service facility for details.						
SCHEDULE 3 MACK TRANSMISSIONS						
Mack T300 and TM300 Transmissions		—	60	500 000	805 000	
Extended Warranty for Long Haul Highway Service (over 60,000 miles per year)		—	60	750 000	1 207 500	
Applies to Models: T306G T309 T310 T313 T313-21 T318 T318-21						
Towing on warrantable failures for Mack T300 and TM300 Transmissions		—	24	250 000	402 500	
Mack mDrive Transmissions Engine Torque > 1760 ft/lb		12,500	36	500 000	805 000	
Extended Warranty for Engine Torque ≤ 1760 ft/lb		15,000	60	750 000	1 207 500	
mDrive Clutch		7,500	36	300 000	483 000	
mDrive Towing on warrantable failures		—	24	250 000	402 500	
SCHEDULE 4 DPF SYSTEM COMPONENTS (DEM WARRANTY)		6,250	24	250 000	402 500	
DPF/SCR SYSTEM COMPONENTS (EMISSION WARRANTY)		3,250	60	100 000	161 000	
Roadside Assistance and Towing on warrantable DPF/SCR failures		6,250	24	250 000	402 500	
SCHEDULE 5 MACK CARRIER / AXLE HOUSING / FRONT AXLE						
Rear Camers and Housing		—	60	500 000	805 000	
Front I-Beam Steering Knuckle & Tie Rod		—	36	300 000	483 000	
Rear Carrier Seals Gaskets		—	36	300 000	483 000	
S85 Bogie and Carrier Regardless of Carrier Model		—	12	100 000	161 000	
SCHEDULE 6 TRUNNION BRACKET & SPINDLE, SUSPENSION TRUNNION (except bushings)		—	36	300 000	483 000	
SCHEDULE 7 FRAMES SIDE RAILS AND CROSSMEMBERS		—	60	500 000	805 000	
Extended Warranty for CHU and CXU Model Chassis		—	72	750 000	1 207 500	
SCHEDULE 8 CAB STRUCTURE		—	60	500 000	805 000	
SCHEDULE 9 CAB CORROSION		—	60	500 000	805 000	
Coverage applies to perforation (an actual hole in the cab panel) due to corrosion						
Coverage does not apply to corrosion caused by damage to paint finish						
SCHEDULE 10 Components not manufactured by Mack Trucks, Inc. may have warranty coverage different from the above as they are covered by the manufacturer's warranty. Consult your local MACK dealership for details.						

*Roadside Assistance and Towing coverage does not apply to vendor engines, transmissions and axles.

THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES AND REPRESENTATIONS OR CONDITIONS, STATUTORY OR OTHERWISE, EXPRESSED OR IMPLIED INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE

**THESE LIMITATIONS AND EXCLUSIONS ARE IMPORTANT
AND MUST BE READ AND UNDERSTOOD**

LIMITATIONS - Mack Trucks, Inc.'s obligation is limited to, at its sole option, repair or replacement of parts which are acknowledged by it to be defective. In the case of acknowledged defective assemblies, exchange with factory rebuilt units may occur. The defective parts or assemblies replaced shall become the property of Mack Trucks, Inc. Warranty repairs performed by the dealer's shop in accordance with the terms of the warranty set forth herein are free of charge. Warranty repairs do not constitute an extension of the original warranty period for the vehicle or any part thereof. Warranty consideration can only be given if the deficiency is brought to the attention of an authorized Mack Truck dealer upon discovery and the vehicle must be made available in a timely fashion during the coverage period for repair.

**NO PAYMENT OR OTHER COMPENSATION WILL BE MADE FOR CONSEQUENTIAL,
INDIRECT OR INCIDENTAL EXPENSES OR DAMAGES OF ANY KIND**

EXCLUSIONS

1. **REPAIR.** Warranty consideration can only be given if the deficiency is brought to the attention of an authorized Mack Truck dealer upon discovery and the truck must be made available in a timely fashion during the warranty period for repair. Failures resulting from the user's unreasonable delay in making the truck available after being notified of a potential product problem are not covered.
2. **REPEAT REPAIRS.** The term "repeat repair" only refers to the repair or replacement of the exact same part or component more than once. Repair or replacements of different components within the same system does not constitute a repeated repair.
3. **DAMAGES.** Damages due to accidents, misuse, negligence, improper operations, alterations, storage or transport, operation at excessive speeds, loading beyond the factory rated load capacity, and improper or insufficient maintenance services are not covered. Damages due to failure to follow Mack Trucks, Inc. service procedures are considered damages due to improper maintenance services.
4. **APPLICATION.** The responsibility of determining the correct application and/or specification for a vehicle sold to a customer belongs at the selling location. Vehicle application problems, including but not limited to replacement of incorrect axle or transmission gear ratios, failures of component parts of vehicles being operated in excess of factory rated load capacities, or the use of a vehicle for a purpose of which it was not intended are not covered.
5. **ENVIRONMENTAL DAMAGE.** Parts made out of cloth, leather, wood, rubber, synthetics, paint or chrome which have been affected by exposure to the elements or chemical influence, including but not limited to road salts/chemicals, industrial fall-out or the use of improper cleaners, polishes, and/or waxes are not covered.
6. **GLASS.** Glass breakage and scratches are not covered unless positive physical proof of manufacturing responsibility is established.
7. **SUSPENSION PARTS.** Suspension parts, including but not limited to rubber bushings, torque rod bushings, spring pins and bushings, and all greased lubrication points that fail due to improper maintenance, abnormally severe service or abuse are not covered.
8. **ALTERATIONS.** Any vehicle repaired and/or altered in any way so as to adversely affect, in Mack Trucks, Inc.'s sole judgment, its stability or reliability is not covered.
9. **OPTIONAL EQUIPMENT.** Any part of the truck that fails, malfunctions or does not perform as a result of improper conversion or installation of special bodies or equipment by other manufacturers or suppliers is not covered.
10. **MAINTENANCE AND PARTS CONSUMED ("Consumables").** Normal maintenance services, including but not limited to replacement of oil filters, adjustments of the engine injection pump / transmission / brakes / linkages, as well as diagnosis, test time and all other adjustments are not covered. Parts which are normally consumed or worn out during the vehicle's usual service life and customarily replaced during usual maintenance service are not covered or have limited coverage. These parts include, but are not limited to, the following:
NOT COVERED - Brake linings, clutch brake, clutch linings, mud flaps and brackets.
COVERED FOR 30 DAYS - Fluorescent lights or ballast, light bulbs, fuses, wiper blades and all filters (oil, fuel, air, etc.)
COVERED FOR 90 DAYS - Loose fasteners, leaking fittings or hose clamps.
COVERED FOR 12 MONTHS OR 100,000 MILES (161,000 KM) OR 3,250 OPERATING HOURS, WHICHEVER OCCURS FIRST - Cab suspension on models used in heavy duty applications, batteries, frame paint, sealed light assemblies, exhaust flex pipe, hose clamps, all rubber/nylon bushings or mounts, flexible hoses, all belts, shock absorbers (leakage only), wheel seals, and all grease lubricated points (tie rods ends, king pins, u-joints, spring pins, etc.).
11. **ALIGNMENT.** Alignment of axle(s) and balancing of tires, including changing of axle camber, caster, toe and thrust angle settings are not covered.
12. **NON GENUINE PARTS.** Any vehicle which has been repaired by use of parts and accessories, as well as major assemblies and exchange units, which are substandard and which cause a vehicle component or system to fail are not covered.
13. **TIRES.** Tires are covered by separate warranties given by their respective manufacturers.
14. **CAB STRUCTURE AND CORROSION.** Cab structural defects or cab corrosion that occurs in areas of the cab that have been previously damaged, repaired, altered or modified are not covered. Cab corrosion where metal is perforated from the outside to the inside is not covered.
15. **ENGINES AND AUTOMATIC TRANSMISSIONS.** The engines and Allison automatic transmissions used in Mack trucks are warranted by their respective manufacturers. Refer to the engine and transmission manufacturers' warranty statements.
16. **ODOMETER READING.** Any vehicle in which the odometer has been disconnected or the mileage reading has been altered and the actual mileage cannot be readily determined is not covered.
17. **ACCESS TO INFORMATION.** The user must allow Mack Trucks, Inc. full access to all data stored in all Electronic Control Modules; failure to do so may result in the loss of warranty coverage.
18. **PREMIUM LABOR.** Labor for overtime and/or shift differential is not covered.
19. **EXCESSIVE LABOR.** Excessive labor for a warrantable repair due to installation of equipment or body by the customer is not covered.
20. **MISC. EXPENSE.** Road service, towing, meals, lodging, telephone calls, travel time, loss of cargo, downtime, loss of revenue, rental vehicles, or driver's wages and other miscellaneous expenses are not covered. Shop supplies, lube oil, lubricants, sealers, anti-freeze, filter elements and labor performed by a non-approved location are not covered.
21. **ADDITIONAL COMPONENTS.** Components or parts that are not installed by Mack Trucks, Inc. are not covered. Mack Trucks, Inc. factory manufacturing records will determine Mack Trucks, Inc. installations.
22. **APPLICATION CHANGE OR CHANGE OF OWNERSHIP.** If at any time during the term of the original warranty there is a change in the application of the vehicle or a change in ownership, the owner must notify Mack Trucks, Inc., Post Office Box 26115, Greensboro, NC 27402-6115 in writing and within 30 days of date of the change. Failure to provide such timely notice may result in the warranty becoming null and void. If the change in ownership is accepted by Mack Trucks, Inc. and/or the change in application does not affect coverage, Mack Trucks, Inc. will transfer any remaining applicable portion of the warranty to the new owner or for the new application.

Mack Trucks, Inc.
Post Office Box 26115
Greensboro, North Carolina 27402-6115

(December 2009)



Every™ Coverage.

North American Truck Coverages
For 2013 ISL9 And ISB6.7 Engines.

Every* Confidence.


You can have confidence knowing that your Cummins 2013 engine is backed by the total coverage of Cummins base and extended warranty coverage plans

Every major component from the air handling to the exhaust aftertreatment* – including those in the Cummins Aftertreatment System – is included under the base warranty

In addition to the base warranty, Cummins offers a selection of extended coverage plans that provide extra protection for your business against major unexpected repair expenses. These protection plans provide financial peace of mind, insuring you against unforeseen expenses for years to come. And they can be included in the financing of your new truck for just dollars a day.

Cummins extended coverage plans are honored at all authorized Cummins service locations and backed by Cummins Care. No matter where your business takes you, you've always got a Cummins-authorized service facility nearby, with over 3,500 locations in North America. So you can be assured that every contingency is covered. Best of all, those facilities will handle every bit of paperwork associated with your warranty repair.

Does not include air cleaner, intake pipes, exhaust pipes or mounting hardware.



ISL9 Base Warranty

The ISL9 base warranty is good for 2 years/250,000 miles (402,336 km), whichever occurs first, and includes virtually everything at no additional cost.

2-Year/250,000-Mile (402,336 km) Coverage

- 100 percent parts and labor on warrantable failures*
- Travel or towing when an engine is disabled by a warrantable failure (from date of delivery through the first year)
- Consumables not reusable due to covered failure
- No deductible
- Includes aftertreatment

*Warrantable failures are those due to defects in Cummins material or factory workmanship.

ISB6 7 Base Warranty

Cummins 6-cylinder ISB6 7 engine has coverage similar to that of the ISL9 except there is no mileage restriction. The ISB6 7 warranty is good for 2 years with unlimited mileage.

2-Year/Unlimited-Mileage Coverage

- 100 percent parts and labor on warrantable failures

- Travel or towing when an engine is disabled by a warrantable failure (from date of delivery through the first year)

- Consumables not reusable due to covered failure

- No deductible

- Includes aftertreatment

*Warrantable failures are those due to defects in Cummins material or factory workmanship.

Extended Coverage Means Added Security

A Cummins Protection Plan is the most important travel insurance you can buy. Not only will it protect your business from unexpected expenses, but it will also ensure that you'll always get quality Cummins parts and professional Cummins service. There are two plans to choose from for ISL9 and ISB6 7 engines.



Protection Plan 1

Security is knowing that you are protected by comprehensive protection with options ranging from 3 to 5 years and 100,000 to 300,000 miles (160,934-482,803 km).

- Internal components and major engine systems including the turbocharger, water pump and fuel injectors and, new for 2013, the air compressor, fuel pump and select engine sensors

- Registered parts and labor on covered failures

Protection Plan 2

Cummins Internal Protection Plan 2 covers you against major repair costs down the road with registered parts and labor on major components and your choice of long-term options from 3 to 7 years and 100,000 to 300,000 miles (160,934-482,803 km).

- Internal components and major engine systems

- Registered parts and labor on covered failures

Aftertreatment Extended Coverage*

Extended coverage is also available for your Cummins Aftertreatment System. Options range from 3 to 5 years and 100,000 to 300,000 miles (160,934-482,803 km).

The coverage includes Cummins-supplied aftertreatment components including:

- Diesel Oxidation Catalyst (DOC), Diesel Particulate Filter (DPF) and Selective Catalytic Reduction (SCR) assemblies
- Diesel Exhaust Fluid (DEF) dosing system
- Aftertreatment controls
- Ammonia sensor


Protection Plan 1 EPA 2013 of equal duration is required prior to the purchase of the Aftertreatment Extended Coverage.

2013 ISL9 And ISB6 7 Extended Coverage Terms*

SCR Assembly	Aftertreatment Extended Coverage**		
Decomposition Reactor			
Mid Bed Ammonia Sensor			
DPF Assembly			
Fuel Pump			
Air Compressor			
Select Engine Sensors			
Water Pump			
Turbo			
Fuel Injectors			
EGR Cooler EGR Valve, EGR Mixer	Protection Plan 1	Options are available up to 5 years/ 300,000 miles (482,803 km)	Protection Plan 2
Cylinder Head Assembly			
ECM			
Pistons Rings and Liners			
Lube Oil Cooler Assembly			
Cylinder Block Assembly			
Crankshaft Assemblies			
Front Gear Cover			
Oil Pan			
Connecting Rod Assembly			
Lube Pump Assembly	Options are available up to 7 years/ 300,000 miles (482,803 km)		
Camshaft Assembly and Bushings			
Brake Housing Bushings Rocker Levers			
Roller Pin Roller Crosshead Pin Crosshead, Including Mounting Hardware and Gaskets			
Engine Cylinder Block Casting			
Engine Main Bearing Bolts			
Engine Cylinder Head Casting			
Engine Cylinder Head Capscrews			
Engine Crankshaft Forging			
Engine Camshaft Forging			
Cam Follower Housing	Options are available up to 7 years/ 300,000 miles (482,803 km)		
Cam Follower Assemblies			
Engine Connecting Rods and Caps			
Engine Connecting Rod Bolts			
Intake Manifold Castings			
Rocker Lever Housings			
Rocker Lever Assembly			
Gear Train Gears			

Terms and conditions are subject to change

***Protection Plan 1 EPA 2013 of equal duration is required prior to the purchase of the Aftertreatment Extended Coverage



Leave Every Detail To Us

For complete coverage details including pricing contact your local Cummins distributor or OEM dealer

Ordering Cummins extended coverage is easy. Your local Cummins distributor or dealer can handle it for you when you buy your new ISL9 or ISB6 7-powered truck and include it in your financing, or you can buy it separately later on for up to 18 months.

If you experience a service need during the coverage period, call Cummins Care toll-free at 1-800-DIESELS™ (1-800-343-7357). Our Cummins Care representatives are standing by every hour of every day, and they will check with nearby authorized Cummins distributors and dealers to locate a facility with an available technician and the right diagnostic tools to handle your equipment repair. Your Cummins representative will help get you to the nearest available location – with 3,500 authorized locations, there's sure to be one close by.

Simply show the servicing distributor/dealer your extended coverage certificate, and he or she will handle all the necessary paperwork and repairs to get you back on the road as quickly as possible.

After 12 months, a small administrative fee may be applied.





Cummins Inc
Box 3005
Columbus IN 47202 3005
U.S.A.

Phone: 1-800-DIESELSM (1-800-343-7357)
Fax: 1-800-232-6383
Internet: cumminsengines.com

Twitter.com/CumminsEngines
YouTube.com/CumminsEngines

Bulletin 4871387 Printed in U.S.A. Rev. 3/13
©2013 Cummins Inc.

C. 1.3

NEW PRODUCT WARRANTY



PARTICIPATING OEM SALES
DISTRIBUTOR SALES

LIMITED WARRANTY ON NEW ALLISON AUTOMATIC TRANSMISSIONS USED IN ON-HIGHWAY TRUCK APPLICATIONS OTHER THAN AUTOMOTIVE FIRE APPARATUS APPLICATIONS

Allison Transmission, Inc. will provide for repairs or replacement, at its option, during the warranty period of each new Allison transmission listed below that is installed in an On-Highway Truck other than Automotive Fire Apparatus in accordance with the following terms, conditions, and limitations

WHAT IS COVERED

- **WARRANTY APPLIES** — This warranty is for new Allison transmission models listed below installed in an On Highway Truck other than Line Haul and Automotive Fire Apparatus and is provided to the original and any subsequent owner(s) of the vehicle during the warranty period
- **REPAIRS COVERED** — The warranty covers repairs or replacement, at Allison Transmission's option, to correct any transmission malfunction resulting from defects in material or workmanship occurring during the warranty period. Needed repairs or replacements will be performed using the method Allison Transmission determines most appropriate under the circumstances
- **TOWING** — Towing is covered to the nearest Allison Transmission Distributor or authorized Dealer only when necessary to prevent further damage to your transmission
- **PAYMENT TERMS** — Warranty repairs including parts and labor, will be covered per the schedule shown in the chart contained in section APPLICABLE MODELS WARRANTY LIMITATIONS AND ADJUSTMENT SCHEDULE."
- **OBTAINING REPAIRS** — To obtain warranty repairs take the vehicle to any Allison Transmission Distributor or authorized Dealer within a reasonable amount of time and request the needed repairs. A reasonable amount of time must be allowed for the Distributor or Dealer to perform necessary repairs
- **TRANSMISSION REMOVAL AND REINSTALLATION** — Labor costs for the removal and re-installation of the transmission when necessary to make a warranty repair are covered by this warranty
- **WARRANTY PERIOD** — The warranty period for all coverages shall begin on the date the transmission is delivered to the first retail purchaser with the following exception:
Demonstration Service - A transmission in a new truck or bus may be demonstrated to a total of 5000 miles (8000 kilometers). If the vehicle is within this limit when sold to a retail purchaser the warranty start date is the date of purchase. Normal warranty services are applicable to the demonstrating Dealer. Should the truck or bus be sold to a retail purchaser after these limits are reached, the warranty period will begin on the date the vehicle was first placed in demonstration service and the purchaser will be entitled to the remaining warranty

The warranty period for all coverages shall end at the expiration of the coverage set forth below

APPLICABLE MODELS, WARRANTY LIMITATIONS, AND ADJUSTMENT SCHEDULE

Allison Transmission Model	Mileage Limit			
	0-24*	No Limit	No Charge	No Charge
0-36*	No Limit	No Charge	No Charge	No Charge

* Effective July 2006 the Allison transmission in your vehicle may be covered by additional extended coverage dependent on the Original Equipment Manufacturer (OEM) which manufactured your vehicle. This additional coverage requires continued use of an Allison Approved TES 295 automatic transmission fluid and genuine Allison filters. Please consult your OEM Dealer or authorized Allison Transmission Distributor or Dealer for specific information

WHAT IS NOT COVERED

* DAMAGE DUE TO ACCIDENT, MISUSE, or ALTERATION

Defects and damage caused as the result of any of the following are not covered.

- Flood, collision, fire, theft, freezing vandalism, riot, explosion, or objects striking the vehicle;
- Misuse of the vehicle,
- Installation into unapproved applications and installations,
- Alterations or modification of the transmission or the vehicle, and
- Damage resulting from improper storage (refer to long-term storage procedure outlined in the applicable Allison Service Manual)
- Anything other than defects in Allison Transmission material or workmanship

NOTE This warranty is void on transmissions used in vehicles currently or previously titled as salvaged, scrapped, junked, or totaled

- * **CHASSIS, BODY, and COMPONENTS** — The chassis and body company (assemblers) and other component and equipment manufacturers are solely responsible for warranties on the chassis, body, component(s), and equipment they provide. Any transmission repair caused by an alteration(s) made to the Allison transmission or the vehicle which allows the transmission to be installed or operated outside of the limits defined in the appropriate Allison Installation Guideline is solely the responsibility of the entity making the alteration(s)
- * **DAMAGE CAUSED by LACK of MAINTENANCE or by the USE of TRANSMISSION FLUIDS NOT RECOMMENDED in the OPERATOR'S MANUAL** — Defects and damage caused by any of the following are not covered
 - Failure to follow the recommendations of the maintenance schedule intervals applicable to the transmission
 - Failure to use transmission fluids or maintain transmission fluid levels recommended in the Operator's Manual.
- * **MAINTENANCE** — Normal maintenance (such as replacement of filters, screens and transmission fluid) is not covered and is the owner's responsibility
- * **REPAIRS by UNAUTHORIZED DEALERS** — Defects and damage caused by a service outlet that is not an authorized Allison Transmission Distributor or Dealer are not covered.
- * **USE of OTHER THAN GENUINE ALLISON TRANSMISSION PARTS** — Defects and damage caused by the use of parts that are not genuine Allison Transmission parts are not covered.
- * **EXTRA EXPENSES** — Economic loss and extra expenses are not covered. Examples include but are not limited to: loss of vehicle use, inconvenience, storage, payment for loss of time or pay, vehicle rental expense, lodging, meals, or other travel costs
- * **"DENIED PARTY" OWNERSHIP** — Warranty repair parts and labor costs are not reimbursed to any participating or non-participating OEMs, dealers or distributors who perform warranty work for, or on behalf of, end users identified by the United States as being a "denied party" or who are citizens of sanctioned or embargoed countries as defined by the U.S. Department of Treasury Office of Foreign Assets Control. Furthermore, warranty reimbursements are not guaranteed if the reimbursement would be contrary to any United States export control laws or regulations as defined by the U.S. Department of Commerce, the U.S. Department of State, or the U.S. Department of Treasury

OTHER TERMS APPLICABLE TO CONSUMERS AS DEFINED by the MAGNUSON-MOSS WARRANTY ACT

This warranty gives you specific legal rights and you may also have other rights which vary from state to state

Allison Transmission does not authorize any person to create for it any other obligation or liability in connection with these transmissions. ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE APPLICABLE TO THESE TRANSMISSIONS IS LIMITED IN DURATION TO THE DURATION OF THIS WRITTEN WARRANTY. PERFORMANCE OF REPAIRS AND NEEDED ADJUSTMENTS IS THE EXCLUSIVE REMEDY UNDER THIS WRITTEN WARRANTY OR ANY IMPLIED WARRANTY. ALLISON TRANSMISSION SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES (SUCH AS, BUT NOT LIMITED TO, LOST WAGES OR VEHICLE RENTAL EXPENSES) RESULTING FROM BREACH OF THIS WRITTEN WARRANTY OR ANY IMPLIED WARRANTY **

** Some states do not allow limitations on how long an implied warranty will last or the exclusion or limitation of incidental or consequential damages so the above limitations or exclusions may not apply to you.

OTHER TERMS APPLICABLE TO OTHER END-USERS

THIS WARRANTY IS THE ONLY WARRANTY APPLICABLE TO THE ALLISON TRANSMISSION MODELS LISTED ABOVE AND IS EXPRESSLY IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALLISON TRANSMISSION DOES NOT AUTHORIZE ANY PERSON TO CREATE FOR IT ANY OTHER OBLIGATION OR LIABILITY IN CONNECTION WITH SUCH TRANSMISSIONS. ALLISON TRANSMISSION SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM BREACH OF THIS WARRANTY OR ANY IMPLIED WARRANTY

QUESTIONS

If you have any questions regarding this warranty or the performance of warranty obligations, you may contact any Allison Transmission Distributor or Dealer or write to


Allison Transmission Inc
P O Box 894
Indianapolis, IN 46206-0894
Attention: Warranty Administration PF-9

Form SE0617EN (201112)

Prepared For
Clay County Miss Board
Teresa Ware
P O Box 815
West Point, MS 39773-
(662)494 - 3124
Reference ID N/A

Presented By
WATERS TRUCK AND TRACTOR
william h fowler
96 EAST PLYMOUTH ROAD
COLUMBUS MS 39701 -
(662)328-1575

Thank you for the opportunity to provide you with the following quotation on a new International truck I am sure the following detailed specification will meet your operational requirements and I look forward to serving your business needs



Model Profile
2015 7400 SBA 6X4 (SF625)

APPLICATION MISSION	Packer - Rear Loader Requested GVWR 56000 Calc GVWR 52000 Calc Start / Grade Ability 20 50% / 1 56% @ 55 MPH Calc. Geared Speed 73 3 MPH
DIMENSION	Wheelbase 224 00 CA 156 90 Axle to Frame 98 00
ENGINE DIESEL	{Navistar N9} EPA 10 SCR 275 HP @ 2000 RPM 860 lb-ft Torque @ 1200 RPM 2200 RPM Governed Speed 275 Peak HP (MAX)
TRANSMISSION, AUTOMATIC	{Allison 3500_RDS_P} 5th Generation Controls Wide Ratio 5-Speed With Overdrive Refuse/ Mixer Includes Oil Level Sensor With PTO Provision Less Retarder With 60 000-lb GVW Max
CLUTCH	Omit Item (Clutch & Control)
AXLE, FRONT NON DRIVING	{Mentor MFS-12-143A} Wide Track I-Beam Type 12,000-lb Capacity
AXLE, REAR, TANDEM	{Mentor MT-40-14X-4DFR} Single Reduction 0 433 (11mm) Wall Housing Thickness 40 000-lb Capacity R Wheel Ends Gear Ratio 4 88
CAB	Conventional
TIRE, FRONT	(2) 11R22 5 G661 HSA (GOODYEAR) 497 rev/mile load range G 14 ply
TIRE, REAR	(8) 11R22 5 G572A LHD FUEL MAX (GOODYEAR) 492 rev/mile load range G 14 ply
SUSPENSION, REAR, TANDEM	{Hendrickson RT-403} Walking Beam Type 52" Axle Spacing 40 000-lb Capacity With Rubber Center Bushings
FRAME REINFORCEMENT	Outer C" Channel Heat Treated Alloy Steel (120 000 PSI Yield) 10 813' x 3 892" x 0 312 (274 6mm x 98 9mm x 8 0mm) 480 0" (12192mm) Maximum OAL
PAINT	Cab schematic 100GN Location 1 9219 Winter White (Std) Chassis schematic N/A

Description

Base Chassis Model 7400 SBA 6X4 with 224 00 Wheelbase 156 90 CA and 98 00 Axle to Frame

TOW HOOK FRONT (2) Frame Mounted

FRAME RAILS Heat Treated Alloy Steel (120 000 PSI Yield) 10 125 x 3 580 x 0 312 (257 2mm x 90 9mm x 8 0mm) 480 0 (12192) Maximum OAL

FRAME REINFORCEMENT Outer C Channel Heat Treated Alloy Steel (120 000 PSI Yield) 10 813 x 3 892 x 0 312 (274 6mm x 98 9mm x 8 0mm) 480 0 (12192mm) Maximum OAL

BUMPER FRONT Steel Swept Back

Includes

BUMPER FRONT Powder Coated Gray (Argent) Color

WHEELBASE RANGE 221 (560cm) Through and Including 262 (665cm)

AXLE FRONT NON-DRIVING {Meritor MFS-12-143A} Wide Track I-Beam Type 12 000-lb Capacity

Notes

The following features should be considered when calculating Front GAWR Front Axles Front Suspension Brake System Brakes Front Air Cam Wheels Tires

SUSPENSION FRONT SPRING Parabolic Taper Leaf 12 000-lb Capacity With Shock Absorbers

Includes

SPRING PINS Rubber Bushings Maintenance-Free

Notes

The following features should be considered when calculating Front GAWR Front Axles Front Suspension Brake System Brakes Front Air Cam Wheels Tires

BRAKE SYSTEM AIR Dual System for Straight Truck Applications

Includes

BRAKE LINES Color and Size Coded Nylon

DRAIN VALVE Twist-Type

DUST SHIELDS FRONT BRAKE

DUST SHIELDS REAR BRAKE

GAUGE AIR PRESSURE (2) Air 1 and Air 2 Gauges Located in Instrument Cluster

PARKING BRAKE CONTROL Yellow Knob Located on Instrument Panel

PARKING BRAKE VALVE For Truck

QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release 1 for 4x2 2 for 6x4

SLACK ADJUSTERS FRONT Automatic

SLACK ADJUSTERS REAR Automatic

SPRING BRAKE MODULATOR VALVE R-7 for 4x2 SR 7 with relay valve for 6x4

Notes

Rear Axle is Limited to 46 000-lb GAWR with Code 04091 BRAKE SYSTEM AIR and Standard Rear Air Cam Brakes Regardless of Axle /Suspension Ordered

DRAIN VALVE {Berg} Manual With Pull Chain for Air Tank

Includes

DRAIN VALVE Mounted in Wet Tank

AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)

AIR DRYER {Meritor Wabco System Saver 1200} with Heater

Includes

AIR DRYER LOCATION Inside Left Rail Back of Cab

BRAKE CHAMBERS FRONT AXLE {Haldex} 20 SqIn

630

Description

BRAKE CHAMBERS REAR AXLE {Haldex GC3030LHDHO} 30/30 Spring Brake

Includes

BRAKE CHAMBERS SPRING (2) Rear Parking WITH TRUCK BRAKES All 4x2 4x4 WITH TRACTOR BRAKES All 4x2 4x4 6x4 & 6x6 with Rear Tandem Axles Less Than 46 000-lb or GVWR Less Than 54 000-lb

BRAKE CHAMBERS SPRING (4) Rear Parking WITH TRUCK BRAKES All 6x4 6x6 WITH TRACTOR BRAKES 6x4 & 6x6 with Rear Tandem Axles 46 000-lb or Greater or GVWR of 54 000-lb or Greater

BRAKES FRONT AIR CAM S-Cam 16.5 x 5.0 Includes 20 Sq In Long Stroke Brake Chambers

Notes

The following features should be considered when calculating Front GAWR Front Axles Front Suspension Brake System Brakes Front Air Cam Wheels Tires

BRAKES REAR AIR CAM S-Cam 16.5 x 7.0 Includes 30/30 Sq In Long Stroke Brake Chamber and Spring Actuated Parking Brake

Notes

The following features should be considered when calculating Rear GAWR Rear Axles Rear Suspension Brake System Brakes Rear Air Cam Brake Shoes Rear Special Rating GAWR Wheels Tires

AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM Capacity

STEERING COLUMN Stationary

STEERING WHEEL 2-Spoke 18 Diam Black

STEERING GEAR {Sheppard M-100} Power

EXHAUST SYSTEM Switchback Horizontal Aftertreatment Device Frame Mounted Right Side Under Cab Includes Single Short Horizontal Tail Pipe Frame Mounted Right Side Back of Cab

ELECTRICAL SYSTEM 12-Volt, Standard Equipment

Includes

BATTERY BOX Steel with Plastic Lid

DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab

FUSES ELECTRICAL SAE Blade-Type

HAZARD SWITCH Push On/Push Off Located on Top of Steering Column Cover

HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever

HEADLIGHTS (2) Sealed Beam Round with Chrome Plated Bezels

JUMP START STUD Located on Positive Terminal of Outermost Battery

PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light

RUNNING LIGHT (2) Daytime Included With Headlights

STARTER SWITCH Electric Key Operated

STOP TURN TAIL & B/U LIGHTS Dual Rear Combination with Reflector

TURN SIGNAL SWITCH Self-Cancelling for Trucks Manual Cancelling for Tractors with Lane Change Feature

WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays) Integral with Turn Signal Lever

WINDSHIELD WIPERS Single Motor Electric Cowl Mounted

WIRING CHASSIS Color Coded and Continuously Numbered

CIGAR LIGHTER Includes Ash Cup

ALTERNATOR {Leece-Neville AV160P2013} Brush Type 12 Volt 160 Amp Capacity Pad Mount With Remote Sense

BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn

BATTERY SYSTEM {International} Maintenance-Free (2) 12-Volt 1300CCA Total

HORN ELECTRIC Disc Style

BATTERY BOX Steel With Plastic Cover 18 Wide 2 3 or 4 Battery Capacity Mounted Left Side Back of Cab

CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights Flush Mounted on Cab or Sunshade

Description

STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt less Thermal Over-Crank Protection

HORN AIR (2) Single Tone Rectangular Chrome Roof Mounted

INDICATOR LOW COOLANT LEVEL With Audible Alarm

TURN SIGNALS FRONT LED Includes LED Side Marker Lights Mounted on Fender

INSULATION UNDER HOOD for Sound Abatement

GRILLE Stationary Chrome

INSULATION SPLASH PANELS for Sound Abatement

FRONT END Tilting Fiberglass With Three Piece Construction for 2007 & 2010 Emissions

PAINT SCHEMATIC PT-1 Single Color Design 100

Includes

PAINT SCHEMATIC ID LETTERS GN

PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

CLUTCH Omit Item (Clutch & Control)

ENGINE DIESEL {Navistar N9} EPA 10 SCR 275 HP @ 2000 RPM 860 lb-ft Torque @ 1200 RPM 2200 RPM Governed Speed 275 Peak HP (MAX)

Includes

AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated (Air Brake Chassis Only)

ANTI-FREEZE Red Shell Rotella Extended Life Coolant; -40 Degrees F/ -40 Degrees C for MaxxForce and Navistar Engines

COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control

CRUISE CONTROL Electronic Controls Integral to Steering Wheel

ENGINE OIL DRAIN PLUG Magnetic

ENGINE SHUTDOWN Electric Key Operated

FUEL FILTER Included with Fuel/Water Separator

FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly With Water-in-Fuel Sensor Engine Mounted

GOVERNOR Electronic

OIL FILTER ENGINE Spin-On Type

WET TYPE CYLINDER SLEEVES

FAN DRIVE {Horton Drivemaster Polar Extreme} Direct Drive Type Two Speed With Residual Torque Device for Disengaged Fan Speed

Includes

FAN Nylon

RADIATOR Aluminum Cross Flow Series System 1228 SqIn Core and 648 SqIn Charge Air Cooler

FEDERAL EMISSIONS EPA OBD and GHG Certified for Calendar Year 2015 N9 & N10 Engines

AIR CLEANER Dual Element

Includes

GAUGE AIR CLEANER RESTRICTION Air Cleaner Mounted

THROTTLE HAND CONTROL Engine Speed Control Electronic Stationary Variable Speed Mounted on Steering Wheel

ENGINE CONTROL REMOTE MOUNTED Provision for Includes Wiring for Body Builder Installation of PTO Controls With Ignition Switch Control for MaxxForce and Navistar post 2007 Emissions Electronic Engines

EMISSION COMPLIANCE Low NOx Idle Engine Complies with California Clean Air Regulations Includes Certified Clean Idle Decal on Hood

AUTOMATIC NEUTRAL Allison WT 3000 & 4000 Series Transmission Shifts to Neutral When Parking Brake is Engaged

Description

TRANSMISSION AUTOMATIC {Allison 3500_RDS_P} 5th Generation Controls Wide Ratio 5-Speed With Overdrive Refuse/Mixer Includes Oil Level Sensor With PTO Provision Less Retarder With 60 000-lb GVW Max

OIL COOLER AUTO TRANSMISSION {Modine} Water to Oil for Allison or CEEMAT Transmission

TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type for Allison 3000 & 4000 Series Transmission

TRANSMISSION OIL Synthetic 29 thru 42 Pints

ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) Front Loaders Rear Loaders Recycling/Packer Trucks

SHIFT CONTROL PARAMETERS Allison 3000 or 4000 Series Transmissions 5th Generation Controls with EcoCal and Dynamic Shift Sensing (FuelSense Basic)

AXLE REAR TANDEM {Mentor MT-40-14X-4DFR} Single Reduction 0.433 (11mm) Wall Housing Thickness 40 000-lb Capacity R Wheel Ends Gear Ratio 4.88

Includes

POWER DIVIDER LOCK Electric over Air Operated Cab Control with Indicator Light
REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle

Notes

The following features should be considered when calculating Rear GAWR Rear Axles Rear Suspension Brake System Brakes Rear Air Cam Brake Shoes Rear Special Rating GAWR Wheels Tires

SUSPENSION REAR TANDEM {Hendrickson RT-403} Walking Beam Type 52' Axle Spacing 40 000-lb Capacity With Rubber Center Bushings

Includes

CROSSMEMBER SUSPENSION Stamped Steel Double Dogbone

Notes

The following features should be considered when calculating Rear GAWR Rear Axles Rear Suspension Brake System Brakes Rear Air Cam Brake Shoes Rear Special Rating GAWR Wheels Tires

SUSPENSION/REAR-AXLE IDENTITY for Mentor Tandem Rear Axles With Bar-Pin Beam Attachment Type Suspensions

TRANSVERSE TORQUE RODS with Hendrickson Suspensions

DEF TANK 9.5 U.S. Gal. 36.0L Capacity Frame Mounted Outside Left Rail Under Cab

FUEL TANK Top Draw Non-Polished Aluminum 26" Diam. 80 U.S. Gal. 302 L Capacity Mounted Left Side Under Cab

CAB Conventional

Includes

ARM REST (2) Molded Plastic One Each Door

COAT HOOK, CAB Located on Rear Wall Centered Above Rear Window

CUP HOLDERS Two Cup Holders Located in Lower Center of Instrument Panel

DOMELIGHT CAB Rectangular Door Activated and Push On-Off at Light Lens Timed Theater Dimming Integral to Console Center Mounted

GLASS ALL WINDOWS Tinted

GRAB HANDLE CAB INTERIOR (1) "A" Pillar Mounted Passenger Side

GRAB HANDLE CAB INTERIOR (2) Front of "B" Pillar Mounted One Each Side

INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color

STEP (4) Two Steps Per Door

GAUGE CLUSTER English With English Electronic Speedometer

Includes

GAUGE CLUSTER (6) Engine Oil Pressure (Electronic) Water Temperature (Electronic) Fuel (Electronic) Tachometer (Electronic) Voltmeter Washer Fluid Level

ODOMETER DISPLAY Miles Tmp Miles Engine Hours Tmp Hours Fault Code Readout

WARNING SYSTEM Low Fuel Low Oil Pressure High Engine Coolant Temp and Low Battery Voltage (Visual and Audible)



Description

IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster

GAUGE DEF FLUID LEVEL

SEAT DRIVER {National 2000} Air Suspension High Back With Integral Headrest Vinyl Isolator 1 Chamber Lumbar With 2 Position Front Cushion Adjust -3 to +14 Degree Angle Back Adjust

Includes

SEAT BELT 3 Point, Lap and Shoulder Belt Type

GRAB HANDLE (2) Chrome Towel Bar Type With Anti-Slip Rubber Inserts for Cab Entry Mounted Left and Right Each Side at B Pillar

MIRRORS (2) {Lang Mekra} Rectangular 7 44" x 14 84" & 7 44" sq Convex Both Sides 102 Inside Spacing Breakaway Type Black Heads Brackets & Arms

SEAT TWO-MAN PASSENGER {National} Fixed Back Integrated Headrest in Both Occupant Positions Vinyl Less Under Seat Storage Compartment

AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster

Includes

HEATER HOSES Premium

HOSE CLAMPS HEATER HOSE Mubea Constant Tension Clamps

REFRIGERANT Hydrofluorocarbon HFC-134A

INSTRUMENT PANEL Center Section Flat Panel

HVAC FRESH AIR FILTER

CAB INTERIOR TRIM Deluxe

Includes

A" PILLAR COVER Molded Plastic

CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering

CONSOLE OVERHEAD Molded Plastic With Dual Storage Pockets with Retainer Nets and CB Radio Pocket

DOOR TRIM PANELS Molded Plastic Driver and Passenger Doors

FLOOR COVERING Rubber Black

HEADLINER Soft Padded Cloth

INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section

STORAGE POCKET DOOR (1) Molded Plastic Full-Length Driver Door

SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap Integral to Console

CAB REAR SUSPENSION Air Bag Type

WHEELS FRONT {Accuride} DISC 22 5 Painted Steel 5 Hand Hole 10-Stud (285 75MM BC) Hub Piloted Flanged Nut Metric Mount 8 25 DC Rims With 472" Thick Increased Capacity Disc and Steel Hubs

Includes

PAINT IDENTITY FRONT WHEELS White

Notes

Compatible Tire Sizes 11R22 5 12R22 5 255/70R22 5 255/80R22 5 265/75R22 5 275/70R22 5 275/80R22 5 295/75R22 5 295/80R22 5

WHEELS REAR {Maxion 90541} DISC 22 5 Painted Steel 2 Hand Hole 10 Stud (285 75MM BC) Hub Piloted Flanged Nut Metric Mount 8 25 DC Rims With Steel Hubs

PAINT IDENTITY REAR WHEELS Disc Rear Wheels With Vendor Applied White Powder Coat Paint

(2) TIRE FRONT 11R22 5 G661 HSA (GOODYEAR) 497 rev/mile load range G 14 ply

(8) TIRE REAR 11R22 5 G572A LHD FUEL MAX (GOODYEAR) 492 rev/mile load range G 14 ply

Services Section

Description

WARRANTY Standard for WorkStar 7300/7400 (4x2 4x4 6x4 6x6) Effective with Vehicles Built January 2 2014 or Later CTS-2002T

Pac-Mac model RLX-25 per bid specifications

(US DOLLAR)		
Description		Price
Factory List Prices		
Product Items	\$119 198 00	
Service Items	\$0 00	
Total Factory List Price Including Options		\$119 198 00
Freight	\$2 200 00	
Total Freight		\$2 200 00
Total Factory List Price Including Freight		\$121 398 00
Less Customer Allowance		(\$41 198 34)
Total Vehicle Price		\$80 199 66
Total Body/Allied Equipment		\$49 996 00
Total Sale Price		\$130 195 66
Total Per Vehicle Sales Price		\$130 195 66
Net Sales Price		\$130 195 66

Delivery 90 to 120 Days *Total P. - c*

Please feel free to contact me regarding these specifications should your interests or needs change I am confident you will be pleased with the quality and service of an International vehicle

Approved by Seller

Accepted by Purchaser

Regional Sales 12/31/14
Official Title and Date
[Signature]
Authorized Signature

Firm or Business Name

Authorized Signature and Date

This proposal is not binding upon the seller without
Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS



Clay County Board of Supervisors

P O Box 815

West Point, Mississippi 39773

Phone (662) 494-3313

Fax (662) 492-4059

Website: claycountymiss.com

E-mail: tvare@claycountymiss.gov

District 1

J y m D Horton Vice

District 2

Luke Lammus

District 3

R B Davis

District 4

Shelton Deanes Vice

District 5

Floyd McKee President

CHASSIS SPECIFICATIONS FOR 25 YARD REAR LOADER BODY

- yes • Wheelbase to allow 156" Cab To Axle with 97" After Frame
 - yes • Heavy Duty Frame with Full "C" Channel Reinforcement
 - yes • Air Conditioner
 - yes • Dual Front Tow Hooks
 - yes • 12 000 Lbs Front Axle
 - yes • 12,000 Lbs Front Suspension with Shock Absorbers
 - yes • 40,000 Lbs Tandem Rear Axle
 - yes • 40,000 Lbs Walking Beam Type Rear Suspension
 - yes • Dual Air Brake System - 16 5"x5" Front and 16 5"x 7" Rear
 - yes • 13.2 CFM Air Compressor and Heated Air Dryer
 - yes • Power Steering
 - yes • 160 Amp Alternator
 - yes • Low Oil Pressure and High Water Temperature Warning Lights and Buzzer
 - yes • 2 - 12 Volt Maintenance free Batteries - 1300CCA
 - yes • Dual Chrome Cab Mounted Air Horns
 - yes • Fiberglass Tilting Hood and Fenders
 - yes • In Line 6 cylinder, Wet Sleeved, Turbocharged Diesel Engine 270 HP - 860 Lb Ft To 1000 Lb Ft Torque
 - yes • Equivalent to Allison 3500 RDS Automatic Transmission
 - yes • One 80 Gallon Aluminum Fuel Tank Mounted Left Side Under Cab
 - yes • Air Ride Driver Seat with Two Person Passenger Bench Seat
 - yes • Grab Handles Mounted On Each Side Of Cab
 - yes • Tinted Glass
 - yes • Dual West Coast Mirrors 7 44" x 14 84" with 7 44" Convex Both Sides
 - yes • Ten (10) 22 5" x 825" Steel Wheels
 - yes • Steer Type Front Tires with Traction Type Rear Tires
 - yes • Dual Element Air Cleaner with Restriction Indicator
 - yes • State Warranty and Location of Service
 - yes • 25 Yd Rear Loader
- Loader has "On-Site" Warranty Service
1 year Loader Warranty with 2 year
hydraulic cylinder warranty

SPECIFICATIONS FOR 25 YARD REAR LOADER**GENERAL SPECIFICATIONS**

- YES • 25 yd body
- YES • 96" Body Width
- 284" • 289" Body Length
- 13,300 • 15,20 lbs Approximately
- 3 64 • 3 55 yd Capacity
- YES • At least 80" Hopper Opening Width
- EQUAL • Approximately 3 5" Below Frame Loading Sill Height EQUAL TO CHASSIS FRAME
- 19-20 • Approximately 21 23 (Sec) Hopper Cycle Time

HYDRAULIC CYLINDER SPECIFICATIONS

- 5" • Approximately 5" (2) Slide Cylinders
- 4 5" • Approximately 4 5" (2) Sweep Cylinders
- 3" • Approximately 3 5" (2) Tailgate Cylinders
- 3 STAGE • 4 Stage Ejection Cylinder

BODY CONSTRUCTION

- YES • 10 Ga Roof
- YES • 10 Ga. Sides
- YES • 10 Ga Ejection Panel
- 3/16"T-1 • 1/4" Sweep Panel
- 3/16" • 10 Ga Floor (Front)
- YES • 7 Ga Floor (Rear)
- 3/16"T-1 • 10 Ga Tailgate (Upper)
- YES T-1 • 1/4" Tailgate (Lower)
- ES T-1 • 1/4" Hopper Floor (Back)
- YES T-1 • 7 Ga. Slide Panel

HYDRAULIC SYSTEMS

- YES • 50-70 Gal Oil Reservoir
- YES • 36 GPM Oil Flow w/ Standard Pump
- YES • 2,750 PSI Operating Pressure
- YES • 4 to 1 Burst Hydraulic Hoses
- YES • 10 Micron Return Filter
- YES • 1,000-1,200 Engine RPM

STANDARD EQUIPMENT

- YES • Semi Automatic Cycling
- YES • Auto Back Pak
- YES • Accelerator Kit
- NO • Turn Buckle Locks EXCEEDS WITH AUTOLOCK SYSTEM
- YES • Back Up Alarm

YES • Light Bar
YES • All LED Lights
YES • Sight Gauge on Oil Tank
YES • Oil Pressure Gauge Chrome Rod Cylinders
YES • Side Access Door
YES • Driver Alert Buzzer
YES • Bolt on Steps on Rear
YES • Prime Coat
YES • Color Rear Vision Camera System
YES- • Talamar Extreme Hydraulic Fluid

EQUIVALENT

OPTIONAL EQUIPMENT

YES • Special Lighting SMART LIGHT SYSTEM
YES • PTO & Pump

Location of service of International Truck
Columbus MS.

LIMITED WARRANTY FOR MODELS WORKSTAR® SERIES, 7300/7400 (4x2, 6x4, 4x4, 6x6)

*Effective with vehicles built January 02, 2014 or later

BASIC VEHICLE

Navistar, Inc. at its option, will repair or replace any part of this vehicle that proves defective in material or workmanship in normal use and service with new or ReNEWed® parts based on the Component Coverages below. Exceptions are listed below.

BASIC VEHICLE COVERAGE	Months	Miles/Km (000)
Basic Vehicle Warranty (Feature Code 40010) (See exceptions listed below)	12	Unlimited
Basic Vehicle Warranty (WorkStar Only Feature 40013)	12	Unlimited
Towing (Vehicles with MaxxForce®7 engine failures only)	24	Unlimited
Towing (Vehicles with MaxxForce®9 engine failures only)	24	250/400
Towing (Vehicles with Navistar® N 9 engine failures only)	24	250/400
Towing (Vehicles with MaxxForce®10 engine failures only)	24	250/400
Towing (Vehicles with Navistar® N 10 engine failures only)	24	250/400
Towing (Vehicles with MaxxForce®DT standard torque engine failures only)	24	Unlimited
Towing (Vehicles with MaxxForce®DT high torque engine failures only)	24	250/400
Towing (First 90 days see below) (Vehicle Down Situations Only) (See exceptions listed below)		
WARRANTY EXCEPTIONS		
CHASSIS COVERAGE	Months	Miles/Km (000)
Frame side rails	84	Unlimited
Cab/cowl structure	60	Unlimited
Cab/cowl perforation corrosion	60	Unlimited
ENGINE COVERAGE	Months	Miles/Km (000)
Non Rescue Applications		
MaxxForce® 7 Engine	24	Unlimited
MaxxForce® 9 Engine	24	250/400
Navistar® N 9 Engine	24	250/400
MaxxForce® 10 Engine	24	250/400
Navistar® N 10 Engine	24	250/400
MaxxForce® DT Engine Standard Torque	24	Unlimited
MaxxForce® DT Engine High Torque	24	250/400
Rescue Application Only (Fire Truck, Ambulance, Emergency)		
MaxxForce® 7 Engine	60	100/160
MaxxForce® 9 Engine	60	100/160
Navistar® N 9 Engine	60	100/160
MaxxForce® 10 Engine	60	100/160
Navistar® N 10 Engine	60	100/160
MaxxForce® DT Engine Standard Torque	60	100/160
MaxxForce® DT Engine High Torque	60	100/160
DRIVETRAIN COVERAGE	Months	Miles/Km (000)
Spicer axles Propeller shaft Eaton clutch TTC Transmission	24	Unlimited

Eaton/Fuller 6206/6306 Transmission	24	Unlimited
Meritor Axles	24	Unlimited
MISCELLANEOUS COVERAGE	Months	Miles/Km (000)
Batteries	12	Unlimited
Brightwork Chassis Paint and Corrosion (other than Cab)	6	Unlimited
Hood/Cab Paint	12	Unlimited
FIRST 90 DAYS FROM DELIVERY TO USER (DTU)		
Correction of loose fasteners, squeaks, rattles and unusual noises. Towing (unless coverage is stated above). Adjustments and Maintenance (such as aim headlights, adjust brakes/clutch, adjust steering system, check and fill coolant levels).		

WHAT IS NOT INCLUDED UNDER BASIC COVERAGE

Components/Items

Components warranted by their respective manufacturers (such as non International® brand engines, tires, Allison Transmissions, lubricants, etc.)

Bodies, equipment and accessories installed by other than authorized International® Truck employees at International® Truck manufacturing plants.

Front and rear axle alignment.

Repairs & Maintenance

Maintenance related items/repairs or those needed as a result of normal wear and tear including tune ups, brake/clutch linings, windshield wiper blades, tire balancing, lubrication, and other similar procedures/parts required to keep vehicle in good working condition.

Failures that are the result of poor fuel quality, water in fuel, rust, etc.

Repairs needed as a result of vehicle misuse, negligent care, improper maintenance, improper operation, or the result of accident or collision.

Fade, runs, mismatch or damage to paint, trim items, upholstery, chrome, polished surfaces, etc., resulting from environmental causes such as improper polishes, cleaners or washing solutions, or chemical and industrial fallout.

Failure to observe published capacity or load specifications for engine, transmission, propeller shaft, axles (powertrain) and suspension.

Other

Vehicles sold and/or operated outside the United States and Canada.

Vehicles/components that have had unauthorized alterations or modifications.

Vehicles on which the odometer reading has been altered.

Loss of time or use of the vehicle, loss of profits, inconvenience, or other consequential or incidental damages or expenses.

Replacement of defective parts with parts other than those provided by Navistar, Inc.

HOL-MAC CORPORATION WARRANTY POLICY

Hol-Mac Corp (Pac-Mac ®) warrants each Hol-Mac product it manufactures and each new part and component sold by Hol-Mac to be free of defects in material and workmanship, provided the parts and components are operated and maintained in accordance with Hol-Mac published operating and maintenance instructions applicable thereto. This warranty is subject to the terms and conditions stated below.

Warrantor This warranty is granted by Hol-Mac Corporation, P O Box 349, Bay Springs, Mississippi 39422. All warranty work must be accomplished by Hol-Mac at its factory in Bay Springs, Mississippi, or by such other facility specifically authorized by Hol-Mac. All warranty work performed by a facility other than Hol-Mac must be approved by Hol-Mac in writing prior to commencement of said work.

Duration of Warranty The time periods applicable to the warranty of the specified component parts of the Hol-Mac products are as follows:

Major Structural Component Parts – 1 year
Non-Hydraulic Replacement Parts – 1 year
Hydraulic Cylinders --- 2 year

Exclusion and Disclaimers This warranty does not extend to normal maintenance services such as cleaning, greasing, mechanical adjustments and maintenance inspections or to any defect due to the negligence of others, failure to operate or maintain the product in accordance with the published operating and maintenance instructions furnished by Hol-Mac, unreasonable use, accidents, alterations or wear and tear. Hol-Mac also reserves the right to make changes in the design or material of its products without incurring obligation to incorporate such changes in any product previously manufactured.

Procedure for Obtaining Performance Under this Warranty In order to qualify under this warranty, the owner must notify Hol-Mac within (45) days of discovery of the defect and promptly deliver the entire product or defective part to Hol-Mac at its factory in Bay Springs, MS, or if requested by Hol-Mac to such other authorized facility designated by Hol-Mac. Upon receipt of such product, part or component, if it is found not to be defective in material or workmanship, Hol-Mac shall notify the owner of such fact and request instructions for the return of such product, part or component to the owner. All costs of transporting Hol-Mac products to and from the Hol-Mac factory, or such other authorized facility designated by Hol-Mac, shall be paid by the owner.

[NO OTHER WARRANTY, WHETHER OF FITNESS OR OTHERWISE, EXPRESSED OR IMPLIED, IN FACT OR BY LAW, IS GIVEN BY HOL-MAC WITH RESPECT TO ANY NEW PRODUCT, PART OR COMPONENT, OR WITH RESPECT TO ANY WORK AND NO OTHER OR FURTHER OBLIGATION OR LIABILITY SHALL BE INCURRED BY HOL-MAC BY REASON OF THE MANUFACTURE, SALE, OR LEASE OF ANY PRODUCT, PART, OR COMPONENT OR OF ITS USE, WHETHER FOR BREACH OF WARRANTY, NEGLIGENCE OF MANUFACTURE OR OTHERWISE.]

***LEFT
BLANK
INTENTIONALLY***

IN THE MATTER OF A CLAY COUNTY DEPOSITORY

WHEREAS, this Board finds and adjudicates that at a prior meeting of this Board an Order was entered for the publication of a notice to banks of Clay County, Mississippi for the filing of sealed bids for the privilege of keeping the County funds for years 2015 and 2016, as provided by Section 27-105-305 of the *Mississippi Code of 1972*, as amended, which notice was duly published in said Clay County, Mississippi, on December 14, 2014 and December 21, 2014, and that such bids would be received until 9 00 o'clock a.m. on the 5th day of January, 2015, and that proof of publication is now on file in the office of the Clerk of this Board and appears to the Board the time for filing of such bids has now expired, and,

It appears to this Board bids for primary depository consideration have been received from Renasant Bank, Bancorp South, and Cadence Bank of which agreed to comply with all of the Laws of the State of Mississippi with respect to depositories, and offered to pay interest on all monies deposited in savings accounts or time certificates left on deposit over thirty (30) days at maximum interest rate, and,


It appears to this Board that BankFirst Financial Services did not submit a bid but did submit a request to be designated as a County Depository for any future engagements, and,

It appears to this Board that all banks are qualified and competent to act as County Depositories, and that it would be in the best interest of Clay County, Mississippi and the funds of the County for all banks which submitted a bids to be selected and designated as County Depositories


WHEREAS, the Board now finds and determines that the said banks qualify as depositories under Section 27-105-305 of the *Mississippi Code of 1972*, and that Cadence Bank shall serve as the primary County Depository because of their bid of 25% guaranteed rate on the all the County's demand deposit and savings accounts

NOW, THEREFORE, IT IS HEREBY RESOLVED AND ORDERED after motion by R B Davis and second by Luke Lummus this Board doth vote unanimously that the Renasant Bank, Bancorp South Bank, Bank First Bank, and Cadence Bank, be and are hereby selected, appointed, and designated as County Depositories for the calendar years 2015 and 2016, and that Cadence Bank shall serve as the primary depository for the County

SO ORDERED, this the 8th day of January, 2015


President

ATTEST:


Amy G. Berry
Chancery Clerk

Clay County, MS
Depository Bids Received

	Rate	Monthly Fee	Internet Banking	Direct Deposit	Night Deposit	Checks/Deposit	Safe Deposit Box	Special Projects
Renasant Bank	0.030%	No Service Fees	6 accounts /\$15.00 per month	\$40.00/monthly fee +\$ 15 per transaction	Free Service	One Time \$250.00 credit	Free	Rate not covered
BancorpSouth	0.120%	Yes	Yes	Yes	Yes	Yes	Yes	Up to \$10 Million
Bank First				NO BIDS ONLY REQUEST TO DESIGNATE AS COUNTY DEPOSITORY				
Cadence Bank	0.250%	No	No	No	No	No	No	No

Depository Bids

For the Years 2015 & 2016

1. BancorpSouth - ~~Interest on DDA~~ - 0.012%
2. Penasant Bank - ~~Interest on DDA~~ - 0.03%
3. BankFirst - ~~Interest on DDA~~ - NO BID
4. Cadence Bank - ~~Interest on DDA~~ - 0.25% + applicable fees
0.25%
5. _____
6. _____

M-DZ
S DS

take under advisement

AFEP

Affidavit of Publication

STATE OF MISSISSIPPI
COUNTY OF CLAY

SS

Cindy Cannon being duly sworn, says

That she is Classified Clerk of the Daily Times Leader, a daily newspaper of general circulation, printed and published in West Point, Clay County, Mississippi; that the publication, a copy of which is attached hereto, was published in the said newspaper on the following dates

December 14, 2014

December 21, 2014

That said newspaper was regularly issued and circulated on those dates
SIGNED

Cindy Cannon
Classified Clerk

646

Subscribed to and sworn to me this 22 day of Dec 2014

Amey D. Berry By Mark H. Haines

Charter Clerk & Ex-Officio Notary Public
My Commission Expires Jan 4, 2016





BancorpSouth

January 5, 2015

Clay County Board of Supervisors
Clay County Courthouse
205 Court Street
West Point, Mississippi 39773

Gentlemen

Thank you for your long term relationship with BancorpSouth. We appreciate greatly all each of you do for the greater good of Clay County and the surrounding area.

BancorpSouth requests that we be accepted as a qualified depository of Clay County. BancorpSouth bids 0.012 per cent (12 basis points) interest fixed for two years on the Clay County interest bearing accounts up to balances of \$10 million. The rate on any significantly large special funds will be negotiated separately.

Regular bank services charges will as apply as set forth in the attached brochure.

Again, we at BancorpSouth appreciate all of our Clay County officials and employees. Please call me at 492-4845 if I can answer any questions you have.

Most respectfully,
BancorpSouth

J. Dwight Dyess
President in West Point

December 22, 2014

Clay County Board of Supervisors
P O Box 815
West Point, MS 39773
Attn Mrs Amy Berry Chancery Clerk

Re Bids for County Depository

Dear Mrs Berry

At this time, the Bank does not wish to bid to maintain the county's operating account, but would like to be qualified as a depository to potentially have other county funds deposited in our Bank Any funds deposited in our Bank will be secured as required by Mississippi law

If you have any questions, or if you need any more information, please do not hesitate to call

Sincerely,


Bruff Sanders
Senior Vice President

649

CADENCE

BANK

January 5, 2015

Clay County
Attn Mrs Amy G Berry, Chancery Clerk
P O Box 815
West Point, MS 39773

RE Proposal for Depository Bid for January 5, 2015 – January 2, 2017

Dear Mrs Berry,

We appreciate very much the opportunity to submit a bid for the County's depository for the term of January 5, 2015– January 2, 2017. It would be our pleasure to serve as the primary depository for the County.

Cadence Bank is a qualified public funds depository as approved by the Mississippi State Treasurer under Sections 27-105-5 and 27-105-6, Mississippi Code Ann (1972) and has met the capital ratio requirements. Cadence Bank agrees to provide securities equal to 105% of depository funds in excess of \$250,000 in accordance with section 27-105-303 through 27-105-371 Mississippi code of 1972 as amended. Cadence agrees to observe and comply with federal and state laws, local laws, ordinances, orders and regulations existing at the time of or enacted subsequent to the execution of a contract.

We would like to offer you a fixed rate of 0.25% (25 basis points). In addition to the interest rate, we would also like to offer an Earnings Credit Rate (ECR) to help offset charges to your account. Today's ECR is .35% (35 basis points) and is subject to change monthly. I have also attached a preforma, disclosing any fees that could be charged to your account that aren't offset by balances. I would be happy to explain this in more detail, since the ECR is significantly higher than the interest rate on balances.

Additional recommendations or solutions we would like for you to consider would include

- **Positive Pay** is a cash management service used to minimize potential fraud on checks or electronically created debits issued by your business. **Positive Pay Reconciliation** exports at no charge allowing for an inexpensive tool compatible with your accounting software.
- **ACH Positive Pay** reduces the risk of fraudulent ACH transaction activity. It allows you to set limits on which ACH debits are automatically

803 Main Street | Columbus, MS 39701 | T 662-889-5096 |

 cadencebank.com

CADENCE


BANK

authorized to be paid, and you are notified each morning of any debits presented to Cadence that does not fit those criteria

- **Outsourced Disbursements** Checks printed, stuffed and mailed at a discounted bulk rate, provides a soft charge through your account analysis so your balances can help offset the service fee
- **Lockbox Services** speed up the collection and processing of your receivables and reduce the days sales outstanding. In addition, eliminate the time and cost of internal remittance processing by providing you with valuable data files and images you need to update your receivables records. Lockbox imaging and archive also saves you time and money associated with the research and storage of paper items
- **Payables (A/P) Lockbox** eases the pain of imaging, routing and approving your payables
- **Remote Deposit** to get your deposits made faster and easier without ever leaving your office by depositing them electronically. Remote Deposit also allows you to research and access images of deposits and checks
- **Payroll Services** to reduce the time intensive tasks associated with human resource management, payroll processing and data integration
- **Merchant Services** to accept debit and credit card payments

Thank you for giving Cadence Bank the opportunity for bid on your depository accounts and to provide our services to you

Sincerely,



Lori Frady
AVP, Treasury Management Sales
662-329-6539
lori.frady@cadencebank.com

061





December 24, 2014

Clay County Board of Supervisors
Amy G. Berry, Chancery Clerk
P.O. Box 815
West Point, MS 39773

RE Treasury Management Proposal

Dear Ms. Berry

Thank you for the opportunity to submit a bid proposal to continue to serve as the depository bank for Clay County Board of Supervisors for the time period of January 5, 2015 through January 2, 2017. This proposal outlines a special interest rate along with additional services that Renasant Bank could provide through our Treasury Management Department.

Our proposal includes the following:

1. Renasant Bank will provide all statements as of the last working day of each month, (or use your own unique statement calendar) along with Check 21 compliant images.
2. Renasant Bank will not charge a monthly maintenance fee, nor will there be a charge for returned deposit items, stop payments or NSF Checks.
3. Enhanced Business Internet Banking services will continue to be provided at \$15.00 per month for up to 5 deposit accounts. This service provides Clay County with Administrator assigned internet banking capabilities to view account balances, initiate account transfers, stop payments and view day-to-day account activity.
4. Renasant Bank now offers Business Check Express which would allow Clay County the ability to scan the checks for deposit from your office and have them be deposited directly to your Renasant Bank account without having to visit your local branch. Items deposited through this device will have a faster collection time resulting in an increased interest accrual. If more information is needed, a Treasury Management Representative could review the benefits and features of this service.
5. All ACH services including direct deposit and automatic draft payments can be provided with no setup fees. The monthly fee for the service would be \$40.00 with 0.15 cents per transaction fee. ACH services can also provide multi-level approvals and hierarchical batch controls, state and federal tax templates, easy to



- use spreadsheet format, automatic prenotes (if desired), audit trail and reporting capabilities, 128 bit Secure Socket Layer (SSL) user authentication and encryption, and generated offset accounts with daily and monthly debit and credit limits
- 6 Renasant Bank offers personal service with fast and timely problem resolution to all clients. Renasant Bank has extensive experience in handling large municipal deposits in the state of Mississippi for the last 110 years.
 - 7 Renasant Bank will issue Night Depository bags and keys free of charge.
 - 8 Renasant Bank will provide a one-time \$250.00 allowance to be used toward the purchase of checks or deposit slips from a vendor of your choice.
 - 9 A safe deposit box will be provided free of charge based on availability.
 - 10 A special interest rate on the interest-bearing checking account(s) at a fixed rate will be 0.03% APY (3 basis points) for the time period of January 5, 2015 and ending January 7, 2017.

In summary, Renasant Bank can offer all the previous listed services along with a special interest rate. The deposits that are referenced in this bid are to be regular tax collection funds or other revenues normally generated by Clay County that would be placed in transactional accounts. Bond proceeds, special project funds or any other type funds not normally derived from tax collections and certificate of deposits will be offered a competitive rate based on market conditions at that time. For this reason, we are limiting the account balances to twenty million dollars and reserve the right to pledge securities only up to this committed cap. Due to the collateral agreements the Bank has agreed upon, any balances in excess of the limited account balance may result in the forfeiture of interest and could be considered a violation of the bid contract.

Renasant Bank participates in the State of Mississippi Guaranty Pooling Program, therefore, all securities detail for pledging purposes is provided to the State of Mississippi Treasury Department. Renasant Bank complies with the Mississippi Code of 1972, Section 27-105-315. If Renasant Bank should not be awarded as the depository bank, we do request to be accepted as a qualified depository for the Clay County Board of Supervisors. If you should have any questions, please feel free to call me at (662) 495-5436.

Sincerely,


Perry Green
Division President

PUBLIC FUNDS PROFORMA FOR Clay County

Proposal Date 01/07/15

Prepared by: [Redacted]
 Address: [Redacted]
 Email: [Redacted]

DEMAND DEPOSIT ANALYSIS SUMMARY

AVERAGE LEDGER BALANCE	\$2,216,104.61
LESS AVERAGE FLOAT	\$0.00
AVERAGE COLLECTED BALANCE	\$2,216,104.61
LESS ADJUSTMENT FOR RESERVES	\$0.00
NET COLLECTED BALANCE	\$2,216,104.61

EARNINGS CREDIT SUMMARY

EARNINGS CREDIT RATE (ECR)	0.35%
EARNINGS ON	\$2,216,104.61
TOTAL ALLOWANCE	\$637.51

RATINGS AND FEES

BALANCE REQUIRED TO OFFSET \$1 IN SERVICES USED	\$3,476.19
---	------------

SERVICE DESCRIPTION	UNITS	RATE	TOTAL COST
---------------------	-------	------	------------

ACCOUNT SERVICES

DEPOSITORY SERVICES

Account Maintenance	13	5.00	15.00
Checks/Debits	595	0.12	71.40
Credits/Deposits	32	0.50	16.00
Items Deposited On Us	41	0.06	2.46
Items Deposited Other Fed	37	0.10	3.70
Manual Stop Payment		35.00	0.00
NSF Charge		35.00	0.00
DEPOSITORY SERVICES SUBTOTAL			\$108.56

ADDITIONAL ACCOUNT SERVICES

Interest Paid	\$455.36	Pass thru	455.36
Acct Confirmations Audit		30.00	0.00
ADDITIONAL ACCOUNT SERVICES SUBTOTAL			\$455.36

RETAIL SERVICES

Comm'l Deposit Cash Processing (Per \$1,000)		0.80	0.00
Night Depository Purchase Locked Bag		20.00	0.00
Night Depository Purchase Zipper Bag		3.00	0.00
RETAIL SERVICES SUBTOTAL			\$0.00

RETURNING SERVICES

Chargebacks	0	8.50	0.00
-------------	---	------	------

CONFIDENTIAL QUOTE FOR YOUR COMPANY

ECR: [Redacted]

SERVICE DESCRIPTION**UNITS****RATE****TOTAL COST**

RETURN ITEMS SUBTOTAL

\$0 00

INFORMATION MANAGEMENT**INFORMATION REPORTING SERVICES**

Previous Day Detail 13 Month History (Per Account)	3	5 00	15 00
Previous Day Transactions	637	0 05	31 85
Current Day Detail (Per Account)		5 00	0 00
Current Day Transactions		0 10	0 00
Items Deposited Images		0 15	0 00
Bank Reports (Per Report e.g. Lckbx ACH NOC Returns)		10 00	0 00
Stop Payment PC Charge (Per Item)		15 00	0 00
PC Stop Pay Cancel		5 00	0 00
INFORMATION REPORTING SERVICES SUBTOTAL			\$46 85

RECEIVABLE MANAGEMENT**REMOTE CAPTURE**

Single Feed Seat License (Web per MAC Address Desktop per License ID)		25 00	0 00
Multi Feed Seat License (Web per MAC Address Desktop per License ID)		50 00	0 00
Review Items		0 25	0 00
RDC Credits		0 50	0 00
RDC Deposit Corrections		10 00	0 00
REMOTE CAPTURE SUBTOTAL			\$0 00

PAYABLE & RISK MANAGEMENT**ACH SERVICES**

ACH Originating Company ID Maintenance (Per Originating ID)		10 00	0 00
ACH Service Maintenance		40 00	0 00
Transmissions (Per Transmission)		10 00	0 00
Debits and Credits Originated		0 10	0 00
Debits and Credits Received	10	0 10	1 00
Return Items		4 50	0 00
Recleared Items		4 50	0 00
Email Notification		4 50	0 00
Reversals / Recalls / Deletion		15 00	0 00
Addenda		0 01	0 00
ACH SERVICES SUBTOTAL			\$1 00

RISK MANAGEMENT

Positive Pay - Monthly Maintenance (Per Account)		15 00	0 00
Positive Pay Exception		3 00	0 00
Positive Pay Teller Presentment (Exceptions)		10 00	0 00
Positive Pay Transmission (Per Transmission)		10 00	0 00
Positive Pay - Return		3 00	0 00
Positive Pay Payee Match (Per Item)		0 05	0 00
ACH Positive Pay Monthly Maintenance (Per Account)		15 00	0 00
ACH Positive Pay Exception		3 00	0 00

CONFIDENTIAL QUOTE FOR YOUR COMPANY

D " " u 60 " " "

" C " "

" ECR " 2

655

SERVICE DESCRIPTIONACH Positive Pay Return
RISK MANAGEMENT SUBTOTAL**UNITS****RATE****TOTAL COST**

3 00

0 00

\$0 00

DEPOSIT ASSESSMENT (Passed at the Prevailing Rate per \$1000 in Average Ledger Balance)

\$2,216,104 61

178 84

178 84

UNCOLLECTED FUNDS FEE

PRIME + 3%

0 00

BALANCE AVAILABLE TO SUPPORT OTHER BANKING SERVICES
(DEFICIT)/EXCESS

\$532 205 10

-\$153 10

COLLECTED BALANCE NEEDED TO COVER FEES

\$2,748,309 71

NOTES/ASSUMPTIONS

This proforma is a comparison for the month of Nov 2012.
It includes the Insurance Clearing Account Payroll Account and General Account.

CONFIDENTIAL QUOTE FOR YOUR COMPANY

ECR

PUBLIC FUNDS PROFORMA FOR City County

Prepared By: [Redacted]
 Phone: (824) 553-5533
 Email: [Redacted]

Proposal Date 01/07/15

2/2013

DEMAND DEPOSIT ANALYSIS SUMMARY	
AVERAGE LEDGER BALANCE	\$4,791,065.66
LESS AVERAGE FLOAT	\$0.00
AVERAGE COLLECTED BALANCE	\$4,791,065.66
LESS ADJUSTMENT FOR RESERVES	\$0.00
NET COLLECTED BALANCE	\$4,791,065.66

EARNINGS CREDIT SUMMARY	
EARNINGS CREDIT RATE (ECR)	0.35%
EARNINGS ON	\$4,791,065.66
TOTAL ALLOWANCE	\$1,286.37

BALANCE MULTIPLIER	
BALANCE REQUIRED TO OFFSET \$1 IN SERVICES USED	\$3,724.49

SERVICE DESCRIPTION	UNITS	RATE	TOTAL COST
ACCOUNT SERVICES			
DEPOSITORY SERVICES			
Account Maintenance	3	5.00	15.00
Checks/Debits	450	0.12	54.00
Credits/Deposits	29	0.50	14.50
Items Deposited - On Us	36	0.06	2.16
Items Deposited - Other Fed	38	0.10	3.80
Manual Stop Payment		35.00	0.00
NSF Charge		35.00	0.00
DEPOSITORY SERVICES SUBTOTAL			\$89.46
ADDITIONAL ACCOUNT SERVICES			
Interest Paid	\$918.83	Pass thru	918.83
Acct Confirmations Audit		30.00	0.00
ADDITIONAL ACCOUNT SERVICES SUBTOTAL			\$918.83
RETAIL SERVICES			
Comm'l Deposit Cash Processing (Per \$1,000)		0.80	0.00
Night Depository - Purchase Locked Bag		20.00	0.00
Night Depository - Purchase Zipper Bag		3.00	0.00
RETAIL SERVICES SUBTOTAL			\$0.00
RETURN ITEMS			
Chargebacks	1	8.50	8.50

CONFIDENTIAL QUOTE FOR YOUR COMPANY

ECR

SERVICE DESCRIPTION**UNITS****RATE****TOTAL COST**

RETURN ITEMS SUBTOTAL

\$8.50

INFORMATION MANAGEMENT**INFORMATION REPORTING SERVICES**

Previous Day Detail 13 Month History (Per Account)	1	5.00	15.00
Previous Day Transactions	487	0.05	24.35
Current Day Detail (Per Account)		5.00	0.00
Current Day Transactions		0.10	0.00
Items Deposited Images		0.15	0.00
Bank Reports (Per Report e.g. Lockbox, ACH NOC Returns)		10.00	0.00
Stop Payment PC Charge (Per Item)		15.00	0.00
PC Stop Pay Cancel		5.00	0.00
INFORMATION REPORTING SERVICES SUBTOTAL			\$39.35

RECEIVABLE MANAGEMENT**REMOTE CAPTURE**

Single Feed Seat License (Web per MAC Address Desktop per License (D))		25.00	0.00
Multi Feed Seat License (Web per MAC Address Desktop per License (D))		50.00	0.00
Review Items		0.25	0.00
RDC Credits		0.50	0.00
RDC Deposit Corrections		10.00	0.00
REMOTE CAPTURE SUBTOTAL			\$0.00

PAYABLE & RISK MANAGEMENT**ACH SERVICES**

ACH Originating Company ID Maintenance (Per Originating ID)		10.00	0.00
ACH Service Maintenance		40.00	0.00
Transmissions (Per Transmission)		10.00	0.00
Debits and Credits Originated		0.10	0.00
Debits and Credits Received		0.10	0.70
Return Items		4.50	0.00
Recleared Items		4.50	0.00
Email Notification		4.50	0.00
Reversals / Recalls / Deletion		15.00	0.00
Addenda		0.01	0.00
ACH SERVICES SUBTOTAL			\$0.70

RISK MANAGEMENT

Positive Pay Monthly Maintenance (Per Account)		15.00	0.00
Positive Pay Exception		3.00	0.00
Positive Pay Teller Presentation (Exceptions)		10.00	0.00
Positive Pay Transmission (Per Transmission)		10.00	0.00
Positive Pay Return		3.00	0.00
Positive Pay Payee Match (Per Item)		0.05	0.00
ACH Positive Pay Monthly Maintenance (Per Account)		15.00	0.00
ACH Positive Pay Exception		3.00	0.00

CONFIDENTIAL QUOTE FOR YOUR COMPANY

ECR

2

SERVICE DESCRIPTION

ACH Positive Pay - Return

RISK MANAGEMENT SUBTOTAL

UNITS**RATE****TOTAL COST**

3 00

0 00

\$0 00

DEPOSIT ASSESSMENT (Passed at the Prevailing Rate per \$1000 in Average Ledger Balance)

\$4,791,085.66

386 64

386 64

UNCOLLECTED FUNDS FEE

PRIME + 3%

0 00

TOTAL SERVICES RENDERED

BALANCE AVAILABLE TO SUPPORT OTHER BANKING SERVICES

-\$585,157 14

(DEFICIT)/EXCESS

\$157 11

COLLECTED BALANCE NEEDED TO OFFSET FEES

\$5,376,222.80

NOTES/ASSUMPTIONS:

This proforma is a comparison for the month of Feb 2013

It includes the Insurance Clearing Account Payroll Account and General Account

CONFIDENTIAL QUOTE FOR YOUR COMPANY

D

o

r

60

m

m C

ECR

o

m

y

3

NO.

IN THE MATTER OF AUTHORIZING TRAVEL FOR THE CONSTABLES

There came on this day for consideration the matter of authorizing travel for Constables.
After motion by Floyd McKee and second by R. B. Davis this Board doeth vote
unanimously to authorize the Constables, Lewis Stafford and Sherman Ivy, to travel to the MS
Constables Association quarterly board meeting held January 15, 2015 at Vicksburg MS
SO ORDERED this the 8th day of January, 2015



President

Mississippi Constables Association

John H. Heggins, Secretary / Treasurer

197 Still Drive • Vicksburg, Mississippi 39180

(601) 218-6866 • Fax (601) 634-8770

*Request to have
Sherman in
our staff*

MCA Quarterly Board Meeting

January 2, 2015

Dear Fellow Constables,

We will be having our next quarterly board meeting at 9:00am on Friday January 16, 2015 at the Hampton Inn in Vicksburg, MS. We have reserved a block of rooms for Thursday January 15th at the rate of \$109.00. Please make your hotel arrangements directly by calling 601-636-6100 and referencing the MS Constables block.

Sincerely,

John H. Heggins

Secretary / Treasurer

Hampton Inn
3330 Clay Street
Vicksburg, MS. 39183
601-636-6100
800-847-0372


NO. →

IN THE MATTER OF ADVERTISING RESOURCES

There came on this day for consideration the matter of advertising resources

After motion by Shelton Deanes and Luke Lummus this Board doth vote unanimously to approve of the advertising resources with the Martin Luther King Jr Holiday Committee and authorizes to approve of an advertisement in the amount of \$325 00 on behalf of the Clay County for the program held on Martin Luther King Day located at Central School Center Stage Auditorium on Monday, January 19, 2015 as attached hereto as Exhibit A.

SO ORDERED this the 8th day of January, 2015



President

4164 BENNIE JONES #1025 P 002/002

Martin Luther King, Jr Holiday Committee

218 Martin Luther King Drive /P O Box 1457

West Point, Ms 39773

(662) 494-8822

January 6, 2015

The Board of Supervisors

Clay County

West Point, Ms 39773

Re Dr Martin Luther King Holiday Celebrations
January 19, 2015

Dear Board Members

Our King Day Celebration is ~~here again~~ and we anticipate another superb program with outstanding community participation. We want to take this opportunity to include the City of West Point in the Dr. Martin Luther King celebrations in West Point, Miss. This day honors Dr. Martin Luther King and promotes the idea of community responsibility and economic self-sufficiency.

We always appreciate the support of the Clay County Board of Supervisors and hope to have you as a sponsor again this year in the amount of \$350.00. Please make your check payable to M. L. K. Holiday Committee and mail to P O Box 222, West Point, Ms 39773. If you have any questions or desire to have someone pick up your check since we are running behind schedule, please call Anna Hayford-Jones, Event Co-ordinator at 662 494 1024 or 662 275 0068.

Thank you for your continued support of this important celebration activities. Your support in the past years have been really appreciated.

Sincerely,


Anna Hayford-Jones

Event Co-ordinator

63


NO _____

**IN THE MATTER OF AUTHORIZING TO SPREAD ON THE MINUTES THE
CERTIFICATE OF ATTENDANCE ON AMY G BERRY**

There came on this day for consideration the matter of authorizing to spread on the minutes the Certificate of Attendance on Amy G Berry

After motion by Floyd McKee and second by Shelton Deanes this Board doth vote unanimously to authorize and approve to spread on the minutes the Chancery Court Order certifying Amy G Berry, Chancery Clerk attendance of Chancery Court during the year 2014

SO ORDERED this the 8th day of January, 2015

A handwritten signature in black ink, appearing to be 'Shelton Deanes', written over a horizontal line.

President

IN THE CHANCERY COURT OF CLAY COUNTY, MISSISSIPPI

IN THE MATTER OF CONTINUING EDUCATION OF


AMY G BERRY, CHANCERY CLERK

CERTIFICATE OF ATTENDANCE

On this day, Amy G Berry, the Chancery Clerk of Clay County, came on to be heard the matter of credit of house for continuing education for the Chancery Clerk. After hearing the same, this Court is of the opinion that Section 9-5-132 of the Mississippi Code of 1972, as amended by Chapter 595, Laws of 1993, authorizes the presiding Chancery Court Judge to certify that the Clerk may receive credit for up to six (6) hours of annual mandatory continuing education.

IT IS THEREFORE CERTIFIED THAT, Amy G Berry, Chancery Clerk, attended a term or terms of the Chancery Court of Clay County, during the year 2014.

This the 1st day of January, 2015


CHANCELLOR

NO _____

**IN THE MATTER OF AUTHORIZING AND APPROVING THE SALE OF A
WEAPON BELONGING TO THE SHERIFF'S DEPARTMENT**

There came on this day for consideration the matter of authorizing and approving the Sale of a weapon belonging to the Sheriff's Department


It appears to this Board authority to advertise to sale a Weapon as listed on the Fixed Asset Ledger of the Sheriff's Department was given at the December 4, 2014 meeting, and,

It appears to this Board the Clerk has presented to this Board the said proof of publication of Notice given to the public which ran on December 14, 2014, December 21, 2014, and December 28, 2014, and,

It appears to this Board five (5) bids have been received as attached hereto as Exhibit A of which the bid of Russell Gaines in the amount of \$21,000 00 was rejected on the basis of no Federal Fire Arm License being submitted with the bid as specified in the bid specifications

After motion by Luke Lummus and second by Shelton Deanes this Board doth vote unanimously to accept and award the bid for the sale of the weapon to William McDonald in the amount of \$25,600 00 subject to the verification of the Federal Fire Arms License

SO ORDERED this the 8th day of January, 2015



President

AFFP

Affidavit of Publication

STATE OF MISSISSIPPI
COUNTY OF CLAY]

SS

Cindy Cannon being duly sworn, says

That she is Classified Clerk of the Daily Times Leader, a daily newspaper of general circulation, printed and published in West Point, Clay County, Mississippi, that the publication, a copy of which is attached hereto, was published in the said newspaper on the following dates

December 14, 2014

December 21, 2014

December 28, 2014


That said newspaper was regularly issued and circulated on those dates
SIGNED

Cindy Cannon

Classified Clerk

Subscribed to and sworn to me this 29 day of December, 2014

Amy S. Barker
By Clerk S. Harris



Commission Expires Jan 4 2016

NOTICE OF SALE OF SEIZED
WEAPONS

Notice is hereby given that the
Clay County Board of Supervisors
will receive bids for the
sale of the following property
on Monday, January 13, 1936
at 10 o'clock a.m. in the day of
January, 1936, in the Clay County
Court House, in the City of
Cherokee, Georgia, to-wit: Army &
Navy Stores, on 2nd Street,
Stewart, Georgia, MS-38777A, for
the sale of the following weapons:

One Remington-Union, .45
caliber, Automatic, Model 200C,
S&W & OHS make.

The said sale shall be without
warranty as to condition. The said
weapons may be removed by call-
ing Deputy Sheriff W. L. Ladd at
his home, in (area) 200-5150,
any time prior to the day set for
sale to be received. All bidders
must be licensed gun owners. A
copy of the license must be
presented in the bid package. All
bids shall remain good for 30 days
from the bid date. Bidders must
be in full pay when bidding in ac-
knowledgment of receiving said prop-
erty.

The Board of Supervisors re-
serves the right to accept and re-
ject all bids received and to leave
any and all bids open for re-
consideration and inspection of the bids.
For further information, call
Deputy Sheriff W. L. Ladd at
his home, in (area) 200-5150.
Publish by order of the Board of
Supervisors this the 10th day of
December, 1935.

Wm. G. Ladd,
Deputy Sheriff,
Cherokee County.

12/14/35
12/16/35
12/22/35

Sale of Weapon
Clay County Sheriff Dept. Bid Sheet
1/8/2015

no FFL

- | | | |
|---|---------------------------------|---------------------|
| 1 | Russell Gainer | \$21,100 |
| 2 | William McDonald - Locust Ridge | \$25,600.00 |
| 3 | City Pawn - | \$22,000.00 |
| 4 | Travis Jones - DV PLLC | \$12,105.00 |
| 5 | Terry & Pam Williams | \$10,100.00 |
| 6 | | \$23,000.00 |
| 7 | | |
| 8 | | |

M-2 To accept the Bid of
S-4 William McDonald
Subject to the
verification of the FFL
License
\$25,600.00

Federal Firearms License
(18 U.S.C. Chapter 44)

Direct ATF ATF Chief, FFLC
Correspondence To 244 Needy Road
 Martinsburg, WV 26405-9481

Chief Federal Firearms Licensing Center (FFLC)

1-62-157-03-7J-01092

Exposition
Date **September 1, 2017**

Name LILES ROBERTS

Premises Address (Changes? Notify the FFLE at least 30 days before the move.)

4201 SUNNY MEADOWS RD
BARTLETT, TN 38135

Type of License

03 - COLLECTOR OF CURIOS AND RELICS

Purchasing Certification Statement

The licensee named above shall use a copy of this license to make a transfer of arms or cash firearms to verify the identity and the licensed status of the licensee as provided by 27 CFR Part 476. The signature on each copy must be in ink and handwritten. A typed, printed or e-typed copy of the license with a signature intended to be an original signature is not valid. The signature must be that of the Federal Firearms License (FFL) holder. This is a true and correct copy of a license issued to the licensee named above as a collection of arms and relics and that THIS LICENSE DOES NOT AUTHORIZE THE HOLDER TO ENGAGE IN THE BUSINESS OF DEALING IN AN FIREARMS.

Mailings Address Changes Notify the FFLC of any changes.)

LILES, ROBERT S
4201 SUNNY MEADOWS RD
BARTLETT, TN 38185-

Licensee/Responsible Person Signature

ROBERT S LILES

Positive End

Date _____

Printed Name

AD Form 24 (5310) 17

• Revised October 2011 •

HOME PHONE - 901-383-8639

CFL 901-237-7842

EMAIL ~~REDACTED~~@GMAIL.COM
* RULIF

B15-823,000 00

IF BID IS SUCCESSFUL, MY CLASS 3 DEALER WILL PROVIDE HIS FFL & SOT. HE IS:

RANGEUSA, INC
2770 WHITTEN RD
MEMPHIS TN 38133
(901) 213-4774
INFO@RANGEUSA.COM

67

CLAY COUNTY SHERIFF DEPARTMENT
330 West Broad Street
P O Box 142
West Point, MS 39773

MACHINE GUN BID

AMY G. BERRY
2015 JAN -7 PM 1:56
CLAY COUNTY
WEST POINT, MS
BY _____

I would like to bid \$21,100
[For your Thompson sub

Russell

GAINES

662-617-3448

Amy G. Berry

15 JAN-8 AM 8:57

71 AN COUNTY
WEST POINT, MISS

Cyn Bid

U 173

CITY PAWN
420 SOUTH GLOSTER STREET
TUPALO, MS 38801

RECEIVED ON THIS DATE

JAN - 5 2015

Clay Co Sheriff's Office

MEMPHIS TN 380


02 JAN 2015 PM 3:1



ATTN: GUN-BID SECRET

Clay Co Sheriff's Dept
330 West Broad Street
West Point, MS 39773


39773290630



1/5/15
12:28
UPD

C74

I, Evan Vinson, would like to submit
a bid of \$22,000.50. This is in regard to the
Thompson that is being auctioned.



Evan Vinson
City Pawn of Tupelo

Bid for Thompson 1928 from
Terry Williams \$10,100.⁰⁰ u

Bank check or Money order. Or this
amount in equipment

Thanks

Daryl Williams

817-5124618

To West Point Sheriff for A 0151648X



TERRY & PAM WILLIAMS
158 CONCORDE CIRCLE
CRESSON TX 76035
(817) 512-4618

Bid 10100⁰⁰ for Thompson
DEALER IN MACHINE GUNS • NEW & OLD HANDGUNS
INVESTMENT & COLLECTOR

C.72

Name and Principal Business Address

WILLIAMS JAMES TERRY
T & P FIREARMS
158 CONCORDE CIRCLE
CRESSON TX 76035

Tax Statement

(Annual Tax Rate) 500 00
Annual Tax \$ 500 00
Additions \$ 00
Total Tax PAID \$ 500 00

**TAX
2015
YEAR**

Actual Physical Business Address (See Notice 2014-24)

WILLIAMS, JAMES TERRY
WILLIAMS, JAMES TERRY
58 CONCORDE CIRCLE
CRESSON, TX 76035-5843

THIS IS NOT A BILL
DO NOT PAY THE AMOUNT NOTED

Type of Operation Conducted

(55) NEAR FIREARMS DEALER

Number of Licenses

1 OF 1

This is a receipt of payment of Special (Occasional) Tax (SOT) under the
National Firearms Act. (27 CFR 478.36)

If You Have Any Questions, Refer To The Information Below

Date of This Receipt

MAY 6, 2014

Dates of Special Tax Period

10/7/13

07/01/2014 TO 06/30/2015

Employer Identification Number

62-1210889

Control Number

2014125-N02-037

If you have any questions, you may contact the Bureau of Alcohol Tobacco Firearms and Explosives as follows

U.S. Department of Justice
Bureau of Alcohol Tobacco Firearms and Explosives

**Federal Firearms License
(18 U.S.C. Chapter 44)**

In accordance with the provisions of Title I, Gun Control Act of 1968, and the regulations issued thereunder (27 CFR Part 478), you are licensed to engage in the business specified in this license, within the limitations of Chapter 44 Title 18, United States Code and the regulations issued thereunder until the expiration date shown. **THIS LICENSE IS NOT TRANSFERABLE UNDER 27 CFR 478.51. See "WARNINGS" and "NOTICES" on reverse**

Direct ATF
Correspondence To
ATF - Chief, FFLC
244 Needy Road
Martinsburg, WV 25405-2481

C Federal Firearms Licensing Center (FFLC)

License
Number

5-75-221-01-5M-00279

Expiration
Date

December 1, 2015

Name
T & P FIREARMS

Premises Address (Changes? Notify the FFLC 30 days before the change)

158 CONCORDE CIR
CRESSON, TX 76035

Type of License

01-DEALER IN FIREARMS OTHER THAN DESTRUCTIVE DEVICES

Purchasing Certification Statement

The licensee named above shall use a copy of this license to assist manufacturer of firearms to verify the identity and the licensed status of the licensee as provided by 27 CFR Part 478. The signature on each copy must be an original signature, a faxed, scanned or e-mailed copy of the license with a signature intended to be an original signature is acceptable. The signature must be that of the Federal Firearms Licensee (FFL) or a responsible person of the FFL. Licensee that this is a true copy of a license issued to the licensee named above to engage in the business specified above under "Type of License."

Mailing Address (Changes? Notify the FFLC of any changes)

WILLIAMS, JAMES TERRY
T & P FIREARMS
158 CONCORDE CIR
CRESSON, TX 76035

Licensee/Responsible Person's Signature

James Williams

Position Title


Owner
Dec 26 2014

Printed Name


Date

ATF Form 8 (5310 11)

File Copy
only



NORTH TEXAS TX ONLY
DALLAS TX 750
27 DEC 2014 PM 5 1




Eddie Scott Sheriff
Clay County Sheriff Dept
P.O. Box 142
330 West Broad St,
West Point Ms.

Thompson Bld

39773260630

39773

629



In accordance with the provisions of Title I, Gun Control Act of 1968, and the regulations issued thereunder (27 CFR Part 478), you are licensed to engage in the business specified in this license, within the limitations of Chapter 44, Title 18, United States Code, and the regulations issued thereunder, until the expiration date shown. **THIS LICENSE IS NOT TRANSFERABLE UNDER 27 CFR 478.31.** See "WARNINGS" and "NOTICES" on reverse.

Direct ATF ATF - Chief, FFLC
Correspondence To 244 Needy Road
 Martinsburg, WV 25405-9451

License Number
1-64-149-07-6L-02579

Chief, Federal Firearms Licensing Center (FFLC)

Expiration Date
November 1, 2016

Name
DVP LLC

Premises Address (Changes? Notify the FFLC at least 30 days before the move.)

**6611 PAXTON RD
VICKSBURG, MS 39180**

Type of License

07-MANUFACTURER OF FIREARMS OTHER THAN DESTRUCTIVE DEVICES

Purchasing Certification Statement

The licensee named above shall use a copy of this license to assist a transferee of firearms to verify the identity and the licensed status of the licensee as provided by 27 CFR Part 478. The signature on each copy must be an original signature. A faxed, stamped or e-mailed copy of the license with a signature intended to be an original signature is acceptable. The signature must be that of the Federal Firearms Licensee (FFL) or a responsible person of the FFL. I certify that this is a true copy of a license issued to the licensee named above to engage in the business specified above under "Type of License."

Mailing Address (Changes? Notify the FFLC of any changes)

**DVP, LLC
6611 PAXTON RD
VICKSBURG, MS 39180**

Licensee Responsible Person Signature

Position/Title

Printed Name

Date

ATF Form 8 (5310.11)
Revised October 2011

U.S. Department of Justice
Bureau of Alcohol, Tobacco, Firearms and Explosives

2015 Special Tax Stamp

Name and Principal Business Address

**DVP LLC
6611 PAXTON ROAD
VICKSBURG MS 39180**

Tax Statement
(Annual Tax Rate) 500.00
Initial Tax \$ 500.00
Additions \$ 00
Total Tax PAID: \$ 500.00

**TAX
2015
YEAR**

Actual Physical Business Address (See Volume 2 below)

**DVP LLC
DVP LLC
6611 PAXTON ROAD
VICKSBURG MS 39180**

Type of Operation Conducted
(72) NEAR FIREARMS MFGR (REDUCED)

Number of Locations

1 OF 1

This is a receipt of payment of Special (Occupational) Tax (SOT) under the National Firearms Act (27 CFR 479.36).

If You Have Any Questions, Refer To The Information Below

Date of This Receipt

MAY 27, 2014

Dates of Special Tax Period

07/01/2014 TO 06/30/2015

Employer Identification Number

27-1492021

Control Number

2014132-N51-001

DVP, LLC

Travis Jones

6611 Paxton Rd

Vicksburg, MS 39180

601-618-6922

FFL 1-64-149-07-6L-02579 / SOT 27-1492021


Date 06 Jan 2015

Subject 45 caliber Thompson bid

DVP LLC would like to make the following bid of \$12,125.⁰⁰ This bid is for the following transferable sub-machine gun, .45-caliber Thompson with a serial number of A0151698X

Attached are copies of my FFL & SOT

Respectfully



Travis Jones
President

CLAY COUNTY SHERIFF DEPARTMENT
330 West Broad Street
P O Box 142
West Point, MS 39773

ANY C
2015 JAN - 7 AM 10:42
CLAY
WES
BY
DC

CLAY COUNTY SHERIFF DEPARTMENT
2015 JAN - 7 AM 10:42
CLAY COUNTY
WEST POINT, MS

BY
GUN BID
DC

683

In accordance with the provisions of Title I, Gun Control Act of 1968, and the regulations issued thereunder (27 CFR Part 478), you are licensed to engage in the business specified in this license within the limitations of Chapter 44, Title 18 United States Code and the regulations issued thereunder until the expiration date shown. **THIS LICENSE IS NOT TRANSFERABLE UNDER 27 CFR 478.51.** See "WARNINGS" and "NOTICES" on reverse.

Direct ATF
Correspondence To
ATF Chief FFLC
244 Needy Road
Martinsburg, WV 25405-8431

License
Number

5-72-107-01-7A-00405

Chief Federal Firearms Licensing Center (FFLC)

Expiration
Date

January 1, 2017

Name
MCDONALD WILLIAM EDWIN

Premises Address (Changes? Notify the FFLC of any changes 30 days before the move)

845 FLORIDA ST
NEWELLTON, LA 71357

Type of License

01 DEALER IN FIREARMS OTHER THAN DESTRUCTIVE DEVICES

Purchasing Certification Statement

Mailing Address (Changes? Notify the FFLC of any changes)

The licensee named above shall use a copy of this license to assist a transferor of firearms to verify the identity and the licensed status of the licensee as provided by 27 CFR Part 478. The signature on each copy must be an original signature. A faxed, scanned or e-mailed copy of the license with a signature intended to be an original signature is acceptable. The signature must be that of the Federal Firearms Licensee (FFL) or a responsible person of the FFL. Locating that this is a true copy of a license issued to the licensee named above to engage in the business specified above under "Type of License."

MCDONALD WILLIAM EDWIN
P.O. BOX 945
NEWELLTON, LA 71357

Licensee/Responsible Person Signature

Position/Title

Printed Name

Date

Previous Edition is Obsolete

MCDONALD WILLIAM EDWIN 845 FLORIDA ST 71357-5121 107-01-7A-00405 JANUARY 1, 2017 01-DEALER IN FIREARMS OTHER THAN DESTRUCTIVE DEVICES

ATF Form 8 (5-10-11)
Revised October 2011

U S Department of Justice
Bureau of Alcohol Tobacco Firearms and Explosives

2015 Special Tax Stamp

Name and Principal Business Address

MCDONALD WILLIAM EDWIN
PO BOX 945
NEWELLTON LA 71357

Tax Statement

(Annual Tax Rate) 500.00

Initial Tax \$ 500.00

Additions \$ 00.00

Total Tax PAID \$ 500.00

TAX
2015
YEAR

Actual Physical Business Address (See Notice 2 below)

MCDONALD WILLIAM EDWIN
MCDONALD WILLIAM EDWIN
845 FLORIDA ST
NEWELLTON, LA 71357

THIS IS NOT A BILL
DO NOT PAY THE AMOUNT NOTED

Type of Operation Conducted

(03) NFA FIREARMS DEALER

Number of Locations

1 OF 1

This is a receipt of payment of Special (Occupational) Tax (SOT) under the National Firearms Act (27 CFR 479.36)

If You Have Any Questions, Refer To The Information Below

Date of This Receipt

MAY 6, 2014

Dates of Special Tax Period

07/01/2014 TO 06/30/2015

Employer Identification Number

72-1337935

Control Number

2014120-N02-013

If you have any questions you may contact the Bureau of Alcohol Tobacco, Firearms and Explosives as follows

1/6/2015

I bid \$25,600.00 (Twenty-five thousand
six hundred dollars and no/100s) on Thompson
Sub-machine gun Ser. # A151648V ~~to the~~
owned by the Clay County Sheriff's Office,
West Point, MS.


William McDonald

030



NO _____


**IN THE MATTER OF AUTHORIZING AND APPROVING THE SUBMISSION
FOR MDEQ GRANT SW948 REIMBURESMENT**

There came on this day for consideration the matter of authorizing and approving the submission for MEDQ Grant SW948 Reimbursement

It appears to this Board as attached hereto as Exhibit A, Amy Berry, Chancery Clerk, is requesting for authority to submit for reimbursement on the MS Department of Environmental Quality for reimbursement on the Solid Waste Enforcement Officer Grant, SW 948, in the amount of \$10,618 00

After motion by Luke Lummus and seconded by Shelton Deanes this Board doth vote unanimously to authority to approve the said grant submission on the grant referenced to above and further authorizes the President to execute the said documents as attached hereto as Exhibit A

SO ORDERED this the 8th day of January, 2015


President

ATTACHMENT B

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY


RELEASE OF CLAIMS

Agreement Number SW948

WHEREAS, by the terms of the above identified agreement entered into by the Mississippi Department of Environmental Quality and the Recipient, **CLAY COUNTY BOARD OF SUPERVISORS** it is provided that after completion of all work, and prior to final payment, the Recipient will furnish the Mississippi Department of Environmental Quality with a release of all claims,

NOW, THEREFORE, in consideration of the above premises and the payments by the Mississippi Department of Environmental Quality to the Recipient pursuant to the above referenced agreement, the sum of \$ 10,618.00, the Recipient hereby remises, releases, and forever discharges the Mississippi Department of Environmental Quality, its officers, agents, and employees, of and from all manner of debts, dues, liabilities, obligations, accounts, claims, and demands whatsoever, in law and equity, under or by virtue of the said agreement except

CLAY COUNTY BOARD OF SUPERVISORS


Authorized Signature

037

ATTACHMENT A
MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
ATTN INVOICES
P O BOX 2369
JACKSON, MS 39225

REQUEST FOR PAYMENT

Name of Recipient Clay County MS Grant Agreement No SW948
Address PO Box 815 Person preparing report Amy Berry
West Point MS Telephone number (662) 494-3124
39773 Request period From 4/1/14 To 12/31/14

1 Amount of this payment request \$ 10,618
2 Total amount of grant \$ 10,618
3 Total prior payments approved \$ 0
4 Total funds requested to date (line 1 plus line 3) \$ 10,618
5 Balance of grant funds remaining after this request (line 2 minus line 4) \$ 0

TO BE COMPLETED ONLY IF RECIPIENT IS PROVIDING FUNDS TO THE GRANT PROJECT

6 Total funds to be contributed by recipient \$ 25,031.00
7 Amount contributed by recipient to date \$ (12,518)
8 Balance to be contributed by recipient (line 6 minus line 7) \$ 12,518

I hereby certify that the amount requested is for reimbursement of allowable costs consistent with the terms of this agreement, that request for reimbursement of these costs has not previously been made, and that the amounts requested herein do not exceed budgeted amounts stipulated in the award

NOTE Please attach appropriate documentation that supports this payment request (for example, payroll records for Enforcement officer, billing records, volume of tires disposed, volume of solid wastes disposed, location of solid waste sites cleaned up)

Signature of Authorized Official

Lynne Horton, President
Typed Name and Title of Authorized Official

Date 1/12/15

**Department of Environmental Quality Grant
Reimbursement Calculation For DEQ Officer**

Reimbursement For Grant #SW 948

Time Period. 04/01/2014 thru 12/31/2014

Billy Doss

Gross Wages	\$16,013
FICA Match	\$1,225
Ret Match	\$2,522
Insurance Match	
April-Dec Health Ins @ \$576.88	\$5,192
April-Dec Life Ins @ 9.36	\$84

Total Reimbursement Request	\$25,036
------------------------------------	-----------------

Total Recap

Gross Wages	\$16,013
FICA Match	\$1,225
Ret Match	\$2,522
Insurance Match	
Health Insurance	\$5,192
Life Insurance	\$84

Total Reimbursement Request	25,036
------------------------------------	---------------

Funds to be contributed by County	(12,518)
--	-----------------

Funds to be contributed by DEQ	12,518
---------------------------------------	---------------

UNAUTHORIZED DUMP CLEAN-UP SUPPLEMENTAL REPORTING FORM TO THE SOLID WASTE ASSISTANCE GRANT PAYMENT REQUEST

COUNTY/CITY NAME Clay Co DATE(S) OF CLEAN UP 4-15-14

DUMP SITE LOCATION Dan Road Dist 5

EQUIPMENT COST

TRUCK/EQUIPMENT USED	NO OF HOURS	RATE PER HOUR	TOTAL
F250 Ford	1 hr		1 hr
TOTAL EQUIPMENT COSTS			

PERSONNEL COST

EMPLOYEE NAME	HOURS WORKED	RATE PER HOUR	TOTAL
Billy R Doos			1 hr
D. Bernards (inmate)			1 hr
J Martin (inmate)			1 hr

Called by supervisor Floyd McKee
time found cleaned up by violator

DISPOSAL COST

TONS/CU YDS DUMPED	RATE PER TON/CU YDS	TOTAL DISPOSAL COST
TOTAL CLEAN-UP COST		

approx 70 lbs

LANDFILLS/RUBBISH FACILITIES USED FOR DISPOSAL OF WASTES _____

CLEAN UP AUTHORIZED/APPROVED BY Billy A Doos

TITLE Clay Co. Sanitation officer

C-10

UNAUTHORIZED DUMP CLEAN-UP SUPPLEMENTAL REPORTING FORM TO THE SOLID WASTE ASSISTANCE GRANT PAYMENT REQUEST

COUNTY/CITY NAME Clay Co. DATE(S) OF CLEAN-UP 4-17-14

DUMP SITE LOCATION Bill Dexter Rd Dist 4 Site # 1

EQUIPMENT COST

TRUCK/EQUIPMENT USED	NO OF HOURS	RATE PER HOUR	TOTAL
F-250 Ford	1 hr		1 hr
TOTAL EQUIPMENT COSTS			

PERSONNEL COST

EMPLOYEE NAME	HOURS WORKED	RATE PER HOUR	TOTAL
Billy Doss	1 hr		1 hr
J. Master (inmate)	1 hr		1 hr
D. Benisend (inmate)	1 hr		1 hr
TOTAL LABOR COSTS			

Called by sheriffs Dept.
no name found

DISPOSAL COST

TONS/CU YDS DUMPED	RATE PER TON/CU YDS	TOTAL DISPOSAL COST
approx 125 lbs.		
TOTAL CLEAN-UP COST		

LANDFILLS/RUBBISH FACILITIES USED FOR DISPOSAL OF WASTES Carried to landfill

CLEAN-UP AUTHORIZED/APPROVED BY Billy R. Doss

TITLE Clay Co Sanitation Officer

UNAUTHORIZED DUMP CLEAN-UP SUPPLEMENTAL REPORTING FORM TO THE SOLID WASTE ASSISTANCE GRANT PAYMENT REQUEST

COUNTY/CITY NAME Clay Co DATE(S) OF CLEAN UP 5-5-14
DUMP SITE LOCATION Thompson Road Post 5

EQUIPMENT COST

TRUCK/EQUIPMENT USED	NO OF HOURS	RATE PER HOUR	TOTAL
F250 Ford	1 hr		1 hr
TOTAL EQUIPMENT COSTS			

PERSONNEL COST

EMPLOYEE NAME	HOURS WORKED	RATE PER HOUR	TOTAL
Billy R Doss	1 hr		1 hr
J Martin (inmate)	1 hr		1 hr
Abensend (inmate)	1 hr		1 hr
TOTAL LABOR COSTS			

DISPOSAL COST

TONS/CU YDS DUMPED	RATE PER TON/CU YDS	TOTAL DISPOSAL COST
TOTAL CLEAN-UP COST		

LANDFILLS/RUBBISH FACILITIES USED FOR DISPOSAL OF WASTES Carried to landfill
approx 70 pounds

LEAN UP AUTHORIZED/APPROVED BY Billy R Doss
TITLE Clay Co Sanitation Officer

**UNAUTHORIZED DUMP CLEAN-UP SUPPLEMENTAL REPORTING FORM
TO THE SOLID WASTE ASSISTANCE GRANT-PAYMENT REQUEST**

COUNTY/CITY NAME Clay Co DATE(S) OF CLEAN UP 6-3-14
DUMP SITE LOCATION Clisky Road Dist

EQUIPMENT COST

TRUCK/EQUIPMENT USED	NO OF HOURS	RATE PER HOUR	TOTAL
F250 Ford	1 hr		1 hr
TOTAL EQUIPMENT COSTS			

PERSONNEL COST

EMPLOYEE NAME	HOURS WORKED	RATE PER HOUR	TOTAL
Billy Doras	1 hr		1 hr
D. Bensend (inmate)	1 hr		1 hr
J. Martin (inmate)	1 hr		1 hr
TOTAL LABOR COSTS			

DISPOSAL COST

TONS/CU YDS DUMPED	RATE PER TON/CU YDS	TOTAL DISPOSAL COST
TOTAL CLEAN-UP COST		

LANDFILLS/RUBBISH FACILITIES USED FOR DISPOSAL OF WASTES Crushed to landfill
approx 100 lbs

LEAN UP AUTHORIZED/APPROVED BY Billy R Doras
TITLE Clay Co Sanitation Officer

UNAUTHORIZED DUMP CLEAN-UP SUPPLEMENTAL REPORTING FORM TO THE SOLID WASTE ASSISTANCE GRANT PAYMENT REQUEST

COUNTY/CITY NAME Clay Co DATE(S) OF CLEAN UP 9-3-14

DUMP SITE LOCATION Beacon Rd Dist 2

EQUIPMENT COST

TRUCK/EQUIPMENT USED	NO OF HOURS	RATE PER HOUR	TOTAL
<u>F250 Ford</u>			<u>1 hr</u>
TOTAL EQUIPMENT COSTS			

PERSONNEL COST

EMPLOYEE NAME	HOURS WORKED	RATE PER HOUR	TOTAL
<u>Billy Doss</u>	<u>1 hr</u>		<u>1 hr</u>
<u>D. Bensen (inmate)</u>	<u>1 hr</u>		<u>1 hr</u>
<u>J. Norton (inmate)</u>	<u>1 hr</u>		<u>1 hr</u>
TOTAL LABOR COSTS			

DISPOSAL COST

TONS/CU YDS DUMPED	RATE PER TON/CU YDS	TOTAL DISPOSAL COST
<u>approx. 100 lbs</u>		
TOTAL CLEAN-UP COST		

LANDFILLS/RUBBISH FACILITIES USED FOR DISPOSAL OF WASTES Carried to Landfill

LEAN UP AUTHORIZED/APPROVED BY Billy R Doss

TITLE Clay Co Sanitation Officer

UNAUTHORIZED DUMP CLEAN-UP SUPPLEMENTAL REPORTING FORM TO THE SOLID WASTE ASSISTANCE GRANT PAYMENT REQUEST

COUNTY/CITY NAME Clay Co DATE(S) OF CLEAN UP 9-26-14

DUMP SITE LOCATION Pine Bluff Road Dist 5

EQUIPMENT COST

TRUCK/EQUIPMENT USED	NO OF HOURS	RATE PER HOUR	TOTAL
F250 Ford	2 hrs		2 hrs
TOTAL EQUIPMENT COSTS			

PERSONNEL COST

EMPLOYEE NAME	HOURS WORKED	RATE PER HOUR	TOTAL
Billy R. Doss	2 hrs		2 hrs
J Martin (employee)	2 hrs		2 hrs
S Patrick (employee)	2 hrs		2 hrs
TOTAL LABOR COSTS			

no name found

DISPOSAL COST

TONS/CU YDS DUMPED	RATE PER TON/CU YDS	TOTAL DISPOSAL COST
TOTAL CLEAN-UP COST		

approx 300 lbs

LANDFILLS/RUBBISH FACILITIES USED FOR DISPOSAL OF WASTES carried to landfill

CLEAN UP AUTHORIZED/APPROVED BY Billy R. Doss

TITLE Clay Co Sanitation Officer

UNAUTHORIZED DUMP CLEAN-UP SUPPLEMENTAL REPORTING FORM TO THE SOLID WASTE ASSISTANCE GRANT PAYMENT REQUEST

COUNTY/CITY NAME Clay Co DATE(S) OF CLEAN UP 11-9-14
DUMP SITE LOCATION Yin House Rd - DIST 3

EQUIPMENT COST

TRUCK/EQUIPMENT USED	NO OF HOURS	RATE PER HOUR	TOTAL
F350 Ford			1 hr
TOTAL EQUIPMENT COSTS			

PERSONNEL COST

EMPLOYEE NAME	HOURS WORKED	RATE PER HOUR	TOTAL
Billy Davis	1 hr		1 hr
W. Martin inmate	1 hr		1 hr
D. Benson inmate	1 hr		1 hr
TOTAL LABOR COSTS			

Went thru thrash name found
called Sheriff's Dept

DISPOSAL COST

TONS/CU YDS DUMPED	RATE PER TON/CU YDS	TOTAL DISPOSAL COST
TOTAL CLEAN-UP COST		

approx. 200 lbs

LANDFILLS/RUBBISH FACILITIES USED FOR DISPOSAL OF WASTES _____

CLEAN-UP AUTHORIZED/APPROVED BY-

Billy Davis

TITLE

Clay Co Sanitation Office

UNAUTHORIZED DUMP CLEAN-UP SUPPLEMENTAL REPORTING FORM TO THE SOLID WASTE ASSISTANCE GRANT PAYMENT REQUEST

COUNTY/CITY NAME Clay Co DATE(S) OF CLEAN UP 7-4-14

DUMP SITE LOCATION Dumagan Rd Dist 3

EQUIPMENT COST

TRUCK/EQUIPMENT USED	NO. OF HOURS	RATE PER HOUR	TOTAL
<u>F250 Ford</u>	<u>1 1/2 hrs</u>		<u>1 1/2 hrs</u>
TOTAL EQUIPMENT COSTS			

PERSONNEL COST

EMPLOYEE NAME	HOURS WORKED	RATE PER HOUR	TOTAL
<u>Bill Does</u>	<u>1 1/2 hrs</u>		<u>1 1/2 hrs</u>
<u>J Martin inmate</u>	<u>1 1/2 hrs</u>		<u>1 1/2 hrs</u>
<u>P Benson</u>	<u>1 1/2 hrs</u>		<u>1 1/2 hrs</u>
<u>no name found</u>			
TOTAL LABOR COSTS			

DISPOSAL COST

TONS/CU YDS DUMPED	RATE PER TON/CU YDS	TOTAL DISPOSAL COST
<u>approx 300 lbs</u>		
TOTAL CLEAN-UP COST		

LANDFILLS/RUBBISH FACILITIES USED FOR DISPOSAL OF WASTES Carried to Landfill

CLEAN-UP AUTHORIZED/APPROVED BY Bill Does

TITLE Clay Co Sanitation Officer

January 12, 2015

MS Department of Environmental Quality
Attn Luis Murillo
P O Box 2261
Jackson, MS 39225-2261

Re Grant SW948
Reimbursement

Dear Luis

Enclosed please find Clay County's request for reimbursement on the grant referenced to above. Additionally, I have enclosed copies of illegal dumping's identified by Mr Billy Doss in acting as the Solid Waste Enforcement Officer.

If you should have any questions or need any additional information, please do not hesitate to call me at (662) 494-3124

Sincerely,

Amy G Berry
Chancery Clerk

Enclosure

NO _____

**IN THE MATTER OF AUTHORIZING TO SPREAD ON THE MINUTES THE
BEAVER CONTROL REPORT FOR THE MONTH OF DECEMBER 2014**

There came on this day for consideration the matter of authorizing to spread on the minutes the Beaver Control Report for the Month of December 2014


After motion by Luke Lummus and second by Floyd McKee this Board doth vote unanimously to authorize to spread on the minutes the Beaver Control Report for the month of December 2014 as attached hereto as Exhibit A

SO ORDERED this the 8th day of January, 2015


President

After motion by Luke Lummus and second by Shelton Deanes this Board doth vote unanimously to recess until Thursday, January 22, 2015 at 9 00 a m

SO ORDERED this the 8th day of January, 2015


President

Monthly BCAP Report

Dec-14

Direct Control

Project	Hours	Beavers	Dams
Barton Ferry Rd Box Culvert	0 5	0	1
Beasley Rd	7	5	1
Hwy 50 Pate	1	0	0
Colony Rd	2 5	2	0
Una/Brand Rd	4	3	0
Hwy 50 Kellog	1 5	1	1
Hwy 47 Barr	5	6	0
S Bennett Rd	1 5	0	2
Humphrey' Cove Hamblin	3	1	2
Lake Lilly Rd Harris	1	0	1
Decker Rd 2 pipes Hamblin	2 5	0	3
Brand Place	5	4	0
Hwy 46 Gipson	4 5	4	0
Hwy 50 Powell	8 5	3	0
Hwy 50 Wooten	9 5	4	0

T A Survey

Hours

Location.

3 5

Hwy 46 Gipson, Colony, Pate,
Tibbe Lake, Mathews Gin Rd,
Decker (box culvert), Hwy 50 E
and Hwy 50 Kellog

LEFT

BLANK

INTENTIONALLY

AMY G. BERRY, CHANCERY CLERK

BY: Ava Sidner Harris, D.C.